This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Gough
Ireland
~~Dublin~~ - Adds 8vo 79.

Catalogus Syſtematicus
PLANTARUM
INDIGENARUM
IN
COMITATU DUBLINENSI
INVENTARUM.

Pars Prima.

AUCTORE GUALTERO WADE, *M.D.*
COLLEGII MEDICORUM REGIS ET REGINÆ IN HIBERNIA E PERMISSIS, REI BOTANICÆ PRÆLECTORE, SOCIETATIS LINNÆANÆ LONDINENSIS, UT ET MEDICÆ DUBLINENSIS SOCIO, &c.

DUBLINI:
APUD GUL. SLEATER, TYPOGRAPHUM SOCIETATIS DUBLINENSIS, IN VICO DICTO DAME-STREET.

M. DCC.XCIV.

19142.

VIRO PRÆHONORABILI

JOANNI FOSTER,

PROLOCUTORI DOM? COM? PARL?

PERMITTAS me, quæſo, ſpectate vir, libellum huncce amico patriæ noſtræ æque ſtrenuo ac liberali dicare et conſecrare.

Labores tuos haud minus proſperos quam indefeſſos ad agriculturam, artes, et commercium Hiberniæ

 promovenda

promovenda directos, nunquam in memoria non tenebit populus gratus, consiliis tuis parendo ditatus et felix.

Patrocinium tuum rei botanicæ, utilis adeo ac jucundæ naturalis historiæ partis, ut ad tenues hosce conatus erga ejus in hac insula cultum solita benignitate extendas, etiam atque etiam rogo et precor,

devinctissimus tuus,

atque humillimus,

GUALTERUS WADE.

PRÆFATIO.

CATALOGUM plantarum instruenti opus erat methodum aliquam systematicam adhibere. Mihi præ aliis arridebat Linnæana, utpote non solum facile excellentissima, sed omnibus fere botanicis nunc dierum recepta.

Illustris Linnæi *Specie Plantarum*, editionis tertiæ, anno 1764 impressæ, ut plurimum utor. Ad alios scriptores, paucos, recentiores, et Britannos quidem omnes lectorem refero; quorum tamen ductu e fonte botanico satis superque haurire est. In eximio isto Domini *Curtis* opere citando, difficultate quadam peculiari pressus, omnes plantarum icones collegi, et eas secundum ordinem quo in publicum prodiere numeravi: Nota *Ic.* ad hance numerationem spectat, *N.* ad istam fasciculorum.

Numeri majores Romani, descriptionibus plantarum subjuncti, tempora earum florendi, more botanico, designant; I. Januarium, II. Februarium, III. Martem, &c. Numeri parvi, nominibus genericis præfixi, numerum generum planta-

rum

rum in hocce catalogo notatorum ſolummodo reſpiciunt. Accentus ex accurato opere Doctoris Withering ut plurimum deprompti ſunt.

Synonyma, Anglicis Hiberniſque exceptis, prætermiſi; cavendo ſcilicet ne ultra modum augeatur materies libelli, peregrinanti potiuſquam ſedentario ſtudenti opem allaturi.

In nominibus plantarum Anglicis recenſendis, varios auctores, et vivum populi ſermonem conſului. Quod vero ad nomina Hibernica, quanquam ea qua potui diligentia collegi, linguæ tamen parum peritus, de quibuſdam animi pendeo, alia penitus ſilentio præterire viſum eſt.

Quoniam huncce genuinum eſſe catalogum decrevi plantarum a memetipſo viſarum e ſolo Eblanenſi ſponte ſurgentium, verbum *Inveni* ubique præ-uſitatiori *Habitat* uſurpavi. Adeoque prima hæcce mei incepti pars, quamvis non omnibus numeris abſoluta, nunquam non fidelis habeatur.

Familiæ numeroſæ caricum et plantarum cryptogamicarum ſecundæ parti reſervantur, quæ quantum poteſt ſequetur.

ABBREVIATIONES EXPLICATÆ.

Annal. Agric. Annals of Agriculture, &c. by Arthur Young, Efq. F. R. S. &c. Bury St. Edmund's, 1784, &c. 8vo.

Englifh Botany. Englifh Botany, by James Sowerby, 1790, &c. 8vo.

Fl. Ang. Gul. Hudfoni Flora Anglica: edit. 1. 1768, ed. 2. 1778, Lond. 8vo.

Fl. Lond. Flora Londinenfis, by William Curtis, Lond. fol. 1777, &c.

Fl. Ruft. Flora Ruftica, by Thomas Martyn, B. D. and F. R. S. & Frederick P. Nodder, Lond. 1792, &c, 8vo.

Fl. Scot. Flora Scotica, by the Rev. John Lightfoot, 2 volumes, Lond. 1777, 8vo.

Hunt. Ev. Sylv. Silva: or a Difcourfe of Foreft Trees, by John Evelyn, Efq. with notes by A. Hunter, M. D. F. R. S. ed. 2. York, 2 volumes. 4to. 1786.

Lin.

Lin. Sp. Pl. Linnæi Species Plantarum: edit. 3. Vindobonæ, 1764, 8vo.

Lin. Sys. Veg. Caroli Linnæi ſyſtema vegetabilium: curante Jo. Andrea Murray, Gott. 1784, 8vo.

Med. Bot. Doctor William Woodville's Medical Botany, in 3 volumes, 4to, 1790, &c.

Mus. ruſt. Muſeum Ruſticum et commerciale, Lond. 1764, &c. 8vo. 6 volumes.

Still. Miſc. Obſervations on Graſſes by Benjamin Stillingfleet, publiſhed with his miſcellaneous tracts, ed. 2. Lond. 8vo. 1762.

With. Arrang. A Botanical Arrangement of Britiſh Plants, by William Withering, M. D. F. R. S. &c. and Jonathan Stokes, M. D. &c. Birming. 1787, &c. ed. 2. 3 volumes, 8vo.

MONANDRIA

MONOGYNIA.

1. *HIPPU'RIS.*

vulgáris. 1. HIPPU'RIS. *Lin. Sp. Pl. ed.* 3. 6. *Fl. Ang. ed.* 2. 2. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 2. *Fl. Lond. No.* 48. *Ic.* 288.

Anglis, *mare's tail, paddow pipe.*

Hibernis,

Inveni in ſtagnis, et rivulis, prope *Iriſh-town, Sandymount, Clontarf* juxta *Charter-ſchool,* et *Cardiff's bridge.* VII.

2. *SALICOR'NIA.*

herbácea. 1. SALICOR'NIA patula, articulis apice compressis emarginato-bifidis. *Lin. Sp. pl. ed.* 3. 5. *Fl. Ang. ed.* 2. 1. *Fl. Scot.* 69. *Wither. Arrang. ed.* 2. 3.

Anglis, *marsh samphire, sea-grass, salt-wort, jointed glass-wort.*

Hibernis,

Inveni in littoribus maritimis apud *Rings-end, Irishtown, Howth, Malahide, North-wall,* et *Balldoyle.* IX.

MONANDRIA DIGYNIA.

D I G Y N I A.

3. *CALLIT'RICHE.*

ver'na. 1. CALLIT'RICHE foliis superioribus, floribus androgynis. *Lin. Sp. Pl. ed.* 3. 6. *Fl. Ang. ed* 2. 439. *C. aquatica var.* β. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 4.

Anglis,

Anglis, *water ſtar-wort, water fennel, ſtar-headed water chickweed.*

Hibernis,

Inveni in foſſis, et aquis lutoſis, frequenter. IV.

autumnális. 2. 2. CALLITRICHE foliis omnibus linearibus apice bifidis, floribus hermaphroditis. *Lin. Sp. pl. ed.* 3. 6. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 5. *Fl. Ang. ed.* 2. 440. *C. aquatica var.* γ.

Anglis, *autumnal ſtar-wort.*

Hibernis,

Inveni cum priore. IX.

DIANDRIA MONOGYNIA.

D I A N D R I A.

MONOGYNIA.

4. *LIGUSTRUM.*

vulgáre. 1. LIGUSTRUM. *Lin. Sp. Pl. ed.* 3. 10. *Fl. Ang. ed.* 2. 3. *Fl. Scot.* 72. *Wither. Arrang. ed.* 2. 7. *Fl. Lond. N.* 5:. *Ic.* 305.

Anglis, *privet.*

Hibernis,

Inveni in ſepibus paſſim, circa *Chapel-izod*, *Lucan*, *Booterſtown*, *Black-rock*, *Clontarf*, &c. VI.

---

5. *VERONI'CA.*

officinális. 1. VERONI'CA ſpicis lateralibus pedunculatis, foliis oppoſitis, caule procumbente. *Sp. Pl. ed.* 3. 14. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 72. *Wither. Arrang. ed.* 2. 9. *Fl. Lond. N.* 33. *Ic.* 196.

Anglis, *male ſpeedwell*, *fluellin.*

Hibernis, **Luſ cré. Seamar cré.**

Inveni in ericetis, et inter lapides, ſuper montes et prope eorundum radices *Dublin Mountains* dictos, apud *Grange-hill*, *Killgobbin*, et in paſcuis ſiccioribus circa *Killbarrick.* VI. VII. VIII.

ſerpylli-fólia. 2. VERONI'CA racemo terminali ſubſpicato, foliis ovatis glabris. *Sp. Pl. ed.* 3. 15. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 73. *Fl. Lond. N.* 5. *Ic.* 27. *Wither. Arrang. ed.* 2. 11.

Anglis,

Anglis, *smooth speedwell, Paul's betony.*

Hibernis,

Inveni in paludosis locis, apud *Santry-wood* copiose. V.

Beccabun'ga. 3. VERONI'CA racemis lateralibus, foliis ovatis planis, caule repente. *Lin. Sp. Pl ed.* 3 16. *Fl Ang. ed.* 2. 5. *Fl. Scot.* 73. *With. Arrang. ed.* 2. 12. *Fl. Lond. N.* 15. *Ic.* 87. *Med. Bot. p.* 20. *Ic.* 7.

Anglis, *brooklime.*

Hibernis, **Biolar Muire, Biolar Uisge, Lochall, Lochall Mothair.**

Inveni in fossis et rivulis frequenter. VII.

Anagal'lis. 4. VERONI'CA racemis lateralibus, foliis lanceolatis serratis, caule erecto. *Lin. Sp. Pl. ed* 3. 10. *Fl. Ang. ed.* 2. 5. *Fl. Scot.* 73. *With. Arrang. ed.* 2. 12. *Fl. Lond. N.* 56. *Ic.* 332.

Anglis, *long leaved brook-lime, water speed-well.*

Hibernis, **Fualachtar.**

Inveni in fossis et rivulis passim. VII.

Cham'ædrys.

Chamæ'drys. 5. VERONI'CA racemis lateralibus, foliis ovatis rugosis dentatis sessilibus, caule debili. *Lin. Sp. Pl. ed.* 3. 17. *Fl. Ang. ed.* 2. 6. *Fl. Scot.* 74. *Wither. Arrang. ed.* 2. 13. *Fl. Lond. N.* 4. *Ic.* 34. *Fl. Rust. N.* 22. *Ic.* 66.

Anglis, *wild germander, speedwell.*

Hibernis, **An Ulach, Ealcah Anolu-rach.**

Inveni in pratis, sepibus, et pascuis passim, ut nihil magis vulgare. IV. V.

montána. 6. VERONI'CA racemis lateralibus pauci-floris, calycibus hirsutis, foliis ovatis rugosis crenatis petiolatis, caule debili. *Lin. Sp. Pl. ed.* 3. 17. *Fl. Lond. N.* 37. *Ic.* 218. *Fl. Ang. ed.* 2. 6. *Fl. Scot.* 74. *Wither. Arrang. ed.* 2. 12.

Anglis, *mountain speedwell, madwort.*

Hibernis,

Inveni in sylvis, præcipue apud *Luttrel's-town*, juxta murum in viâ ad *Lucan* ducente. VI.

arven'sis. 7. VERONI'CA floribus solitariis, foliis cordatis incisis *sessilibus. Fl. Ang. ed.* 1. 6. *et ed.* 2. 6. *Lin. Sp. Pl. ed.* 3. 18. *Fl. Scot.* 75. *Wither. Arrang. ed.* 2. 14. *Fl. Lond. N.* 23. *Ic.* 135.

Anglis,

Anglis, *wall ſpeedwell, corn ſpeedwell.*

Hibernis,

Inveni in muris vetuſtis, nonnunquam. IV.

agres'tis. 8. VERONI'CA floribus ſolitariis, foliis cordatis inciſis, *petiolatis. Fl. Ang. ed.* 1. 6. *ed.* 2. 7. *Lin. Sp. Pl. ed.* 3. 18. *Fl Scot.* 75. *With. Arrang. ed.* 2. 14. *Fl. Lond. N.* 7. *Ic.* 37.

Anglis, *germander-ſpeedwell, chickweed.*

Hibernis,

Inveni in cultis, frequenter, verno tempore.

hederi-fólia. 9. VERONI'CA floribus ſolitariis, foliis cordatis planis quinquelobis. *Sp. Pl. ed.* 3. 19. *Fl. Ang. ed.* 2. 7. *Fl. Scot.* 76. *Wither. Arrang. ed.* 2. 15. *Fl. Lond. N.* 19. *Ic.* 109.

Anglis, *ivy-leaved ſpeedwell, ſmall henbit.*

Hibernis,

Inveni in cultis frequenter. IV. V.

6. *PINGUIC'ULA.*

6. *PINGUIC'ULA.*

vulgáris. 1. PINGUIC'ULA nectario cylindraceo, longitudine petali. *Sp. Pl. ed.* 3. 25. *Fl. Ang. ed.* 2. 8. *Fl. Scot.* 76. *Wither. Arrang. ed.* 2. 16. *English Botany* 70.

Anglis, *common butterwort, Yorkſhire ſanicle.*

Hibernis, **Bodan Meaſgan, uachdar, g·roin.**

Inveni in paludoſis, juxta ſcholam reverendi Meares, apud *Black-rock*, auſtrali parte; apud *Howth*, auſtrali parte; et in prato uliginoſo apud *Scribleſtown*, pone *Uranoſcopium*, copioſe; ut et in locis variis uliginoſis ad radices montium Dublinenſium. VI.

---

7 *LYC'OPUS*

Europæ'us. 1. LYC'OPUS foliis ſinuato-ſerratis. *Lin. Sp. Pl. ed.* 3. 30. *Fl. Ang. ed.* 2. 9. *Fl. Scot.* 79. *Wither. Arrang. ed.* 2. 20. *Fl. Lond. N.* 34. *Ic.* 199.

Anglis,

Anglis, *water horehound.*

Hibernis, **Feoran Curraigh.**

Inveni ad margines fossarum in vivario *Phœnix Park* dicto, copiose. VIII.

---

8. *SAL'VIA.*

verbenáca. 1. SAL'VIA foliis serratis læviusculis, corollis calyce angustioribus. *Lin. Sp. Pl. ed.* 3. 35. *Fl Ang. ed.* 2. 10. *Fl. Scot.* 79. *Wither. Arrang. ed.* 2. 22.

Anglis, *wild clary.*

Hibernis,

Inveni prope muros vetustos inter *Long Meadows* et *Chapelizod*; in glareosis inter *Rathmines* et *Miltown* copiose; ut et in locis variis ruderatis. VI.

---

9. *CIRCÆ'A.*

lutetiána. 1. CIRCÆ'A caule erecto, racemis pluribus, foliis ovatis. *Lin. Sp. Pl ed.* 3. 12. *Fl. Ang. ed.* 2. 10. *Fl. Scot.* 80. *Wither. Arrang. ed.* 2. 23. *Fl. Lond. N.* 34. *Ic.* 200.

Anglis, *common enchanter's night-shade.*

Hibernis, **Fuinseach, Fuinsesgach.**

Inveni in locis umbrosis sylvæ *Luttrel's-town* copiose, præsertim in australi regione. VI.

D I G Y N I A.

---

10. *ANTHOXANTHUM.*

odorátum. 1. ANTHOXANTHUM spica oblonga, flosculis subpedunculatis arista longioribus. *Lin. Sp. Pl. ed.* 3. 40. *Fl. Ang. ed.* 2. 11. *Fl. Scot.* 81. *Wither. Arrang. ed.* 2. 25. *Fl. Lond. N.* 9. *Ic.* 51. *Fl. Rustica. Ic.* 23.

Anglis, *sweet smelling vernal grass.*

Hibernis,

Inveni in pratis, pascuis, sylvis, et arvis, frequenter. V.

TRIANDRIA

TRIANDRIA

MONOGYNIA.

11. *VALERIA'NA.*

rúbra. 1. VALERIA'NA floribus monandris caudatis, foliis lanceolatis, *(amplexicaulibus dentatis,)* integerrimis. *Lin. Sp. Pl. ed.* 3. 44. *Fl. Ang. ed.* 2. 12. *Wither. Arrang. ed.* 2. 35.

Anglis, *red valerian.*

Hibernis,

Inveni in ruderatis inter *Chapelizod* et *Lucan*, et ſuper muros vetuſtos ſaxoſos paſſim. VII.

officinális. 2. VALERIA'NA floribus triandris, foliis omnibus pinnatis. *Lin. Sp. Pl. ed.* 3. 45. *Fl. Ang. ed.* 2. 12. *Fl. Scot.* 84. *Wither. Arrang. ed.* 2. 36. *Med. Bot. p.* 262. *Ic.* 96.

Anglis, *wild officinal valerian.*

Hibernis, **Carthan Curaigh.**

Inveni in ſepibus humidis inter *Cardiff's-bridge* et *Aſh-town*, apud *Howth*, ad ripas fluviorum inter *Long Meadows* et *Lucan*, circa *Blue Bell*, et alibi. VII.

Locus'ta. 3. VALERIA'NA floribus triandris, caule dichotomo, foliis linearibus *Lin. Sp. Pl. ed.* 3. 47. *Fl. Ang. ed.* 2. 13. *Fl. Scot.* 85. *Wither. Arrang. ed.* 2. 37. *Fl. Lond. N.* 54. *Ic.* 324. *Fl. Ruſt.* 24.

Anglis, *corn valerian*, *corn ſallet*, *lamb's-lettuce*.

Hibernis,

Inveni in agris apud *Roebuck*, et juxta pontes *Glaſnevin*, et *Donnybrook*. IV.

---

12. *I' R I S.*

Pſeud-acórus. 8. I'RIS corollis imberbibus, petalis interioribus ſtigmate minoribus, foliis enſiformibus. *Lin. Sp. Pl. ed.* 3. 56. *Fl. Ang. ed.* 2. 14. *Fl. Scot.* 86. *Wither. Arrang. ed.* 2. 39. *Fl. Lond. N.* 33. *Ic.* 198. *Med. Bot. p.* 114. *Ic.* 400.

Anglis,

Anglis, *flower de luce*, *water-flag*.

Hibernis, **Feleastar, Feleastrum.**

Inveni in locis paluſtribus copioſe in *Phœnix Park*, et alibi. VI.

---

13. *SCHOE'NUS.*

nigricans. 1. SCHOE'NUS culmo tereti nudo capitulo ovato, involucri diphylli valvula altera ſubulata longa. *Lin. Sp. Pl. ed.* 3. 64. *Fl. Ang. ed.* 2. 15. *Fl. Scot.* 86. *Wither. Arrang. ed.* 2. 42.

Anglis, *round black-headed bog ruſh.*

Hibernis, **Sibhne, Siſin, Seimhin.**

Inveni in locis paluſtribus, ſolo ſpongioſo, ad radices *montium Dublinenſium*, præſertim juxta *Stag's-town.* VI.

---

14. *SCIR'PUS.*

palus'tris. 1. SCIR'PUS culmo tereti nudo, ſpica ſubovali terminali. *Lin. Sp. Pl. ed.* 3. 70. *Fl. Ang. ed.* 2. 17. *Fl. Scot.* 87. *Wither. Arrang. ed.* 2. 46. *Eng. Bot. N.* 34. *Ic.* 131.

Anglis,

Anglis, *club rush, aglet-headed rush.*

Hibernis, **Luachair.**

Inveni in locis paluſtribus frequenter, præcipue juxta pontes *Finglaſs*, *Glanſkeagh*, illumque *Cardiff's bridge* dictum. VI.

cæſpito'ſus 2. SCIR'PUS culmo ſtriato nudo, ſpica bivalvi terminali longitudine calycis, radicibus ſquamula interſtinctis. *Lin. Sp. Pl. ed.* 3. 71. *Fl. Ang. ed.* 2. 18. *Fl. Scot.* 87. *Wither. Arrang. ed.* 2. 47.

Anglis, *dwarf club rush, deer's hair.*

Hibernis, **Cruagh luachair.**

Inveni in pratis et ericetis udis, et locis paluſtribus paſſim, præcipue circa *Stag's town*, *Clondalkin*, et *Kilmaſhouge.* VI. VII.

lacus'tris. 3. SCIR'PUS culmo tereti nudo, ſpicis ovatis pluribus pedunculatis terminalibus. *Lin. Sp. Pl. ed.* 3. 72. *Fl. Ang. ed.* 2. 19. *Fl. Scot.* 88. *Wither. Arrang. ed.* 2. 48.

Anglis, *bulrush.*

Hibernis, **Buigiun, bog ſheimhin.**

Inveni

Inveni in ſtagnis majoribus, et fluminibus frequenter, præſertim inter *Cardiff's bridge* et *Aſh-town* copioſe. VII.

marit'imus. 4. SCIR'PUS culmo triquetro, panicula conglobata foliacea, ſpicularum ſquamis trifidis: intermedia ſubulata. *Lin. Sp. Pl. ed.* 3. 51. *Fl. Ang. ed.* 2. 21. *Fl. Scot.* 89. *Wither. Arrang. ed.* 2. 50. *Fl. Lond. N.* 48. *Ic.* 285.

Anglis, *round-rooted baſtard cyprus.*

Hibernis, Broбh.

Inveni in paludibus juxta mare, inter *Sandymount* et *Merrion* copioſe, et alibi. VIII.

---

15. *ERIOPH'ORUM.*

polyſta'chion. 1. ERIOPH'ORUM culmis teretibus, foliis planis, ſpicis pedunculatis. *Lin. Sp. Pl. ed.* 3. 76. *Fl. Ang. ed.* 2. 21. *Fl. Scot.* 89. *Wither. Arrang. ed.* 2. 53. *Fl. Lond. N.* 37. *Ic.* 119.

Anglis, *common cotton graſs, moor graſs, moſs crops, bog down.*

Hibernis,

Hibernis, Ceanabhan mona, ſioda mona, ceanach na mona, ſgathoga ſiona.

Inveni in locis paludoſis et cænoſis frequenter, præſertim ad radices *montium Dublinenſium* copioſe. VII.

D I G Y N I A.

16. *PHAL'ARIS.*

arundinácea. 1 PHAL'ARIS panicula oblonga ventricoſa. *Lin. Sp. Pl. ed.* 3. 80. *Fl. Ang. ed.* 2. 23. *Fl. Scot.* 90. *With. Arrang. ed.* 2. 67.

Anglis, *reed Canary graſs.*

Hibernis,

Inveni ad fluviorum ripas paſſim. VII.

---

17. *P H L E 'U M.*

praten'ſe. 1. PHLE'UM ſpica cylindrica longiſſima, culmo recto. *Lin. Sp. Pl. ed.* 3. 87. *Fl. Ang. ed.* 2.25. *Fl. Scot.* 91. *Wither. Arrang. ed.* 2. 63. *Mus. Ruſt.* VII. *Annal. Agric. V.* 12. 446. *Fl. Ruſt. N.* 2. *Ic.* 5.

Anglis,

Anglis, *Timothy graſs*, *herd graſs*, *meadow cat's tail graſs.*

Hibernis,

Inveni in pratis et paſcuis, ad ſemitas et inter ſepes frequenter. VII.

---

18. *ALOPECU'RUS.*

praten'ſis. 1. ALOPECU'RUS culmo ſpicato erecto, glumis villoſis. *Lin. Sp. Pl. ed.* 3. 88. *Fl. Ang. ed.* 2. 27. *Fl. Scot.* 91. *Muſ. Ruſt. Vol.* 4. *t.* 2. *f.* 9. *Wither. Arrang. ed.* 2. 59. *Annal. Agric. Vol.* 12. 415. *Vol.* 16. 129. *Fl. Lond. N.* 50. *Ic.* 300. *Fl. Ruſt. N.* 2. *Ic.* 6.

Anglis, *meadow fox-tail graſs.*

Hibernis,

Inveni in pratis humidis ubique. V.

geniculátus. 2. ALOPECU'RUS culmo ſpicato infracto. *Lin. Sp. Pl. ed.* 3. 89. *Fl. Ang. ed.* 2. 27. *Fl. Scot.* 92. *With. Arrang. ed.* 2. 60. *Fl. Lond. N.* 57. *Ic.* 340.

Anglis, *ſpiked float graſs, ſpiked water graſs, float fox-tail graſs.*

Hibernis,

Inveni in ſtagnis paſſim, iſtis præſertim muro boreali, viæ circulari, canalique magno vicinis. VI.

---

19. *AGROSTIS.*

canina. 1. AGROSTIS calycibus elongatis, petalorum ariſta dorſali recurva, culmis proſtratis ſubramoſis. *Lin. Sp. Pl. ed.* 3. 92. *Fl. Ang. ed.* 2. 30. *Fl. Scot.* 92. *With. Arrang. ed.* 2. 70.

Anglis, *brown bent graſs.*

Hibernis,

Inveni in pratis, paſcuis, et ericetis cæſpitoſis, atque montoſis ubique, præſertim ad radices *montium Dublinenſium.* VII.

capillaris. 2. AGROSTIS panicula capillari patente, calycibus ſubulatis æqualibus hiſpidiuſculis coloratis, floſculis muticis. *Lin.*

Lin. Sp. Pl. ed. 3. 93. *Fl. Ang. ed.* 2. 31. *A. polymorpha: var.* α. *Fl. Scot.* 93. *Wither. Arrang. ed.* 2. 73. *Annal. Agric. V.* 17. 38.

Anglis, *fine bent grafs.*

Hibernis,

Inveni cum priore, et ad fepes frequenter. VII.

ftolonifera. 3. AGROSTIS paniculæ ramulis divaricatis muticis, culmo repente, calycibus æqualibus. *Lin. Sp. Pl. ed.* 3. 93. *Fl. Ang. ed.* 2. 31. *Fl. Scot.* 93. *Wither. Arrang. ed.* 2. 72.

Anglis, *creeping bent grafs.*

Hibernis,

Inveni in locis humidis, vadofis, et arenofis fuper *montes Dublinenfes*, juxta *Bullock*, et alibi. VII.

20. *A 'I R A.*

cærúlea. 1. A'IRA panicula coarctata, floribus pedunculatis muticis convoluto-ſubulatis, foliis planis. *Lin. Sp. Pl. ed.* 3. 95. *Fl. Ang. ed.* 2. 33. *Mel'ica cærúlea : Fl. Scot.* 96. *Wither. Arrang. ed.* 2. 82. *Fl. Lond. N.* 60. *Ic.* 355.

Anglis, *purple hair graſs, purple melic graſs.*

Hibernis,

Inveni in pratis paludoſis agrorum *Scribles-town*, et alibi. VI.

aquat'ica. 2. A'IRA panicula patente, floribus muticis lævibus obtuſis calyce longioribus, foliis planis. *Lin. Sp. Pl. ed.* 3. 95. *Fl. Ang. ed.* 2. 33. *Fl. Scot.* 94. *Wither. Arrang. ed.* 2. 76. *Fl. Lond. N.* 10. *Ic.* 60.

Anglis, *water hair graſs.*

Hibernis,

Inveni in aquoſis; in foſſis paſſim. VI.

cæſpitóſa.

cæspitósa. 3. A'IRA foliis planis, panicula patente, petalis basi villosis aristatisque: arista recta brevi. *Lin. Sp. Pl. ed.* 3. 96. *Fl. Ang. ed.* 2. 34. *Fl. Scot.* 94. *Wither. Arrang. ed.* 2. 77.

Anglis, *turfy hair grass.*

Hibernis,

Inveni in pratis et pascuis humidis ad radices *montium Dublinensium*; præsertim circa *Hill of the Grange, Stag's-town, King's town,* et *Lugmore.* VII.

---

21. *M E L' I C A.*

nutáns. 1. MEL'ICA petalis imberbibus, panicula secunda nutante simplici. *Lin. Sp. Pl. ed.* 3. 98. *Fl. Ang. ed.* 2. 37. *gluma uniflora. Fl. Scot.* 95. *M. uniflora. With. Arrang. ed.* 2. 81. *Fl. Lond. N.* 51. *Ic.* 303. *Fl. Rust. N.* 22. *Ic.* 64.

Anglis, *wood melic grass.*

Hibernis,

Inveni in sylva *Luttrel's-town*, in aggeribus sepium umbrosis occidentem versus. VII.

22. *B R I' Z A.*

22. *B R I' Z A.*

média. 1. BRI'ZA ſpiculis ovatis calyce floſculis breviore. *Lin. Sp. pl. ed.* 3. 103. *Fl. Ang. ed.* 2. 38. *Fl. Scot.* 99. *Wither. Arrang. ed.* 2. 92. *Fl. Ruſt. N.* 13. *Ic.* 39.

Anglis, *cow-quakes, lady's hair, quaking graſs, wag wanton, trembling graſs.*

Hibernis,

Inveni in pratis et paſcuis ubique. VII.

---

23. *P O' A.*

praten'ſis. 1. PO'A panicula diffuſa, ſpiculis quinque-floris glabris, culmo erecto tereti. *Lin. Sp. Pl. ed.* 3. 99. *Fl. Ang. ed.* 2. 39. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 87. *Fl. Lond. N.* 14. *Ic.* 82.

Anglis, *great meadow graſs, ſmooth-ſtalked meadow graſs.*

Hibernis,

Inveni in pratis et paſcuis ubique. VI.

triviális.

triviális. 2. PO'A panicula diffuſa, ſpiculis ſubtrifloris baſi pubeſcentibus, culmo erecto tereti. *Lin. Sp. Pl. ed.* 3. 99. *Fl. Ang. ed.* 2. 39. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 85. *Fl. Lond. N.* 15. *Ic.* 90. *Annal. Agricul. V.* 5. 115. *V.* 6. 54.

Anglis, *common meadow graſs, rough-ſtalked meadow graſs, bird graſs, fowl graſs.*

Hibernis,

Inveni cum priore. VI.

compreſſa. 3. PO'A panicula coarctata ſecunda, culmo obliquo compreſſo. *Lin. Sp. Pl. ed.* 3. 101. *Fl. Ang. ed.* 2. 41. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 89.

Anglis, *flat-ſtalked meadow graſs, creeping meadow graſs.*

Hibernis,

Inveni ſuper muros vetuſtos, et in locis ſicciſſimis nonnunquam. VI.

an'nua. 4. PO'A panicula diffuſa, angulis rectis, ſpiculis obtuſis, culmo obliquo compreſſo. *Lin. Sp. pl. ed.* 3. 99. *Fl. Ang.* *ed.*

ed. 2. 42. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 88. *Fl. Lond. N.* 2. *Ic.* 8. *Muf. Ruft. V.* 4. 2. 8. *Annal. Agricul. V.* 6. 52.

Anglis, *annual meadow grafs, Suffolk grafs, common dwarf poa.*

Hibernis,

Inveni ubique in pafcuis, ad femitas, et agrorum limites. I. XII.

maritima. 5. PO'A panicula coarctata fecunda ramofa, ramis binatis, fpiculis oblongis, flofculis obtufis, culmo obliquo tereti. *Fl. Ang. ed.* 2. 42. *Fl. Scot.* 98. *Wither. Arrang. ed.* 2. 88.

Anglis, *fea meadow grafs.*

Hibernis,

Inveni in littoribus maritimis arenofis inter *Sandymount* et *Merrion*, et alibi. VII.

rig'ida. 6. PO'A panicula lanceolata, fubramofa fecunda, ramulis alternis fecundis. *Lin. Sp. Pl. ed.* 3. 101. *Fl. Ang. ed.* 2. 42. *Fl. Lond. N.* 24. *Ic.* 139. *Wither. Arrang. ed.* 2. 89.

Anglis,

Anglis, *hard meadow grass.*

Hibernis,

Inveni ſuper muros vetuſtos frequenter. VII.

---

24. *DACTYLIS.*

glomeráta. 1. DACTYLIS panicula ſecunda glomerata. *Lin. Sp. Pl. ed.* 3. 104. *Fl. Ang. ed.* 2. 43. *Fl. Scot.* 99. *Wither. Arrang. ed.* 2. 94. *Fl. Ruſt. N.* 5. *Ic.* 14. *Mus. Ruſt. V.* 5. 1. 5.

Anglis, *rough cock's-foot graſs, orchard graſs.*

Hibernis,

Inveni ubique fere. VI.

---

25. *FESTUCA.*

ovína. 1. FESTUCA panicula ſecunda coarctata ſubariſtata, glumis acuminatis, culmo tetragono nudiuſculo, foliis ſetaceis.

 Lin.

Lin. Sp. Pl. ed. 3. 108. *Fl. Ang. ed.* 2. 44. *Fl. Scot.* 101. *Wither. Arrang. ed.* 2. 97. *Mus. Rust.* 4. 2. 4. *Still. Misc. t.* 8.

Anglis, *sheep's fescue grass.*

Hibernis,

Inveni in pascuis siccioribus arenosis passim. VII.

duriuscula. 2. FESTU'CA panicula secunda, oblonga, spiculis sexfloris oblongis lævibus, foliis setaceis. *Lin. Sp. Pl. ed.* 3. 108. *Fl. Ang. ed.* 2. 45. *Fl. Scot.* 101. *Wither. Arrang. ed.* 2. 98.

Anglis, *hard fescue grass.*

Hibernis,

Inveni cum priore frequenter, præcipue circa ædes *warren house* dictas. VI.

rúbra. 3. FESTU'CA panicula secunda scabra, spiculis sexfloris aristatis, flosculo ultimo mutico, culmo semitereti. *Lin. Sp. Pl. ed.* 3. 109. *Fl. Ang. ed.* 2. 45. *Fl. Scot.* 102. *With. Arrang. ed.* 2. 97.

Anglis,

Anglis, *purple fescue grass.*

Hibernis,

Inveni cum priore. VI.

flúitans. 4. FESTU'CA panicula ramosa erecta spiculis subsessilibus teretibus muticis. *Lin. Sp. Pl. ed.* 3. 111. *Fl. Ang. ed.* 2. 46 *Fl. Scot.* 103. *Wither. Arrang. ed.* 2. 100. *Fl. Lond. N.* 6. *Ic.* 36. *Mus. Rust. V.* 4. 1. 6.

Anglis, *common flote fescue grass, flote grass.*

Hibernis,

Inveni in rivulis et fossis aquosis frequenter. V. VI.

praten'sis. 5. FESTU'CA panicula secunda, erecta, spiculis linearibus muticis, foliis planis. *Fl. Ang. ed.* 2. 47. *Wither. Arrang. ed.* 2. 101. *Fl. Lond N.* 66. *Ic.* 393. *Annal. Agric. V.* 20. 167.

Anglis, *meadow fescue grass.*

Hibernis,

Inveni in pratis et paſcuis humidis paſſim. VI.

elátior. 6. FESTU'CA panicula ſecunda ramoſa erecta, ſpiculis ſubariſtatis; exterioribus teretibus, *Lin. Sp. Pl. ed.* 3. 111. *Fl. Ang. ed.* 2. 47. *Fl. Scot.* 102. *Wither. Arrang. ed.* 2. 100. *Fl. Lond. N.* 66. *Ic.* 392.

Anglis, *tall feſcue graſs.*

Hibernis,

Inveni cum priore et ad ſepium latera. VI.

---

26. *B R O' M U S.*

mol'lis. 1. BRO'MUS panicula erectiuſcula, ſpicis ovatis ariſtis rectis, foliis molliſſime villoſis. *Lin. Sp. Pl. ed.* 3. 112. *Fl. Ang. ed.* 2. 48. *B. polymorpha. var.* α. *Fl. Scot.* 103. *Wither. Arrang. ed.* 2. 105. *Fl. Lond. N.* 3. *Ic.* 17.

Anglis, *field brome graſs, ſoft brome or broom graſs.*

Hibernis,

Hibernis,

Inveni in pratis, pascuis, et arvis ubique. VI.

ster'ilis. 2. BRO'MUS panicula patula, spiculis oblongis distichis, glumis subulato-aristatis. *Lin. Sp. Pl. ed.* 3. 113. *Fl. Ang. ed.* 2. 50. *Fl. Scot.* 104. *Wither. Arrang. ed.* 2. 108. *Fl. Lond. N.* 4. *Ic.* 21.

Anglis, *barren brome grass*

Hibernis,

Inveni ad sepes, et in agrorum marginibus frequenter. VI.

gigantéus. 3. BRO'MUS panicula nutante, spiculis quadrifloris aristis brevibus. *Lin. Sp. Pl. ed.* 3. 114. *Fl. Ang. ed.* 2. 51. *Fl. Scot.* 104. *Wither. Arrang. ed.* 2. 110. *Fl. Lond. N.* 58. *Ic.* 348.

Anglis, *tall brome grass.*

Hibernis,

Inveni in sepibus frequenter, præsertim inter *Glasnevin* et *Finglass bridge*. VII.

27. *AVE'NA.*

27. *A V E' N A.*

flaveſcens. 1. AVE'NA panicula laxa, calycibus trifloris brevibus; floſculis omnibus ariſtatis. *Lin. Sp. Pl ed.* 3. 118. *Fl. Ang. ed.* 2. 53. *Il. Scot.* 106. *Witb. Arrang. ed.* 2. 114. *Fl. Lond. N.* 35. *Ic.* 206.

Anglis, *yellow oat graſs.*

Hibernis,

Inveni in paſcuis et pratis ſiccis ubique fere. VI.

elátior. 2. AVE'NA paniculata, calycibus trifloris, floſculo hermaphrodito ſubmutico, maſculo ariſtato. *Lin. Sp. Pl. ed.* 3. 116. *Fl. Ang. ed.* 2. 53. *Il. Scot.* 105. *Wither. Arrang. ed.* 2. 112. *Fl. Lond. N.* 32. *Ic.* 192. *Fl. Ruſt. N.* 3. *Ic.* 7.

Anglis, *tall oat graſs.*

Hibernis,

Inveni cum priore, et ad ſepes frequenter. VI.

28. *A R U N' D O.*

28. *ARUN'DO.*

phragmites. 1. ARUN'DO calycibus quinquefloris, panicula laxa. *Lin. Sp. Pl. ed.* 3. 120. *Fl. Ang. ed.* 2. 53. *Fl. Scot.* 106. *Wither. Arrang. ed.* 2. 116.

Anglis, *common reed grafs.*

Hibernis, **Biorrach Lachan, cruif-giornah.**

Inveni in fluviis et in aquis refedibus, ad fluviorum ripas et in foffis, frequenter. VI.

arenária. 2. ARUN'DO calycibus unifloris, foliis involutis mucronato-pungentibus. *Lin. Sp. Pl. ed.* 3. 121. *Fl. Ang. ed.* 2. 54. *Fl. Scot.* 107. *Wither. Arrang. ed.* 2. 118. *Fl. Ruft. N.* 11. *Ic.* 32.

Anglis, *fea reed grafs, fea mat-weed, marram, helme.*

Hibernis, **Muiriunach, Maithine', Muirneach, Meahain.**

Inveni

Inveni in arenosis tumulis et aggeribus ad maris littus, abundanter circa *Baldoyle*, præsertim apud *the Burrow of Kilmarnock*. V. VI.

---

29. *LO'LIUM.*

peren'ne. 1. LO'LIUM spica mutica, spiculis compresis multifloris. *Lin. Sp. Pl. ed.* 3. 122. *Fl. Ang. ed.* 2. 55. *Fl. Scot.* 107. *Wither. Arrang. ed.* 2. 120. *Fl. Rust. N.* 2. *Ic.* 4. *Annal. Agric. V.* 6. 49.

Anglis, *perennial darnel grass, ray grass, rye grass, crap, red darnel grass.*

Hibernis, **Breallan, Raidhleadh.**

Inveni ubique. VI.

---

30. *HOR'DEUM.*

murinum. 1. HOR'DEUM flosculis lateralibus masculis ariſtatis, involucris intermediis ciliatis. *Lin. Sp. Pl. ed.* 3. 126. *Fl. Ang.*

Ang. ed. 2. 56. *Fl Scot.* 108. *With. Arrang. ed* 2. 126. *Fl. Lond. N.* 55. *Ic.* 327. *Fl. Ruft. N.* 15. *Ic.* 43.

Anglis, *wall barley, way bennet, wild rye, rye grafs.*

Hibernis,

Inveni fuper muros, et ad macerias femitafque ubique fere. VII.

---

31. TRITICUM.

répens. 1. TRITICUM calycibus quadrifloris fubulatis acuminatis foliis planis. *Lin. Sp. Pl. ed.* 3. 128. *Fl. Ang. ed* 2. 57. *Fl. Scot.* 109. *Wither. Arrang. ed.* 2. 129.

Anglis. *common wheat grafs, dog's grafs, fquitch grafs, couch grafs, quick grafs.*

Hibernis, Bruimſean, Fiothran Braim-ſhear.

Inveni ubique. VII.

jun'ceum. 2. TRIT'ICUM calycibus truncatis quinquefloris; foliis involutis *Lin. Sp. Pl. ed.* 3. 128. *Fl. Ang. ed.* 2. 58. *Fl. Scot.* 109. *Wither. Arrang. ed.* 2. 128.

Anglis, *sea wheat grass.*

Hibernis,

Inveni in littoribus maritimis arenosis nonnunquam, præsertim inter *Sandymount* et *Merrion.* VII.

---

32. *CYNOSU'RUS.*

cristátus. 1. CYNOSU'RUS bracteis pinnatifidis. *Lin. Sp. Pl. ed.* 3. 105. *Fl. Ang. ed.* 2. 59. *Fl. Scot.* 100. *With. Arrang. ed.* 2. 95.

Anglis, *crested dog's-tail grass.*

Hibernis,

Inveni in pascuis siccis, et pratis ubique fere. VI.

TRIGYNIA.

TRIANDRIA.

TRIGYNIA.

---

33. *MONTIA.*

fontana. 1. MONTIA. *Lin. Sp. Pl. ed.* 3. 129. *Fl. Ang. ed.* 2. 60. *Fl. Scot.* 110. *Wither. Arrang. ed.* 2. 131. *Fl. Lond. N.* 32. *Ic.* 188.

Anglis, *ſmall water chickweed or purſlane, blinks.*

Hibernis,

Inveni ad ſcaturigines, et in locis limoſis humidis apud *Howth* et alibi. IV.

TETRANDRIA.

MONOGYNIA.

34 *DIP'SACUS.*

fullonum. 1. DIP'SACUS foliis sessilibus serratis.
sylvestris. *Lin. Sp. Pl. ed.* 3. 140. *Fl. Ang. ed.* 2. 61. *Fl. Scot.* 113. *Wither. Arrang. ed.* 2. 137. *Fl. Lond. N.* 34. *Ic.* 203.

Anglis, *teasel, wild teasel.*

Hibernis, **Leadan.**

Inveni in incultis circa lapicidinam appellatam *Black quarries* via ad *Rabeny* ducente, et alibi ad vias orasque fossarum. VIII.

35. *SCABIO'SA.*

succisa. 1. SCABIO'SA corollulis quadrifidis æqualibus, caule simplici, ramis approximatis, foliis lanceolato-ovatis integerrimis.

mis. *Lin. Sp. Pl. ed.* 3. 142. *Fl. Ang. ed.* 2. 62. *Fl Scot.* 114. *With. Arrang. ed.* 2. 139. *Fl. Lond. N.* 32. *Ic.* 187.

Anglis, *devil's-bit ſcabious.*

Hibernis, **Urachalach, Greim a Diabhail.**

Inveni in pratis et paſcuis udis abunde juxta *Santry wood,* circa *Kilgobbin,* et alibi. VIII.

arven'ſis. 2. SCABIO'SA corollulis quadrifidis radiantibus, caule hiſpido, foliis pinnatifidis: lobis diſtantibus. *Lin. Sp. Pl. ed* 3. 143. *Fl Ang. ed.* 2. 62. *Fl. Scot.* 114. *With. Arrang. ed.* 2. 140. *Fl. Lond. N.* 48. *Ic.* 286.

Anglis, *field or corn ſcabious.*

Hibernis, **Caba Defain.**

Inveni in paſcuis frequenter, nec minus inter ſegetes; equidem, fere ubique. VII.

36. *PLANTA'GO.*

36. *PLANTA'GO.*

májor. 1. PLANTA'GO foliis ovatis glabris, ſcapo tereti, ſpica floſculis imbricatis. *Lin. Sp. Pl. ed.* 3. 163. *Fl. Ang. ed.* 2. 63. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 142. *Fl. Lond. N.* 16. *Ic.* 95. *Med. Bot. p.* 39. *Ic.* 14.

Anglis, *great beſom plantain, way bread.*

Hibernis, **Cruach Phadruig.**

Inveni ad vias ubique. VI.

média. 2. PLANTA'GO foliis ovato-lanceolatis pubeſcentibus, ſcapo tereti, ſpica cylindrica. *Lin. Sp. Pl. ed.* 3. 163. *Fl. Ang. ed.* 2. 64. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 143. *Fl. Lond. N.* 43. *Ic.* 258.

Anglis, *hoary plantain, lamb's-tongue.*

Hibernis,

Inveni in glareoſis, et ad vias paſſim. VI.

lanceoláta. 3. PLANTA'GO foliis lanceolatis, ſpica ſubovata nuda, ſcapo angulato. *Lin. Sp. Pl. ed.* 3. 164. *Fl. Ang. ed.* 2. 64.

64. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 143. *Fl. Lond. N.* 15. *Ic.* 85. *Fl. Ruſt. N.* 23. *Ic.* 67.

Anglis, *rib-wort plantain, rib graſs.*

Hibernis, **Slan Lus.**

Inveni in pratis, paſcuis, et ad vias ubique. VI.

marit'ima. 4. PLANTA'GO foliis ſemicylindraceis integerrimis baſi lanatis, ſcapo tereti. *Lin. Sp. Pl. ed.* 3. 165. *Fl. Ang. ed.* 2. 64. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 144. *Plantago ſcapo ſpicato, foliis linearibus ſubtus convexis. Lin. Sp. Pl. ed.* 3. 166. *Fl. Ang. ed.* 2. 64. *var.* β.

Anglis, *ſea narrow-leaved plantain.*

Hibernis,

Inveni inter rupes, et in paluſtribus maritimis copioſe apud *Killeny bay*, et alibi. VIII.

corónopus. 5. PLANTA'GO foliis linearibus *pinnato-*dentatis, ſcapo tereti. *Fl. Ang. ed.* 1. 52. *ed.* 2. 64. *Lin. Sp. Pl. ed.* 3. 166.

166. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 145.

Anglis, *buck's-horn plantain, ſtar of the earth.*

Hibernis,

Inveni in locis arenoſis abunde apud *North wall* et *South wall.* VI.

---

37. *R U 'B I A.*

peregri'na. 1. RU'BIA foliis quaternis. *Lin. Sp. pl. ed.* 3. 158. *Fl. Ang. ed.* 1. 54. *ed.* 2. 65. *With. Arrang ed.* 2. 148.

Anglis, *wild madder.*

Hibernis,

Inveni in ericetis, et locis montoſis ſaxoſis, ſed raro, juxta fodinas plumbeas *Dalkey*, verſus ſinum *Killeny* dictum. VII.

38. *S H E R A R' D I A.*

38. *SHERAR'DIA.*

arven'ſis. 1. SHERAR'DIA foliis omnibus verticillatis, floribus terminalibus. *Lin. Sp. Pl. ed.* 3. 149. *Fl. Ang. ed.* 2. 66. *Fl. Scot.* 114. *Wither. Arrang. ed.* 2. 159. *Fl. Lond. N.* 53. *Ic.* 315.

Anglis, *little field madder.*

Hibernis,

Inveni in arvis præſertim requietis in *Inchicore road, Knockmaroon hill* et circa *Warren-houſe* juxta *Howth.* VI.

---

39. *ASPER'ULA.*

odoráta. 1. ASPER'ULA foliis octonis lanceolatis, florum faſciculis pedunculatis. *Lin. Sp. Pl. ed.* 3. 150. *Fl. Ang. ed.* 2. 66. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 158. *Fl. Lond. N.* 43. *Ic.* 253.

Anglis, *woodroof, woodrow, woodrowell, woodruffe.*

 Hibernis,

Hibernis,

Inveni in ſylvis *Luttrel's-town*, et *Santry*, et in clivis umbroſis inter *Rathmines* et portam orientalem *Rathfarnham park* comitis *Ely*, copioſe. V.

---

40. *GAL'IUM.*

palus'tre. 1. GAL'IUM foliis quaternis obovatis inæqualibus, caulibus diffuſis. *Lin. Sp. Pl. ed.* 3. 153. *Fl. Ang. ed.* 2. 67. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 149.

Anglis, *white lady's bed-ſtraw.*

Hibernis,

Inveni in locis humidis, et ad rivulos, apud *Long Meadows*, *Phænix Park*, *Circular-road*, et alibi. VI.

montánum. 2. GAL'IUM foliis ſenis obovatis mucronatis glabris, caule proſtrato, pedunculis trichotomis. *Fl. Ang. ed.* 1. 56. *ed.* 2. 67. *Wither. Arrang. ed.* 2. 151. *G. procum'bens.*

Anglis, *mountain lady's bed-ſtraw.*

Hibernis,

Hibernis,

Inveni in ericetis circa *Howth*, et *Dublin mountains* copiose. VI.

uliginosum. 3. GALIUM foliis senis lanceolatis retrorsum serrato-aculeatis mucronatis rigidis, corollis fructu majoribus. *Lin. Sp. Pl. ed.* 3. 153. *Fl. Ang. ed.* 2. 68. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 151.

Anglis, *marsh lady's bed-straw.*

Hibernis,

Inveni in pratis humidis, et ad sepes circa *Templeoge*; et *Terrenure.* VII.

Mollugo, 4. GALIUM foliis octonis ovato-linearibus subserratis patentissimis mucronatis, caule flaccido, ramis patentibus. *Lin. Sp. Pl. ed.* 3. 155. *Fl. Ang. ed.* 2. 68. *Fl. Scot.* 116. *With. Arrang. ed.* 2. 155.

Anglis, *great lady's bed-straw, great bastard madder, wild madder.*

Hibernis,

Inveni in dumetis, et ad sepes, frequenter. VII.

vérum. 5. GAL'IUM foliis octonis linearibus sulcatis, ramis floriferis brevibus. *Lin. Sp. Pl. ed.* 3. 155. *Fl. Ang. ed.* 2. 69. *Fl. Scot.* 116. *Wither. Arrang. ed.* 2. 155. *Fl. Lond. N.* 63. *Ic.* 376. *Fl. Rust. N.* 18. *Ic.* 54.

Anglis, *yellow lady's bed-straw, cheese renning, petty maguet.*

Hibernis, **Balath Enis, Cuchullon, Madra or Mada Fraeigh.**

Inveni in pascuis ficcioribus, et colliculis ad agrorum margines ubique. VI.

Aparíne. 6. GAL'IUM foliis octonis lanceolatis carinatis scabris retrorsum aculeatis, geniculis villosis, fructu hispido. *Lin. Sp. Pl. ed.* 3. 157. *Fl. Ang. ed.* 2. 70. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 157. *Fl. Lond. N.* 17. *Ic.* 101.

Anglis, *goose grass, cleavers, clivers, catchweed.*

Hibernis, **Airmeirigh, Garabh Lus, Lus Garabh.**

Inveni in ruderatis; et ad sepes frequenter. VI.

41. *ALCHE-*

41. *ALCHEMIL'LA.*

vulgáris. 1. ALCHEMIL'LA foliis lobatis. *Lin. Sp. Pl. ed.* 3. 178. *Fl. Ang. ed.* 2. 71. *Fl. Scot.* 120. *Wither. Arrang. ed.* 2. 162.

Anglis, *common lady's mantle.*

Hibernis, **Leathach buidhe, Crub Leoin, Dearna Mhuire, Failing Mhuire.**

Inveni in pascuis montosis super collem *Knockmaron*, apud *Scrible's-town* cum pinguicula vulgari, et alibi. V.

TETRANDRIA

TETRAGYNIA.

42. *SAGINA.*

procum'bens. 1. SAGI'NA ramis procumbentibus petalis breviſſimis. *Lin. Sp. Pl. ed.* 3. 158. *Fl. Ang. ed.* 2. 7. *Fl. Scot.* 125. *With. Arrang. ed.* 2. 169. *Fl. Lond. N.* 27. *Ic.* 157.

Anglis, *procumbent pearlwort, chickweed, breakſtone.*

Hibernis,

Inveni in pratis arenoſis ſterilioribus, circa *Howth, Dalkey,* et alibi. VII.

43. *POTAMOGE'TON.*

ſlucens. 1. POTAMOGE'TON foliis lanceolatis planis in petiolis deſinentibus. *Lin. Sp. Pl. ed.* 3. 183. *Fl. Ang. ed.* 2. 74. *Fl.*

Fl. Scot. 122. *Wither. Arrang. ed.* 2. 173.

Anglis, *long leaved ſhining pondweed.*

Hibernis,

Inveni in lacubus apud *Phœnix Park*, et alibi. VII.

nátans. 2. POTAMOGETON foliis oblongo-ovatis petiolatis natantibus. *Lin. Sp. Pl. ed.* 3. 182. *Fl. Ang. ed* 2. 74. *Fl. Scot.* 121. *With. Arrang. ed.* 2. 171.

Anglis, *broad leaved pondweed.*

Hibernis, **Duileaſgnaḣaḃḣan, Liaċḣ Roda, Liaċḣ Briada.**

Inveni in ſtagnis, piſcinis, et fluviis tranquillioribus fere ubique. VI.

cris'pum. 3. POTAMOGETON foliis lanceolatis alternis undulatis ſerratis. *Lin. Sp. Pl. ed.* 3. 183. *Fl. Ang. ed.* 2. 75. *Fl. Scot.* 122. *Wither. Arrang. ed.* 2. 174. *Fl. Lond. N.* 49 *Ic.* 291.

Anglis, *curled pondweed, greater water caltrops.*

Hibernis,

Hibernis,

Inveni in lacubus *Phœnix Park*, et alibi. VI.

---

44. *I'L E X.*

Aquifólium. 1. I'LEX foliis ovatis acutis ſpinoſis. *Lin. Sp. Pl. ed.* 3. 181. *Fl. Ang. ed.* 2. 444. *Fl. Scot.* 121. *Wither. Arrang. ed.* 2. 168. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. 262.

Anglis, *common holly.*

Hibernis, Cuilin.

Inveni in ſylvis, ſepibus, et ericetis ubique fere. VI.

PENT-

PENTANDRIA.

MONOGYNIA.

45. *MYOSO'TIS.*

scorpioides. 1. MYOSO'TIS seminibus nudis, foliorum apicibus callosis. *Lin. Sp. Pl. ed.* 3. 188. *Fl. Ang. ed.* 2. 78. *Fl. Scot.* 132. *Wither. Arrang. ed.* 2. 188. *Fl. Lond. N.* 28. *Ic.* 163. *M. Scorpioides palustris.*

Anglis, *mouse-ear scorpion grass.*

Hibernis, **Lus Mide', Lus Mila, Cotharach.**

Inveni hujusce plantæ varietates omnes passim: in arvis, et hortis, præsertim sterilioribus, et requietis; super muros; in pascuis siccioribus et arenosis; ad rivulos, et in fossis palustribus. V.

46. *LITHOSPER'MUM.*

officinále. 1. LITHOSPER'MUM ſeminibus lævibus, corollis vix calycem ſuperantibus, foliis lanceolatis. *Lin. Sp. Pl. ed.* 3. 189. *Fl. Ang. ed.* 2. 79. *Fl. Scot.* 132. *Wither. Arrang. ed.* 2. 189. *Eng. Bot. N.* 35. *Ic.* 134.

Anglis, *gromill, gromwell, graymill.*

Hibernis,

Inveni in agrorum marginibus ſiccioribus, vel glareoſis ripis, et ad vias publicas, prope *Old Abbey Howth, Finglaſs-bridge* juxta lapicidinam parvam, et alibi frequenter. VI.

---

47. *ANCHU'SA.*

ſempervirens. 1. ANCHU'SA pedunculis diphyllis capitatis. *Lin. Sp. Pl. ed.* 3. 192. *Fl. Ang. ed.* 2. 80. *Fl. Scot.* 133. *With. Arrang. ed.* 2. 191. *Engliſh Botany, Ic.* 45.

Anglis,

Anglis, *evergreen alkanet*.

Hibernis,

Inveni in ruderatis juxta *Finglaſs*. VI.

---

48. *CYNOGLOSS'UM.*

officinále. 1. CYNOGLOSS'UM ſtaminibus corolla brevioribus, foliis lato-lanceolatis tomentoſis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 192. *Fl. Ang. ed.* 2. 80. *Fl. Scot.* 133. *Wither. Arrang. ed.* 2. 192. *Fl. Lond. N.* 43 *Ic.* 256.

Anglis, *hound's tongue*.

Hibernis, **Teanga Con.**

Inveni in locis ruderatis, et ad vias abunde circa *Kilbarrick*, in via ad *Howth* ducente, prope *Warren Houſe*, in *Phœnix Park*, *Merrion*, et alibi frequenter. VI.

49. *SYM'PHYTUM.*

officinále. 1. SYM'PHYTUM foliis ovato-lanceolatis decurrentibus. *Lin. Sp. Pl. ed.* 3. 125. *Fl. Ang. ed.* 2. 81. *Fl. Scot.* 134. *Wither. Arrang. ed.* 2. 195. *Fl. Lond. N.* 38. *Ic.* 227.

Anglis, *common comfrey.*

Hibernis, **Lusna Canabh Brisde.**

Inveni juxta murum Domini *Buckley* secus viam publicam *Ash-town.* VI.

---

50. *BORA'GO.*

officinális. 1. BORA'GO foliis omnibus alternis, calycibus patentibus. *Lin. Sp. Pl. ed.* 3. 197. *Fl. Ang. ed.* 2. 82. *Wither. Arrang. ed.* 2. 197. *English Botany, Ic.* 36.

Anglis, *common borage.*

Hibernis, **Barraiste.**

Inveni in ruderatis frequenter, juxta *Old Abbey Howth,* et alibi. VI.

51. *LYCOP'SIS.*

arven'sis. 1. LYCOP'SIS foliis lanceolatis hiſpidis, calycibus floreſcentibus erectis. *Lin. Sp. Pl. ed.* 3. 199. *Fl. Ang. ed.* 2. 82. *Fl. Scot.* 135. *Wither. Arrang. ed.* 2. 198. *Fl. Lond. N.* 57. *Ic.* 337.

Anglis, *ſmall wild bugloſs.*

Hibernis, **Boglus, Bog-glas.**

Inveni in arvis requietis, inter ſegetes, et ad vias paſſim. VI.

---

52. *EC'HIUM.*

vulgáre. 1. EC'HIUM caule tuberculato hiſpido, foliis caulinis lanceolatis hiſpidis, floribus ſpicatis lateralibus. *Sp. Pl. ed.* 3. 200. *Ec'hium Anglicum* caule ſimplici erecto, foliis lanceolato-linearibus hiſpidis, floribus ſpicatis lateralibus, ſtaminibus corolla longioribus. *Fl. Ang. ed.* 1. 70. *ed.* 2. 83. *var.* β.

Anglis,

Anglis, *common viper's buglofs.*

Hibernis,

Inveni in arvis fterilioribus, et ad vias; fed raro. VII.

---

53. *PRIMULA.*

véris. 1. PRI'MULA foliis dentatis rugofis. *Lin. Sp. Pl. ed.* 3. 204. *Fl. Scot.* 136. *Scapo fubunifloro &c. Fl. Ang P. vulgaris. ed.* 2. 83. *Wither. Arrang. ed.* 2. 202, 204. *Englifh Botany N.* 2. *Ic.* 4. *P. acaulis. Fl. Lond. N.* 65. *Ic.* 390.

Anglis, *common primrofe, oxflip.*

Hibernis, **Seichearalan, Seichgheirgin, Baine' do bleacht, Baine do buidhe, Buidheaca'n do bleacht.**

Inveni in fylvis, fepibus, et dumetis, verno tempore frequenter.

véris.

veris officinalis. 2. PRI'MULA. *Lin. Sp. Pl. ed.* 3. 204. *Fl. Ang. ed.* 2. 84. *Fl. Scot.* 136. *var.* β. *Wither. Arrang. ed.* 2. 203. *P. officinalis. English Botany, N.* 2. *Ic.* 5.

Anglis, *common cowslip, pagils, paigles.*

Hibernis,

Inveni in pascuis et pratis inter *Booter's-town* et *Black-rock*, circa *Stillorgan*, et *Ashtown* copiose, et alibi. IV.

---

54. *MENYAN'THES.*

trifoliata. 1. MENYAN'THES foliis ternatis. *Lin. Sp. Pl. ed.* 3. 208. *Fl. Ang. ed.* 2. 85. *Fl. Scot.* 137. *Wither. Arrang. ed.* 2. 206. *Fl. Lond. N.* 40. *Ic.* 240. *Med. Bot. p.* 5. *Ic.* 2.

Anglis, *marsh trefoil, buck-bean, water trefoil, marsh cleaver.*

Hibernis, Bonain Capuil, Pacharan, Capuil, Ponra Curraigh.

Inveni

Inveni in paluſtribus apud *Howth*, ad radices montium Dublinenſium, et in foſſis variis paludoſis. VI.

---

55. *LYSIMA'CHIA.*

nemorum. 1. LYSIMA'CHIA foliis ovatis acutis, floribus ſolitariis, caule procumbente. *Lin. Sp. pl. ed.* 3. 211. *Fl. Ang. ed.* 2. 86. *Fl. Scot.* 138. *Wither. Arrang. ed.* 2. 209. *Fl. Lond. N.* 56. *Ic.* 336.

Anglis, *yellow wood-looſeſtrife, or pimpernel.*

Hibernis, Seamar muire, Lus Cholluim Chille.

Inveni ad radices montium Dublinenſium in rivulis umbroſis; in ſylvis *Phœnix Park*, *Luttrel's-town*, *Santry*, et alibi. VI.

nummulária. 2. LYSIMA'CHIA foliis ſubcordatis, floribus ſolitariis, caule repente. *Lin. Sp. Pl. ed.* 3. 211. *Fl. Ang. ed.* 2. 87.

17. *Fl. Scot.* 138. *With. Arrang. ed.* 2. 209. *Fl. Lond. N.* 25. *Ic.* 150.

Anglis, *creeping loosestrife or moneywort, herb two-pence.*

Hibernis,

Inveni juxta ſcrobes et fluenta apud *Kilmaſhoge.* VI.

tenel'la. 3. LYSIMA'CHIA foliis acutiuſculis, pedunculis folio longioribus, caule repente. *Lin. Sp. Pl ed.* 3. 211. *Fl. Ang. ed.* 2. 87. *Anagal'lis tenel'la. Wither. Arrang. ed.* 2. 211. *Fl. Scot.* 139. *Fl. Lond. N.* 32. *Ic.* 190.

Anglis, *purple-flowered loosestrife or money wort.*

Hibernis,

Inveni in locis paluſtribus turfoſis apud *Howth*, meridiem verſus; ſuper montes Dublinenſes, et prope eorundem radices copioſe; in *Portmarnock burrow* juxta *Baldoyle* copioſiſſime. VII.

56. *ANAGAL'LIS.*

arven'sis. 1. ANAGAL'LIS foliis indivisis, caule procumbente. *Lin. Sp. Pl. ed.* 3. 211. *Fl. Ang. ed.* 2 87. *Fl. Scot.* 139. *Wither. Arrang. ed.* 2. 210. *Fl. Lond. N.* 1. *Ic.* 4.

Anglis, *male pimpernel.*

Hibernis, **Falcaire fiodhain, Ruinn ruise, Falcaire fuar.**

† Inveni (*var.* α.) in hortis, arvis, et locis arenosis frequenter. V.

---

57. *CONVOL'VULUS.*

arven'sis. 1. CONVOL'VULUS foliis sagittatis utrinque acutis, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 218. *Fl. Ang. ed.* 2. 88. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 213. *Fl. Lond. N.* 20. *Ic.* 117.

Anglis,

Anglis, *ſmall bindweed.*

Hibernis,

Inveni in arvis, et ad ſemitas juxta *Old Abbey, Howth*; inter *Long Meadows* et *Chapelizod*, et alibi. V.

ſepium. 2. CONVOL'VULUS foliis ſagittatis poſtice truncatis, pedunculis tetragonis unifloris. *Lin. Sp. Pl. ed.* 3. 218. *Fl. Ang. ed.* 2. 88. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 213. *Fl. Lond. N.* 6. *Ic.* 34.

Anglis, *great bindweed.*

Hibernis,

Inveni in ſepibus fere omnibus abunde, ſed præcipue apud *Rathmines*, et *Circular Road.* VII.

ſoldanel'la. 3. CONVOL'VULUS foliis reniformibus, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 159. *Fl. Ang. ed.* 2. 89. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 214.

Anglis, *ſea bindweed, Scotch ſcurvy-graſs.*

 Hibernis,

Hibernis,

Inveni in arenosis maris littoribus apud *Killeny Bay*. VII.

---

58. *VERBAS'CUM.*

thap'sus. 1. VERBAS'CUM foliis decurrentibus utrinque tomentosis, caule simplici. *Lin. Sp. Pl. ed.* 3. 252. *Fl. Ang. ed.* 2. 89. *Fl. Scot.* 143. *Wither. Arrang. ed.* 2. 223. *Med. Bot. p.* 342 *Ic.* 125.

Anglis, *great white mullein, high taper, cow's lungwort, hag's taper, lady's fox-glove.*

Hibernis, Cuineal-muire.

Inveni in aggeribus fossarum juxta pontem *Tubbercunagh*, in via altiore ad *Luttrel's-town* ducente. VIII.

59. *VINCA.*

59. *VIN'CA.*

mi'nor. 1. VIN'CA caulibus procumbentibus, foliis lanceolato-ovatis, floribus pedunculatis. *Lin. Sp. Pl. ed* 3. 304. *Fl. Ang. ed* 1. 91. *Fl. Scot.* 147. *With. Arrang. ed.* 2. 248. *Fl. Lond. N.* 29. *Ic.* 169.

Anglis, *less periwinckle.*

Hibernis,

Inveni in aggeribus fossarum apud *Picker's-town* prope *Forest.* III.

---

60. *HYOSCY'AMUS.*

ni'ger. 1. HYOSCY'AMUS foliis amplexicaulibus sinuatis, floribus sessilibus. *Lin. Sp. Pl. ed.* 3. 257. *Fl. Ang. ed.* 2. 92. *Fl. Scot.* 144. *Wither. Arrang. ed.* 2. 131. *Med. Bot. p.* 143. *Ic.* 52.

Anglis, *common henbane.*

Hibernis,

Hibernis, **Gaffan, Caoch na ccearc.**

Inveni in incultis, ruderatis, et ad vias apud *Kilmainham* juxta novum carcerem; circa *Sandymount*, *Irish-town*, *Clontarf*, *World's-end-Lane*, *Rathmines*, *Howth*, et alibi. VI.

---

61. *SOLA'NUM.*

dulcamára. 1. SOLA'NUM caule inermi frutescente flexuoso, foliis superioribus hastatis, racemis cymosis. *Lin. Sp. Pl. ed.* 3. 264. *Fl. Ang. ed.* 2. 93. *Fl. Scot.* 145. *With. Arrang. ed* 2. 235. *Fl. Lond. N.* 1. *Ic.* 2. *Med. Bot. p.* 97. *Ic.* 33.

Anglis, *woody nightshade*, *bitter-sweet.*

Hibernis, **Slat gorom, Mithaghuisge, Drumire Gorm, Miogbuidhe, Fuath Ghorm.**

Inveni in sepibus abunde, et ubique fere. VI.

62. *SAMO'LUS.*

62. *SAMO'LUS.*

valeran'di. 1. SAMO'LUS. *Lin. Sp. Pl. ed.* 3. 243. *Fl. Ang. ed.* 2. 94. *Fl. Scot.* 142. *Wither. Arrang. ed.* 2. 221. *Fl. Lond. N.* 45. *Ic.* 267.

Anglis, *round-leaved water pimpernel.*

Hibernis,

Inveni in littoribus glareosis humidis prope lavacra in *Howth*, in pratis humidis juxta *Bullock*, *Dunleary*, *Sandy-mount*, et alibi. VII.

---

63. *LONICE'RA.*

pericly'm-enum. 1. LONICE'RA capitulis ovatis imbricatis terminalibus, foliis omnibus distinctis. *Lin. Sp. Pl. ed.* 3. 247. *Fl. Ang. ed.* 2. 94. *Fl. Scot.* 143. *Fl. Lond. N.* 1. *Ic.* 6. *With. Arrang. ed.* 2. 222.

Anglis, *common honey-suckle*, *woodbine.*

Hibernis,

Hibernis, **Featħog fa cħrann, Cas fa cħrann, Featħlead.**

Inveni in ericetis petrofis copiofe apud *Howth*, et ad radices montium Dublinenfium, ut et in fylvis et fepibus paffim. VI.

---

64. *CAMPAN'ULA.*

rotundifólia. 1. CAMPAN'ULA foliis radicalibus reniformibus, caulinis linearibus. *Lin. Sp. Pl. ed.* 3. 232. *Fl. Ang. ed.* 2. 95. *Fl. Scot.* 141. *Fl. Lond. N.* 38. *Ic.* 223. *With. Arrang. ed.* 2. 216.

Anglis, *round-leaved bell flower.*

Hibernis,

Inveni in agrorum marginibus, aggeribus foffarum, et pafcuis fterilioribus circa *Warren House* prope *Howth.* VIII.

65. *HED'ERA.*

65. *H E D' E R A.*

hélix. 1. HED'ERA foliis ovatis lobatisque. *Lin. Sp. Pl. ed.* 3. 292. *Fl. Ang. ed.* 2. 100. *Fl. Scot.* 146. *Fl. Lond. N.* 8. *Ic.* 44. *Wither. Arrang. ed.* 2. 245.

Anglis, *common ivy,*

Hibernis, **Eadhan, Eadhadnan.**

Inveni ſuper muros antiquos; in ſepibus et ſylvis, apud *Phænix Park, Luttrel's-town, Santry,* &c. arbores paſſim vetuſtiores amplectentem, perque terram repentem. XI.

---

66. *G L A U' X.*

marit'ima. 1. GLAU'X. *Lin. Sp. Pl. ed.* 3. 301. *Fl. Ang. ed.* 2. 101. *Fl. Scot.* 147. *Wither. Arrang. ed.* 2. 246. *Engliſh Botany. N.* 5. *Ic.* 13.

Anglis, *ſea milkwort, black ſaltwort.*

Hibernis,

Inveni in ſalſis paluſtribus mari conterminis, apud *North Wall*, *Iriſh-town*, *Ring's-end*, et *Brick-fields* ultra *Sheds-of-Clontarf*; et ſuper rupes humidas in littoribus *Blackrock*, et *Dunleary*. VI.

PENTANDRIA.

DIGYNIA.

---

67. *GENTIA'NA.*

centaúrium. 1. GENTIA'NA corollis quinquefidis infundibuliformibus, caule dichotomo. *Lin. Sp. Pl. ed* 3. 332. *Fl. Ang. ed.* 2. 102. *Fl. Scot.* 152. *Fl. Lond. N.* 42. *Ic.* 247. *Chirónia Centaúrium. Wither. Arrang. ed.* 2. 237. *Chirónia Centaúrium. Med. Bot. p.* 435. *Ic.* 157.

Anglis, *leſs centaury.*

Hibernis,

Hibernis, Dreimire Muire.

Inveni in pafcuis ficcioribus et fteriliori-
bus abunde circa *Kilbarrick*, in via ad *Howth* ducente, fuper montes Dublinenfes, et alibi copiofe. VII.

campes'tris. 2. GENTIA'NA corollis quadrifidis fauce barbatis. *Lin. Sp. Pl. ed.* 3. 334. *Fl. Ang. ed.* 2. 103. *Fl. Scot.* 152. *Wither. Arrang. ed.* 2. 262.

Anglis, *field gentian*.

Hibernis,

Inveni in pafcuis juxta *Warren-houfe* via ad *Howth* ducente. VIII.

amarel'la. 3. GENTIA'NA corollis quiquefidis hypocrateriformibus fauce barbatis. *Lin. Sp. Pl. ed.* 3. 334. *Fl. Ang. ed.* 2. 103. *Fl. Scot.* 152. *Wither. Arrang. ed.* 2. 262.

Anglis, *fell-wort*, *autumnal gentian*.

Hibernis,

Inveni in fubmontanis pafcuis apud *Barnikeula* juxta *Kilgobbin*. VIII.

68. *CHENOPO'DIUM.*

bonus- 1. CHENOPO'DIUM foliis triangulari-
Henricus. sagittatis integerrimis, spicis compositis aphyllis axillaribus. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 104. *Fl. Scot.* 147. *Fl. Lond. N.* 31. *Ic.* 185. *Wither. Arrang. ed.* 2. 251.

Anglis, *common English mercury, all-good, good Henry, good King Henry, wild spinach.*

Hibernis, Praiseach Brathar.

Inveni in locis ruderatis ad semitas juxta *Glasnevin-bridge, Carrickmines-bridge, Artane, Dalkey,* et alibi. VI.

ur'bicum. 2. CHENOPO'DIUM foliis triangularibus subdentatis, racemis confertis strictissimis, caule approximatis longissimis. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 104. *Fl. Scot.* 148. *With. Arrang. ed.* 2. 152.

Anglis, *upright goosefoot, sowbane.*

Hibernis,

Inveni

Inveni in fimetis, et ad margines fossarum per vias publicas passim. VII.

rúbrum. 3. CHENOPO'DIUM foliis cordato-triangularibus obtusiusculis dentatis, racemis erectis compositis subfoliosis, caule brevioribus. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 105. *Fl. Scot.* 148. *Wither. Arrang. ed.* 2. 252.

Anglis, *red goosefoot.*

Hibernis,

Inveni in fimetis passim. VIII.

murále. 4. CHENOPO'DIUM foliis ovatis acutis, dentatis, racemis ramosis nudis. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 105. *Fl. Scot.* 148. *Fl. Lond. N.* 61. *Ic.* 362. *With. Arrang. ed.* 2. 253.

Anglis, *wall goosefoot.*

Hibernis,

Inveni in ruderatis et fimetis cum priore. VIII.

al'bum. 5. CHENOPO'DIUM foliis rhomboideo-triangulis erosis póstice integris, summis

mis oblongis, racemis erectis. *Lin. Sp. Pl. ed.* 3. 319. *Fl. Ang. ed.* 2. 106. *Fl. Scot.* 148. *Fl. Lond. N.* 16. *Ic.* 96. *Wither. Arrang. ed.* 2. 253.

Anglis, *common wild goosefoot, orache.*

Hibernis,

Inveni in fimetis et ruderatis, etiamque in hortis. IX.

serótinum. 6. CHENOPO'DIUM foliis deltoideis sinuato-dentatis rugosis glabris uniformibus, racemis terminalibus. *Lin. Sp. Pl. ed.* 3. 319. *Fl. Ang. ed.* 2. 106. *Fl. Lond. N.* 18. *Ic.* 103. *C. viride.*

Anglis, *fig-leaved goosefoot.*

Hibernis,

Inveni cum priore frequenter. IX.

polysper'mum. 7. CHENOPO'DIUM foliis ovatis integerrimis, caule decumbente, cymis aphyllis axillaribus. *Lin. Sp. Pl. ed.* 3. 321. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 150. *Fl. Lond. N.* 20. *Ic.* 115. *With. Arrang. ed.* 2. 256.

Anglis,

Anglis, *round-leaved goosefoot, upright blite, allseed.*

Hibernis,

Inveni in fimetis, hortis, et arvis pinguioribus, ut et in paludibus maritimis juxta *North Wall.* IX.

maritimum. 8. CHENOPO'DIUM foliis subulatis semicylindricis. *Lin. Sp. Pl. ed.* 3. 321. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 150. *Wither. Arrang. ed.* 2. 256.

Anglis, *sea goosefoot, small white glasswort, small glasswort.*

Hibernis,

Inveni in littoribus maritimis, et salsis palustribus, apud *Ring's-end, Irishtown, Sandymount, Clontarf, Howth,* et *North Wall.* IX.

---

69. *SAL'SOLA.*

Káli. 1. SAL'SOLA herbacea decumbens, foliis subulatis spinosis scabris, calycibus marginatis axillaribus. *Lin. Sp. Pl. ed.* 2. 322.

322. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 151. *Wither. Arrang. ed.* 2. 257. *Med. Bot. p.* 386. *Ic.* 143.

Anglis, *prickly ſaltwort, prickly glaſs-wort.*

Hibernis,

Inveni in arenoſis maris littoribus, apud *Iriſh-town, Howth, Clontarf, North Wall,* &c. IX.

---

70. *B E' T A.*

marit'ima. 1. BE'TA caulibus decumbentibus, floribus geminis. *Lin. Sp. Pl. ed.* 3. 322. *Fl. Ang. ed.* 2. 108. *Fl. Scot.* 150. *Wither. Arrang. ed.* 2. 257.

Anglis, *ſea beet.*

Hibernis, **an luibh Biatas.**

Inveni cum priore frequenter. VIII.

71. *U L' M U S.*

71. *UL'MUS.*

campes'tris. 1. UL'MUS foliis duplicato-ſerratis, baſi inæqualibus. *Lin. Sp. Pl. ed.* 3. 225. *Fl. Ang. ed.* 2. 109 *var.* λ. *Fl. Scot.* 151. *With. Arrang. ed.* 2. 258. *Med. Bot. p.* 540. *Ic.* 197.

Anglis, *common elm.*

Hibernis, Ailm no Crannailme, ailme'og Leamh or Leamhan.

Inveni in ſylvis et ſepibus apud *Phænix Park* et alibi. IV.

72. *ERYNG'IUM.*

marit'imum. 1. ERYNG'IUM foliis radicalibus ſubrotundis plicatis ſpinoſis, capitulis pedunculatis. *Lin. Sp. Pl. ed.* 3. 337. *Fl. Ang. ed.* 2. 109. *Fl. Scot.* 153. *Wither. Arrang. ed.* 2. 264. *Med. Bot. p.* 281. *Ic* 102.

Anglis, *ſea eryngo, ſea holly.*

Hibernis, Cuil cann tragha.

Inveni in littoribus maris arenofis inter *Clontarf* et *Howth*, *Irifh town* et *Black-Rock*, et *Killeny Bay* copiofe. VIII.

---

73. *HYDROCOT'YLE.*

vulgáris. 1. HYDROCOT'YLE foliis peltatis, umbellis quinquefloris. *Lin. Sp. Pl ed.* 3. 338. *Fl. Ang. ed.* 2. 110. *Fl Scot.* 153 *Fl. Lond. N.* 63. *Ic.* 375 *Wither. Arrang. ed.* 2. 265.

Anglis, *marfh pennywort*, *white rot.*

Hibernis, Lus na pingine'.

Inveni in paluftribus frequenter, præcipue in vivario *Portmarnock* juxta *Balldoyle*, fuper montes Dublinenfes et prope eorundem radices. V.

74. *SANIC'ULA.*

Europæ'a. 1. SANIC'ULA foliis radicalibus ſimplicibus, floſculis omnibus ſeſſilibus. *Lin. Sp. Pl. ed* 3. 339. *Fl. Ang. ed.* 2. 110. *Fl. Scot.* 154 *Wither Arrang. ed.* 2. 266. *Engliſh Botany, N.* 29. *Ic.* 98.

Anglis, *common ſanicle.*

Hibernis, **Reagam, Buine, Rema, Reaga maighe.**

Inveni in ſylvis *Luttrel's-town*, et *Santry*, abunde; in ſepibus ad ſemitas juxta *Dunſink*, et *Capock* copioſe, et alibi. VI.

---

75. *TORDYL'IUM.*

anthris'cus. 1. TORDYL'IUM umbellis confertis, foliolis ovato-lanceolatis pinnatifidis. *Lin. Sp Pl. ed* 3. 346 *Caúcalis anthris'cus. Fl Ang. ed* 2. 114. *Fl. Scot.* 155 *Fl Lond. N.* 63. *Ic* 378. *With. Arrang. ed.* 2. 272.

Anglis,

Anglis, *hedge parsley.*

Hibernis,

Inveni in dumetis, sylvis cæduis, et inter sepes passim. VII.

nodo'sum. 2. TORDYL'IUM umbellis simplicibus sessilibus, seminibus exterioribus hispidis. *Lin. Sp. Pl. ed.* 3. 346. *Fl. Scot.* 154. *Caúcalis nodósa Fl. Ang. ed.* 2. 114. *Wither. Arrang. ed.* 2. 273.

Anglis, *knotted parsley.*

Hibernis,

Inveni in aggeribus terrenis juxta *Kilgobbin*, et secus viam publicam prope *Milltown.* VII.

---

76. *D A U' C U S.*

caróta. 1. DAU'CUS seminibus hispidis, petiolis subtus nervosis *Lin. Sp. Pl. ed.* 3. 348. *Fl. Scot.* 156. *Wither. Arrang. ed.* 2. 274. *Caúcalis Caróta. Fl. Ang. ed.* 2. 114. *Med. Bot. p.* 443. *Ic.* 161.

Anglis,

Anglis, *wild carrot, bird's nest.*

Hibernis, **Miodhlucan, Mugoman, mioibogan.**

Inveni in pratis et paſcuis ubique fere, et ad vias. VI.

---

77. *CO'NIUM.*

maculátum. 1. CO'NIUM ſeminibus ſtriatis. *Lin. Sp. Pl. ed.* 3. 349. *Fl. Ang. ed.* 2. 115. *Fl. Scot.* 157. *Fl. Lond. N.* 7. *Ic.* 74. *Wither. Arrang. ed.* 2. 277. *Med. Bot. p.* 62. *Ic.* 22.

Anglis, *common hemlock.*

Hibernis, **Min-mhear.**

Inveni circa pagos, in ſepibus, ruderatis, et cultis. VI.

78. *CRITH'MUM.*

maritimum. 1. CRITH'MUM foliolis lanceolatis carnosis *Lin. Sp. Pl. ed.* 3. 354 *Fl. Ang. ed.* 2. 117. *Fl. Scot.* 158. *Wither. Arrang. ed.* 2. 286.

Anglis, *samphire.*

Hibernis, **Ceirgin, Crioloigin, Crenuig.**

Inveni in clivis maritimis juxta *Light-House Howth*, in *Ireland's Eye*, et prope plumbi fodinas *Dalkey*. VIII.

---

79. *HERACLE'UM.*

sphondylium. 1. HERACLE'UM foliolis pinnatifidis. *Lin. Sp. pl. ed* 3. 358 *Fl. Ang ed.* 2. 117. *Fl. Scot.* 158. *Wither. Arrang. ed.* 2. 287.

Anglis, *common cow parsnep, madnep, hogweed.*

Hibernis,

Hibernis,

Inveni in pascuis, ad agrorum margines, in pratis, et ad rivulos. VII.

---

80. *ANGEL'ICA.*

sylves'tris. 1. ANGEL'ICA foliis æqualibus ovato-lanceolatis serratis *Lin Sp. Pl. ed.* 3. 361. *Fl. Ang. ed.* 2. 118. *Fl. Scot.* 160. *Wither. Arrang. ed.* 2. 290.

Anglis, *wild Angelica.*

Hibernis, **Galluran, Gleoran, Bonun leana, Cuinnog mighe.**

Inveni in aquosis, et ad rivulorum ripas passim. VIII.

81. *SI'UM.*

81. *SI'UM.*

angustifolium. 1. SI'UM foliis pinnatis, umbellis axillaribus pedunculatis, involucro universali pinnatifido. *Lin Sp Pl. ed.* 3. 1672. *Fl. Ang. ed.* 1. 103. *ed.* 2. 119. *Fl. Scot.* 160. *Wither. Arrang. ed.* 2. 292. *Eng. Bot. N.* 36. *Ic.* 139.

Anglis, *narrow-leaved water parsnep.*

Hibernis,

Inveni in aquosis passim. VII.

nodiflorum. 2. SI'UM foliis pinnatis, umbellis axillaribus sessilibus. *Lin. Sp. Pl ed.* 3. 361. *Fl. Ang. ed* 2. 119. *Fl. Scot.* 161. *Wither. Arrang. ed.* 2. 292. *Med. Bot. p.* 494. *Ic.* 182.

Anglis, *creeping water parsnep.*

Hibernis, Fualachtar,

Inveni cum priore in rivulis, et ad fluviorum ripas fere ubique. VII.

82. *OENAN'THE.*

82. *OENAN'THE.*

pimpinel-loides. 1. OENAN'THE foliis radicalibus cuneatis fiſſis, caulinis integris linearibus longiſſimis canaliculatis. *Lin. Sp. Pl. ed.* 3. 367. *Fl. Ang. ed.* 2. 121. *Wither. Arrang. ed.* 2. 297.

Anglis, *parſley water-dropwort.*

Hibernis,

Inveni in foſſis et paluſtribus copioſe, circa *Sandymount* et *Merrion.* VII.

crocáta. 2. OENAN'THE foliis omnibus multifidis obtuſis ſubæqualibus. *Lin. Sp. Pl. ed.* 3. 365. *Fl. Ang. ed.* 2. 121. *Fl. Scot.* 162. *With. Arrang. ed.* 2. 297.

Anglis, *hemlock water-dropwort, dead tongue.*

Hibernis, Tathu; Tathu ban.

Inveni in aquoſis, præſertim ſuper fluviorum ripas *Cardiff's Bridge, Aſh-town,* et *Scrible's-town* vicinas, abundanter. VII.

83. *BU'NIUM.*

bulbocas'tanum. 1. BU'NIUM. *Lin. Sp. Pl. ed.* 3. 349. *Fl. Ang. ed.* 2. 122. *Fl. Scot.* 156. *Fl Lond. N.* 46. *Ic.* 275. *Wither. Arrang. ed.* 2. 275. et 276. *B. flexuósum.*

Anglis, *earth kipper, pig-nut, hawk-nut, jur-nut, earth chestnut.*

Hibernis, Cuular, Coirearan, Coirearain mhuc.

Inveni in ſylvis, pratis, et paſcuis frequenter. V.

---

84. *Æ T H U' S A.*

cynápium. 1. ÆTHU'SA. *Lin. Sp. Pl. ed.* 3. 367. *Fl. Ang. ed* 2. 123. *Fl. Scot.* 165. *Fl. Lond. N.* 6. *Ic.* 33. *With. Arrang. ed.* 2. 300.

Anglis, *fool's parſley, leſs hemlock.*

Hibernis,

Hibernis,

Inveni in hortis oleraceis, arvis pinguioribus, aliisque locis cultis passim. VIII.

---

85. *SCAN'DIX.*

pec'ten 1. *Veneris.* SCAN'DIX seminibus lævibus, rostro longissimo. *Lin. Sp Pl. ed* 3. 368. *Fl. Ang. ed.* 2. 123. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 304. *Fl. Lond. N.* 59. *Ic.* 353. *Fl. Rustica* 38.

Anglis, *shepherd's needle, Venus's comb, corn cicely, crake needle.*

Hibernis,

Inveni in ruderatis, et ad vias inter *Chapelizod* et *Luttrel's-town*, circa *Raheny County* quoque, et *Balldoyle*, in arvis copiose. V.

odoráta. 2. SCAN'DIX feminibus fulcatis angulatis. *Lin. Sp. Pl. ed.* 3. 368. *Fl Ang. ed.* 2. 124. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 303.

Anglis, *ſweet cicely, great ſweet cicely, ſweet myrrh, ſweet chervil, ſweet fern.*

Hibernis,

Inveni in ſepibus, et pomariis nonnunquam. VI.

anthris'cus. 3. SCAN'DIX ſeminibus ovatis hiſpidis, corollis uniformibus, caule lævi. *Lin. Sp. Pl. ed.* 3. 368. *Fl. Ang. ed.* 2. 124. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 305. *Fl. Lond. N.* 3. *Ic.* 18. *Fl. Ruſt. N.* 25. *Ic.* 75.

Anglis, *rough cicely, rough chervil, ſmall hemlock chervil with rough ſeeds.*

Hibernis,

Inveni juxta murum apud *Mount Proſpect* via ad *Milltown* ducente, copioſe. V.

86. *CHÆROPHYL.*

86. *CHÆROPHYL'LUM.*

ſylves'tre. 1. CHÆROPHYL'LUM caule lævi ſtriato, geniculis tumidiuſculis. *Lin. Sp. Pl. ed.* 3. 369. *Fl. Ang. ed.* 2. 124. *Fl. Scot.* 167. *Wither. Arrang. ed.* 2. 306. *Fl. Lond. N.* 46. *Ic.* 274.

Anglis, *wild chervil, wild cicely, cow weed, cow parſley.*

Hibernis,

Inveni ad ſepes ubique. V.

---

87. *PASTINA'CA.*

ſativa. 1. PASTINA'CA foliis ſimpliciter pinnatis. *Lin. Sp. Pl. ed.* 3. 376. *Fl. Ang. ed.* 2. 125. *P. Sylveſtris. With. Arrang. ed.* 2. 309.

Anglis, *common parſnep.*

Hibernis, Meacan Righ, Cuirïdin ba'n.

Inveni

Inveni in agrorum marginibus, ſolo calcareo, copioſe, circa lapicidinam prope *Finglaſs Bridge.* VI.

---

88. *SMYR'NIUM.*

oluſatrum. 1. SMYR'NIUM foliis caulinis ternatis petiolatis ſerratis. *Lin. Sp. Pl. ed* 3. 376. *Fl. Ang. ed.* 2. 126 *Fl. Scot.* 168. *With. Arrang. ed.* 2. 310.

Anglis, *Alexanders.*

Hibernis, **Luſſaranan gran duh.**

Inveni in aquoſis, præſertim ſuper ripas foſſarum, et ad vias frequenter. V.

---

89. *ANE'THUM.*

fœnic'ulum. 1. ANE'THUM fructibus ovatis. *Lin. Sp. Pl. ed.* 3. 377. *Fl. Ang. ed.* 2. 126. *Wither. Arrang. ed.* 2. 311.

Anglis, *common fennel, finckle, dill.*

Hibernis,

Hibernis, Fineal cubhra.

Inveni in agerribus maritimis circa *Old Church* apud *Killeny*, et *Old Abbey* apud *Howth*; in clivis calcareis juxta *Rathfarnham Bridge* copiose; in ruderatis et ad vias prope *Chapelizod*, *Clonskeagh*, et alibi. VII.

---

90. *PIMPINEL'LA.*

saxif'raga. 1. PIMPINEL'LA folliis pinnatis, foliolis radicalibus subrotundis, summis linearibus. *Lin. Sp. Pl. ed.* 3. 378. *Fl. Ang ed* 2. 127. *Fl. Scot.* 169. *With. Arrang. ed* 2. 313. *Med. Bot. p.* 488. *ic.* 178.

Anglis, *small burnet saxifrage*, *less pimpinel.*

Hibernis,

Inveni in pratis, locisque aridis, et inter sepes passim. VIII.

91. *A'PIUM.*

91. *A'PIUM.*

gravèolens. 1. A'PIUM foliis caulinis cuneiformibus, umbellis sessilibus. *Lin. Sp. Pl. ed.* 3. 379. *Fl Scot.* 169. *Fl. Aug. ed.* 2. 129. *Wither. Arrang. ed.* 2. 316.

Anglis, *smallage.*

Hibernis,

Inveni in paludosis, et fossis majoribus, præsertim ad mare *Ring's-end*, *Irish-town*, *North* et *South Walls*, copiose. VI.

PENTANDRIA.

TRIGYNIA.

92. *VIBUR'NUM.*

opùlus. 1. VIBUR'NUM foliis lobatis petiolis glandulosis. *Lin. Sp. Pl. ed.* 3. 384. *Fl. Ang. ed.* 2. 130. *Fl. Scot.* 170. *With. Arrang. ed.* 2. 318.

Anglis,

Anglis, *water viburnum, or elder, guelder rose.*

Hibernis,

Inveni in ſepibus humidis, ſolo maxime inculto et argilloſo circa *Cardiff's-Bridge*, et alibi. VI.

---

93. *SAMBU'CUS.*

nigra. 1. SAMBU'CUS cymis quinquepartitis, caule arboreo. *Lin. Sp. Pl. ed.* 3. 385. *Fl. Ang. ed.* 2. 130. *Fl. Scot.* 171. *Wither. Arrang. ed.* 2. 320. *Med. Bot. p.* 219. *Ic.* 78.

Anglis, *common elder.*

Hibernis, **Trom Trann Trommain, Troman.**

Inveni prope macerias, et ſepes, inque dumetis et incultis, præſertim humectis et umbroſis paſſim. VI.

94. *ALSINE.*

média. 1. ALSI'NE petalis bipartitis, foliis ovato-cordatis. *Lin. Sp. Pl. ed.* 3. 389. *Fl. Ang. ed.* 2. 131. *Fl. Scot.* 172. *With. Arrang. ed.* 2. 323. *Fl. Lond. N.* 12. *Ic.* 68.

Anglis, *common chickweed.*

Hibernis, Fliuch, Flioch.

Inveni in uliginoſis ad ſepes et vias, inque hortis inter olera frequenter. II. XI.

PENTANDRIA.

TETRAGYNIA.

95. *PARNAS'SIA.*

palus'tris. 1. PARNAS'SIA. *Lin. Sp. Pl. ed.* 3. 391. *Fl. Ang. ed.* 2. 131. *Fl. Scot.* 192. *Wither. Arrang. ed.* 2. 325. *Engliſh Botany Ic.* 82.

Anglis,

Anglis, *grass of Parnassus.*

Hibernis,

Inveni in paluſtribus apud *Howth*, *Clugh* ad radices montium Dublinenſium, circa *Kilgobbin* copioſe, et ultra *Sheds of Clontarf.* VIII.

PENTANDRIA.

PENTAGYNIA.

---

96. *STATICE.*

arméria. 1. STATICE ſcapo ſimplici capitato, foliis linearibus. *Lin. Sp. Pl. ed.* 3. 394. *Fl. Ang. ed.* 2. 132. *Fl. Scot.* 173. *Wither. Arrang. ed.* 2. 326.

Anglis, *thrift*, *ſea gilly-flower*, *ſea cuſhion.*

Hibernis,

Inveni in fissuris rupium in littoribus, et pratis maritimis, prope *Black-Rock*, *Dunleary*, *Bullock*, et *Dalkey* copiose. VII.

limónium. 2. STAT'ICE scapo paniculato tereti, foliis lævibus enerviis. *Lin. Sp. Pl. ed.* 3. 394. *Fl. Ang. ed.* 2. 132. *With. Arrang. ed.* 2. 327. *English Botany N.* 29. *Ic.* 102.

Anglis, *sea thrift, or lavender.*

Hibernis,

Inveni cum priore copiose. VII.

---

97. *L I' N U M.*

usitatis'si-mum. 1. LI'NUM calycibus capsulisque mucronatis, petalis crenatis, foliis lanceolatis, caule subsolitario. *Lin. Sp. Pl. ed.* 3. 397. *Fl. Ang. ed.* 2. 133. *Fl. Scot.* 173. *Wither. Arrang. ed.* 2. 328. *Fl. Lond. N.* 55. *Ic.* 330. *Med. Bot. p.* 303. *Ic.* 111.

Anglis,

Anglis, *common flax*.

Hibernis, Lin.

Inveni in arenosis inter *Sandymount* et *Merrion*, supra collem *Knockmaron* et alibi. VII.

cathar'ticum. 2. LI'NUM foliis oppositis ovato-lanceolatis, caule dichotomo, corollis acutis. *Lin. Sp. Pl. ed.* 3. 401. *Fl. Ang. ed.* 2. 134. *Fl. Scot.* 174. *Fl. Lond. N.* 26. *Ic.* 151. *Wither. Arrang. ed.* 2. 330.

Anglis, *purging flax*, *mill-mountain*, *dwarf wild flax*, *fairy flax*.

Hibernis, Ceolagh, Miosach, Lion ha mban Sighe.

Inveni in pratis et pascuis siccioribus, præsertim montanis apud *Howth*, *Knockmaron-hill* ultra *Chapelizod*, *Phœnix Park*, et alibi copiose. VI.

HEXA-

PENTANDRIA.

HEXAGYNIA.

98. *DRO'SERA.*

rotundifólia. 1. DRO'SERA foliis orbiculatis, ſcapis radicatis. *Lin. Sp. Pl. ed.* 3. 402. *Fl. Ang. ed.* 2. 135. *Fl. Scot.* 175. *Wither. Arrang. ed.* 2. 331.

Anglis, *round-leaved ſun dew, roſa ſolis, red rot, youth-wort, moor-graſs.*

Hibernis, **Duracdin Mona, Geal-druigh.**

Inveni in paludoſis, et inter muſcos aquaticos, apud *Howth, Stag's-town,* circa *Kilgobbin,* et alibi ſuper montes Dublinenſes, et prope eorundem radices. VII.

longifólia. 2. DRO'SERA ſcapis radicatis, foliis oblongis. *Lin. Sp. Pl. ed.* 3. 403. *Fl. Ang. ed.* 2. 135. *Fl. Scot.* 175. *Wither. Arrang. ed.* 2. 332.

Anglis,

Anglis, *long-leaved sun dew.*

Hibernis,

Inveni in paludosis cum priore. VII.

HEXANDRIA.

MONOGYNIA.

---

99. *A L' L I U M.*

vineale. 1. AL'LIUM caule teretifolia bulbifero staminibus tricuspidatis. *Lin. Sp. Pl. ed.* 3. 428. *Fl. Ang. ed.* 2. 139. *Fl. Scot.* 179. *Wither. Arrang. ed.* 2. 343.

Anglis, *crow garlick.*

Hibernis, Gairleog Muire.

Inveni in arvis juxta uranoscopium *Scrible's-town* copiose, inter *Drumcondra* et *Santry*, ad semitam campestrem inter *Rathmines* et *Milltown*, et alibi. VII.

100. *N A R-*

100. *NARCIS'SUS.*

poet'icus. 1. NARCIS'SUS ſpatha uniflora, nectario rotato breviſſimo ſcarioſo crenulato. *Lin. Sp. Pl. ed* 3. 414. *Fl. Ang. ed.* 2. 141. *Wither. Arrang. ed.* 2. 341.

Anglis, *pale narciſſus, or daffodil.*

Hibernis,

Inveni in paſcuis ſaxoſis circa obeliſcum apud *Killeny* copioſe, et in pratis humidis prope *Newtown Park*, et *Cabinteely.* V.

pſeudo-narciſ'ſus. 2. NARCIS'SUS ſpatha uniflora, nectario campanulato erecto criſpo æquante petala ovata. *Lin. Sp. Pl. ed.* 3. 414. *Fl. Ang. ed.* 2. 141. *Wither. Arrang. ed.* 2. 342. *Engliſh Bot. N.* 6. *Ic.* 17.

Anglis, *common narciſſus, or daffodil.*

Hibernis,

Inveni in paſcuis apud *Simmon's Court* inter *Ball's-bridge* et *Merrion*, *Ballygall* prope *Glaſnevin*, juxta *Drumcondra*, et alibi. III.

101. *HYACINTHUS.*

nonſcriptus. 1. HYACINTHUS corollis campanulatis ſexpartitis apice revolutis. *Lin. Sp. Pl. ed.* 3. 453. *Fl. Ang. ed* 2. 141. *Fl. Scot* 182. *With. Arrang. ed.* 2. 356. *Fl. Lond. N.* 24. *Ic.* 142.

Anglis, *common hyacinth, harebells.*

Hibernis, **Butha Muck Luſ na, Cccinle, acarach.**

Inveni in paſcuis ſaxoſis, dumoſis, et paludoſis, ſcholam juxta Reverendi Meares vicinam *Black-Rock.* IV.

---

102. *ANTHERICUM.*

oſſifragum. 1. ANTHERICUM foliis enſiformibus, filamentis lanatis. *Lin. Sp. Pl. ed.* 3. 446. *Fl. Scot.* 181. *Narthécium oſſifragum. Fl. Ang. ed.* 2. 145. *With. Arrang. ed.* 2. 351.

Anglis, *Lancashire, or bastard asphodel.*

Hibernis,

Inveni in paluſtribus putridis, cæſpitoſis, et aquoſis, in regione auſtrali *Howth*, copioſe, apud *Stag's-town*, circa *Kilgobbin*, ſuper montes Dublinenſes, et ad eorum radices frequenter. VII.

---

103. *IUN' CUS.*

conglomerátus. 1. IUN'CUS culmo nudo ſtricto, capitulo laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Ang. ed.* 2. 148. *Fl. Scot.* 183. *With. Arrang. ed.* 2. 359.

Anglis, *common round headed-rush.*

Hibernis, **Brogh Braighe.**

Inveni in paſcuis ericetis, ſylvis, et locis humidioribus paſſim. VII.

effúſus. 2. IUN'CUS culmo nudo ſtricto, panicula laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Ang. ed.* 2. 148. *Fl. Scot.* 183. *Wither. Arrang. ed.* 2. 359.

Anglis,

Anglis, *soft rush*, *seaves*.

Hibernis, Brogh Braighe.

Inveni cum priore,et in vadosis, aut juxta aquas. VII

inflex'us. 3. IUN'CUS culmo nudo, apice membranaceo incurvo, panicula laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Scot.* 183. *With. Arrang. ed.* 2. 359.

Anglis, *hard rush*.

Hibernis,

Inveni in pascuis, et ad vias publicas, præsertim solo humidiore frequenter. VII.

trif'idus. 4. IUN'CUS culmo nudo, foliis floribusque tribus terminalibus. *Lin. Sp. Pl. ed.* 3. 465. *Fl. Ang. ed.* 2. 149. *Fl. Scot.* 183. *Wither. Arrang. ed.* 2. 360.

Anglis, *trifid rush*.

Hibernis,

Inveni in palustribus prope *Bullock*, et super monte *Kilmashouge*. VII.

articulàtus. 5. IUN'CUS foliis nodofo-articulatis, petalis obtufis. *Lin. Sp. Pl. ed.* 3. 465. *Fl. Ang. ed.* 2. 149. *Fl. Scot.* 184. *Wither. Arrang. ed.* 2. 361.

Anglis, *jointed rufh.*

Hibernis,

Inveni in pratis humidis juxta *Bullock* copiofe, et alibi. VIII.

bufònius. 6. IUN'CUS culmo dichotomo, foliis angulatis, floribus folitariis feffilibus. *Lin. Sp. Pl. ed* 3. 466. *Fl. Ang. ed.* 2. 150. *Fl. Scot.* 185. *Wither. Arrang. ed.* 2. 362.

Anglis, *toad rufh, toad grafs.*

Hibernis,

Inveni cum priore abundanter. VII.

biglùmis. 7. IUN'CUS folio fubulato, gluma biflora terminali. *Lin. Sp. Pl ed.* 3. 467. *Wither. Arrang. ed.* 2. 363.

Anglis, *two-flowered rufh.*

Hibernis,

Inveni in locis paludofis juxta *Kilgobbin*, fed parciffime. VII.

pilófus

pilosus. 8. IUNCUS foliis planis pilosis, corymbo ramoso. *Lin. Sp. Pl. ed.* 3. 468. *Fl. Ang. ed.* 2. 151. *Fl. Scot.* 186. *With. Arrang. ed.* 2. 363. *Fl. Lond. N.* 59. *Ic.* 351. et *N.* 59. *Ic.* 352. *I. sylvaticus.*

Anglis, *hairy wood rush.*

Hibernis,

Inveni in sylvis *Luttrel's-town*, et *Santry*, in umbrosis super monte *Kilgobbin*, et alibi. VI.

campestris. 9. IUNCUS foliis planis pilosis, spicis sessilibus pedunculatisque. *Lin. Sp Pl. ed.* 3. 468. *Fl. Ang. ed.* 2. 152. *Fl. Scot.* 186. *Fl Lond. N.* 26. *Ic.* 143.

Anglis, *field rush.*

Hibernis,

Inveni in pratis et pascuis aridis, inque paludosis copiose circa *Stillorgan*, et alibi. IV.

HEXANDRIA.

TRIGYNIA.

104. *TRIGLO'CHIN.*

palus'tre. 1. TRIGLO'CHIN capsulis trilocularibus sublinearibus. *Lin. Sp. Pl. ed.* 3. 482. *Fl. Ang. ed.* 2 152. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 378.

Anglis, *arrow-headed grass.*

Hibernis,

Inveni in pratis et pascuis paludosis circa *Ash-town*, *Scrible's-town*, *Dunsink*, *Stag's-town*, et alibi. VI.

105. *RUMEX.*

cris'pus. 1. RU'MEX floribus hermaphroditis, valvulis integerrimis, foliis lanceolatis undulatis acutis *Lin. Sp. Pl. ed.* 3. 476. *Fl.*

Fl. Ang. ed. 2. 153. *Fl. Scot.* 188. *Wither. Arran ed.* 2. 370. *Fl. Lond. N.* 18. *Ic.* 105.

Anglis, *curled dock.*

Hibernis,

Inveni in pratis, pascuis, locis humidioribus, et ad vias. VI.

obtusifólius. 2. RU'MEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis obtusiusculis, crenulatis. *Lin. Sp. Pl. ed.* 3. 478. *Fl Ang ed.* 2. 155. *Fl. Scot.* 189. *Wither. Arrang. ed.* 2. 372. *Fl. Lond. N.* 29. *Ic.* 174.

Anglis, *broad-leaved dock.*

Hibernis,

Inveni in locis humidis, et ruderatis cum *R. crispo*, nec illo minus frequentem. VI.

acútus. 3. RU'MEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis acuminatis. *Lin. Sp. Pl. ed.* 3. 478. *Fl. Ang. ed.* 2. 155. *Fl. Scot.* 188. *Wither. Arrang. ed.* 2. 371. *Fl. Lond. N.* 31. *Ic.* 182.

Anglis,

Anglis, *sharp-pointed dock.*

Hibernis, **Eapog ſhraide.**

Inveni in incultis, et aquoſis cum priore paſſim. VI.

acetósa. 4. RU'MEX floribus dioicis, foliis oblongis ſaggittatis. *Lin. Sp. Pl. ed.* 3. 481. *Fl. Ang. ed.* 2. 156. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 375. *English Botany N.* 34. *Ic.* 127. *Med. Bot. p.* 193. *Ic.* 69.

Anglis, *common ſorrel.*

Hibernis, **Samha do Sealgan.**

Inveni in pratis et paſcuis paſſim. V.

acetoſel'la. 5. RU'MEX floribus dioicis foliis lanceolato-haſtatis. *Lin. Sp. Pl. ed.* 3. 481. *Fl. Ang. ed.* 2. 156. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 376. *Fl. Lond. N.* 52. *Ic.* 309.

Anglis, *ſheep's ſorrel.*

Hibernis, **Samha Cairach.**

Inveni in pratis, paſcuis arenoſis, et ſiccioribus paſſim. VII.

POLYGYNIA.

HEXANDRIA.

POLYGYNIA.

106. *ALIS'MA.*

plantágo. 1. ALIS'MA foliis ovatis acutis, fructibus obtuſe trigonis. *Lin. Sp. Pl. ed.* 3. 468. *Fl. Ang. ed.* 2. 158. *Fl. Scot.* 193. *With. Arrang. ed.* 2. 381. *Fl. Lond. N.* 54. *Ic.* 323.

Anglis, *greater water-plantain.*

Hibernis, Cor Chopog.

Inveni in ſtagnis et paluſtribus abundanter fere ubique; præſertim apud *Phænix Park, Ball's-bridge, Merrion* et *Black-rock roads.* VII.

ranunculoídes. 2. ALIS'MA foliis lineari-lanceolatis, fructibus globoſo-ſquarroſis. *Lin. Sp. Pl. ed.* 3. 487. *Fl. Aug. ed.* 2. 158. *Fl. Scot.* 193. *Wither. Arrang. ed.* 2. 382.

Anglis, *less water-plantain.*

Hibernis,

Inveni in paluſtribus prope *Bullock.* VIII.

OCTANDRIA

MONOGYNIA.

107. *EPILO'BIUM.*

hirſútum. 1. EPILO'BIUM foliis oppoſitis lanceolatis ſerratis decurenti-amplexicaulibus. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 161. et 162. *E. ramoſum. Fl. Scot.* 197. *Wither. Arrang. ed.* 2. 388. *Fl. Lond. N.* 20. *Ic.* 120. et *var.* β. *Linnæi. N.* 21. *Ic.* 123. *E. villoſum.*

Anglis, *great hairy willow herb, codlings and cream.*

Hibernis,

Inveni juxta ſcrobium, foſſarum, fluviorum, rivulorumque margines paſſim. VII.

montánum.

montánum. 2. EPILO'BIUM foliis oppoſitis ovatis dentatis. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 162. *Fl. Scot.* 198. *Wither. Arrang. ed.* 2. 390. *Fl. Lond. N.* 23. *Ic.* 197.

Anglis, *ſmooth-leaved willow herb, mountain epilobium.*

Hibernis,

Inveni in ſylvis, ſepibus umbroſis, et ad ripas foſſarum paſſim, ſolo glareoſo; ſed præſertim ſuper montes Dublinenſes et prope eorundem radices. VII.

tetragónum. 3. EPILO'BIUM foliis lanceolatis denticulatis imis oppoſitis, caule tetragono. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 162. *Fl. Scot.* 198. *Wither. Arrang. ed.* 2. 390. *Fl. Lond. N.* 22. *Ic.* 132.

Anglis, *ſquare epilobium, narrow-leaved willow herb.*

Hibernis,

Inveni in paluſtribus et locis humidioribus paſſim. VII.

paluſ'tre. 4. EPILO'BIUM foliis oppoſitis lanceolatis integerrimis, petalis emarginatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 495. *Fl. Ang. ed.* 2. 163. *Fl. Scot.* 199. *Wither. Arrang. ed.* 2. 391.

Anglis, *marſh epilobium or willow herb.*

Hibernis,

Inveni in uliginoſis apud *King's-town*, et *Clugh* ad radices montium Dublinenſium. VII.

---

108. *VACCIN'IUM.*

myrtil'lus. 1. VACCIN'IUM pedunculis unifloris, foliis ſerratis ovatis deciduis, caule angulato. *Lin. Sp. Pl. ed.* 3. 498. *Fl. Scot.* 200 *Fl. Ang. ed.* 2. 163. *Wither. Arrang. ed.* 2. 393.

Anglis, *black worts, black whortle-berries, hurtle-berries, bilberries, wind-berries, blea-berries.*

Hibernis, **Fraochog, Fraochan, crann Fraochain.**

Inveni in ericetis apud *Howth*, et ſuper montes Dublinenſes. VII.

109. ERI'CA.

vulgáris. 1. ERI'CA antheris bicornibus inclusis, corollis inæqualibus campanulatis mediocribus, foliis oppositis sagittatis. *Lin. Sp. Pl. ed.* 3. 501. *Fl. Ang. ed.* 2. 165. *Fl. Scot.* 203. *Wither. Arrang. ed.* 2. 396. *Fl. Lond. N.* 50. *Ic.* 297.

Anglis, *common heath, ling, grig, hather.*

Hibernis, Fraoch.

Inveni in ericetis apud *Howth*, et super montes Dublinenses. VII.

cinérea. 2. ERI'CA antheris bicornis inclusis, corollis ovatis racemosis, foliis ternis glabris linearibus. *Lin. Sp. Pl. ed.* 3. 501. *Fl. Ang. ed.* 2. 165. *Fl. Scot.* 204. *Wither. Arrang. ed.* 2. 399. *Fl. Lond. N.* 13. *Ic.* 77.

Anglis, *fine-leaved heath.*

Hibernis,

Inveni cum priore. VII.

tet'ralix.

tetralix. 3. ERI'CA antheris bicornibus inclusis, corollis subglobôsis confertis folio longioribus, foliis quaternis ciliatis patentibus. *Lin. Sp. Pl. ed.* 3. 502. *Fl. Ang. ed.* 2. 166. *Fl. Scot.* 205. *Wither. Arrang. ed.* 2. 398. *Fl. Lond. N.* 12. *Ic.* 67.

Anglis, *cross-leaved heath.*

Hibernis,

Inveni cum priore. VII.

---

110. *CHLO'RA*

perfoliata. 1. CHLO'RA foliis perfoliatis. *Sys. Nat. ed.* 12. *Vol.* 2. 267. *Sys. Veget. ed.* 13. 299. *Fl. Ang. ed.* 2. 168. et *ed.* 1. 146. *Blackstonia. perfoliata. Fl. Scot.* 200. *Wither. Arrang. ed.* 2. 392. *English Botany N.* 20. *Ic.* 60. *Gentiana perfoliata. Lin. Sp. Pl. ed.* 3. 335.

Anglis, *yellow centaury, perfoliate yellow-wort.*

Hibernis, Deagha buidhe, Dreimre buidhe.

Inveni

Inveni in montosis et siccioribus pratis, super *Knockmaroon-hill* ultra *Chapelizod*, et inter *Clontarf* et *Howth* copiose; in clivosis arenosis maritimis apud *Killeny Bay* abundanter, et alibi. VIII.

OCTANDRIA

TRIGYNIA.

111. *POLYG'ONUM.*

amphib'ium. 1. POLYG'ONUM floribus pentandris semidigynis, staminibus corolla longioribus. *Lin. Sp. Pl. ed.* 3. 517. *Fl. Ang. ed.* 2. 169. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 407. *Fl. Lond. N.* 40. *Ic.* 238.

Anglis, *amphibious knot-grass or persicaria.*

Hibernis,

Inveni in aquis tum stagnantibus, cum fluentibus, ut in piscinis; imo etiam in terris incultis non minus quam cultis passim. VII.

persicária.

persicária. 2. POLYG'ONUM floribus hexandris digynis, spicis ovato-oblongis, foliis lanceolatis, stipulis ciliatis. *Lin. Sp. Pl. ed.* 3. 518. *var.* α. β. et γ. *Fl. Ang. ed.* 2. 169. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 410. *Fl. Lond. N.* 5. *Ic.* 30. *N.* 11. *Ic.* 66. *P. minus.*

Anglis, *dead or spotted knot-grass, persicaria, or arsmart.*

Hibernis, **Glunneagh mo'r, Glunach dhearg.**

Inveni in agris, hortis, fossis, et ad vias ubique fere. VII.

hydrop'iper 3. POLYG'ONUM floribus hexandris semidigynis, foliis lanceolatis, stipulis submuticis. *Lin. Sp. Pl. ed.* 3. 517. *Fl. Ang. ed.* 2. 170. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 408. *Fl. Lond. N.* 11. *Ic.* 63.

Anglis, *water knot-grass, pepper, or arsmart, lakeweed.*

Hibernis, **Glunach Dhearg.**

Inveni in aquosis, ad rivulos et fossas, atque in ruderatis. VII.

aviculáre.

aviculáre. 4. POLYG'ONUM floribus octandris trigynis axillaribus, foliis lanceolatis, caule procumbente. *Lin. Sp. Pl ed.* 3. 519. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither. Arrang. ed.* 2. 413. *Fl. Lond. N.* 10. *Ic.* 57.

Anglis, *common knot-grass.*

Hibernis, Glunach bheag.

Inveni in incultis, præsertim glareosis, æque ac in locis cultis ubique. VI.

convol'vulus. 5. POLYG'ONUM foliis cordatis, caule volubili, floribus planiusculis. *Lin. Sp. Pl. ed.* 3 522. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither Arrang. ed.* 2. 415 *Fl Lond N.* 44. *Ic.* 262.

Anglis, *climbing knot-grass, black bindweed.*

Hibernis,

Inveni ad vias juxta nosocomium Dominæ *Stephens*; inter segetes, in arvis, et sepibus frequenter. VII.

DECANDRIA

DIGYNIA.

112. *CHRYSOSPLE'NIUM.*

oppositifólium. 1. CHRYSOSPLE'NIUM foliis oppositis. *Lin. Sp. Pl. ed.* 3. 569. *Fl. Ang. ed.* 2. 178. *Fl. Scot.* 220. *Wither. Arrang. ed.* 2. 485.

Anglis, *opposite-leaved goldensaxifrage.*

Hibernis, **Clabhras, Lus na laogh.**

Inveni ad rivulos, in locis humidis, umbrosis, et in paluftribus prope *Luttrel's-town*, fuper *Mill-pound* juxta *Old Abbey Howth*, et in fylvis *Santry* et *Luttrel's-town* copiofiffime. IV.

113. *SAXIF'-*

113. *SAXIF'RAGA.*

tridactyli'tes. 1. SAXIF'RAGA foliis caulinis cuneiformibus trifidis alternis, caule erecto ramoſo. *Lin. Sp. Pl. ed.* 3. 578. *Fl. Ang. ed.* 2. 182. *Fl. Scot.* 224. *Wither. Arrang. ed.* 2. 434. *Fl. Lond. N.* 22. *Ic.* 127.

Anglis, *rue-leaved ſaxifrage, or whitlow-graſs.*

Hibernis,

Inveni ſuper tecta et muros antiquos, præſertim lutamenta juxta *Lucan-turnpike*, in *Long-lane* inter *Camden-ſtreet* et *New-ſtreet* prope *New-ſtreet*, et circa *Sandy-mount*. V.

---

114. *SAPONA'RIA.*

officinális. 1. SAPONA'RIA calycibus cylindricis foliis ovato-lanceolatis. *Lin. Sp. Pl. ed* 3. 584. *Fl. Lond. N.* 17. *Ic.* 100. *Fl. Ang. ed.* 2. 183. *Wither. Arrang. ed.* 2. 438.

 Anglis,

Anglis, *common ſoap-wort, bruiſe-wort.*

Hibernis,

Inveni in foſſarum aggeribus arenoſis inter *Beggar's Buſh* et *Ball's-bridge*, in viis quoque ſiccis et ruderoſis *Dodder* vicinis abunde. VII.

DECANDRIA.

TRIGYNIA.

115. *CUCU'BALUS.*

béhen. 1. CUCU'BALUS calycibus ſubgloboſis glabris reticulato-venoſis, capſulis trilocularibus, corollis ſubnudis. *Lin. Sp. Pl. ed.* 3. 591. *Fl. Ang. ed.* 2. 186. *Fl. Scot.* 226. *Wither. Arrang. ed.* 2. 445.

Anglis, *ſpatling poppy, white bottle, bladder campion, white corn campion.*

Hibernis,

Inveni

Inveni in arvis ſiccioribus frequenter, et inter rupes et petras circiter *Bullock* copioſe, ut et *Kilmaſhouge*, *Blue-bell*, et alibi. VI.

---

116. *STELLA'RIA.*

holóſtea. 1. STELLA'RIA foliis lanceolatis ſerrulatis, petalis bifidis *Lin. Sp. Pl. ed.* 3. 603. *Fl. Ang. ed.* 2. 190. *Fl. Scot.* 229. *Wither. Arrang. ed.* 2. 455. *Fl. Lond. N.* 14. *Ic.* 80.

Anglis, *greater ſtitch-wort.*

Hibernis, Cur Sacain.

Inveni in ſylvis, dumetis, et ſepibus paſſim; præſertim in clivis umbroſis inter *Rathmines* et portam orientalem comitis *Ely*, prope flumen *Dodder*, abundanter, et alibi. IV.

gramin'ea. 2. STELLA'RIA foliis linearibus integerrimis, floribus paniculatis *Lin. Sp. Pl. ed.* 3. 604. *Fl. Ang. ed.* 2. 190. *Fl. Scot.* 229. *Wither. Arrang. ed.* 2. 456. *Fl. Lond. N.* 62. *Ic.* 370. *S. uliginóſa.*

Anglis,

Anglis, *leſs ſtitch-wort.*

Hibernis, **Tur Sacainin.**

Inveni in pratis, ſepibus, et vepretis paſſim, præſertim ſolo arenoſo, et inter ulicem Europæam interdum. VII.

---

117. *ARENAR'IA.*

peploídes. 1. ARENAR'IA foliis ovatis acutis carnoſis. *Lin. Sp. Pl. ed.* 3. 605. *Fl. Ang. ed.* 2. 191. *Fl. Scot.* 229. *Wither. Arrang. ed.* 2. 458.

Anglis, *ſea ſand-wort.*

Hibernis,

Inveni in littoribus maris arenoſis frequenter apud *Howth*, *Killeny Bay*, *Iriſhtown* et *Clontarf*, in arvis arenoſis *North Wall* propinquis, copioſe, et alibi. VI.

ſerpyllifólia. 2. ARENA'RIA foliis ſubovatis acutis ſeſſilibus, corollis calyce brevioribus. *Lin.*

Lin. Sp. Pl. ed. 3. 606. *Fl. Ang. ed.* 2. 191. *Fl. Scot.* 230. *Wither. Arrang. ed.* 2. 459. *Fl. Lond. N.* 45. *Ic.* 265.

Anglis, *leaſt chickweed, thyme-leaved ſand-wort.*

Hibernis,

Inveni in muros arenoſos frequenter. V.

rúbra. 3. ARENA'RIA foliis filiformibus, ſtipulis membranaceis vaginantibus. *Lin. Sp. Pl. ed.* 3. 606. *Fl. Ang. ed* 2. 192. *Fl. Scot.* 230. *With. Arrang. ed.* 2. 459.

Anglis, *purple ſand-wort, ſea ſpurry.*

Hibernis,

Inveni in littoribus maris arenoſis abundanter cum arenaria peploide. VI.

PENTAGYNIA.

DECANDRIA.

PENTAGYNIA.

118. COTYLE'DON.

umbili'cus. 1. COTYLE'DON foliis cucullato-peltatis ſerrato-dentatis alternis, caule ramoſo, floribus erectis. *Lin. Sp. Pl. ed.* 3. 615. *var.* β. *Fl. Scot* 233. *C. foliis peltatis crenatis, caule ſubſimplici, floribus pendulis, bracteis integris. Fl. Ang. ed.* 2. 194. *Wither. Arrang. ed.* 2. 463.
Veneris.

Anglis, *common navel-wort, wall penny-wort, kidney-wort.*

Hibernis, Carnan Caiſil, Lamhan Cait Leacan.

Inveni inter ſaxa et parietes ruinoſos circa montes Dublinenſes, *Howth, Killeny, Dalkey, Bullock, Scalp,* et alibi abunde. VI.

119. *SE'DUM.*

119. *SE'DUM.*

reflex'um. 1. SE'DUM foliis ſubulatis ſparſis baſi ſolutis, inferioribus recurvatis. *Lin. Sp. Pl. ed.* 3. 618. *Fl. Ang. ed.* 2. 195. *Fl. Scot.* 234. *With. Arrang. ed.* 2. 466.

Anglis, *yellow ſtone-crop, prick madam.*

Hibernis,

Inveni ſuper veteres muros circa *Chapel-izod* copioſe. VII.

ácre. 2. SE'DUM foliis ſubovatis adnato-ſeſſilibus gibbis erectiuſculis alternis, cyma trifida. *Lin. Sp. Pl. ed.* 3. 619. *Fl. Ang. ed.* 2. 196. *Fl. Scot.* 235. *Wither. Arrang. ed.* 2. 467. *Fl. Lond. N.* 4. *Ic.* 19.

Anglis, *ſtone-crop, wall pepper.*

Hibernis, **Grafan na Ccloch.**

Inveni ſuper veteres muros, rupes, tectaque domuum paſſim; etiamque in littoribus maritimis copioſe. VI.

Ang'licum. 3. SE'DUM foliis ſubovatis adnato-ſeſſilibus gibbis alternis, cyma ramoſa bifida. *Fl. Ang ed.* 2. 196. *Wither. Arrang. ed.* 2. 468. *Fl. Scot.* 235. *S. rubens. Lin. Sp. Pl. ed.* 3. 620. *S. annuum? Eng. Botany N.* 41. *Ic.* 171.

Anglis, *Engliſh ſtone-crop.*

Hibernis,

Inveni in ſaxoſis, arenoſis, et ſterilioribus pratis, circa plumbi fodinas *Dalkey* copioſe; ſuper montes *Howth*, et *Dublin*, et alibi. VII

---

120. *O X' A L I S.*

acetoſel'la. 1. OX'ALIS ſcapo unifloro, foliis ternatis, radice ſquamoſa articulata. *Lin. Sp. Pl. ed.* 3. 620. *Fl. Ang ed.* 2. 198. *Fl. Scot.* 237. *With. Arrang. ed.* 2. 469. *Fl. Lond. N.* 19. *Ic.* 110. *Med. Bot. p.* 56. *Ic.* 20.

Anglis, *common wood-ſorrel, cuckow-bread, ſour trefoil, cuckow-meat, cuckow-ſorrel, ſtub-wort.*

Hibernis,

Hibernis, Seamsog, Samha Fearna.

Inveni in ſylvis, et ad arborum radices *Luttrel's-town*, *Santry*, *Phœnix-Park*, et alibi; et in ericetis umbroſis paſſim. IV.

---

121. *AGROSTEM'MA.*

githágo. 1. AGROSTEM'MA hirſuta calycibus corollam æquantibus, petalis integris nudis. *Lin. Sp. Pl. ed.* 3. 624. *Fl. Ang. ed.* 2. 198. *Fl. Scot.* 238. *Wither. Arrang. ed.* 2. 471. *Fl. Lond. N.* 35. *Ic.* 210.

Anglis, *cockle.*

Hibernis, Cogal.

Inveni inter ſegetes prope lavacrum *Howth*, circa *Warren Houſe* in itinere ad *Howth*, et alibi. VI.

 122. *LYCHNIS.*

122. *LYCH'NIS.*

flos cuculi. 1. LYCH'NIS petalis quadrifidis, fructu subrotundo. *Lin. Sp. Pl. ed.* 3. 625. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 239. *Wither. Arrang. ed.* 2. 473. *Fl. Lond. N.* 2. *Ic.* 12.

Anglis, *meadow pinks, wild Williams, lychnis cuckow-flower, ragged Robbin, crow-flower.*

Hibernis,

Inveni in paluſtribus circa lavacrum *Howth*; in pratis, et paſcuis humidis, juxta *King's-town, Stag's-town, Wood-town, Killmaſhouge,* et alibi ad radices et latera montium Dublinenſium; in *Scrible's-town* agris; et prope *Blue-bell,* locis uliginoſis copioſe. VI.

dioica. 2. LYCH'NIS floribus dioicis. *Lin. Sp. Pl. ed:* 3. 626. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 240. *Wither. Arrang. ed.* 2. 474. *Fl. Lond. N.* 14. *Ic.* 79.

Anglis, *wild campion.*

Hibernis,

Hibernis, **Coirearan Coilleach.**

Inveni in arvis arenosis, et ficcioribus circa *Warren-House* via ad *Howth* ducente copiose, et ubique in vicinitate *Baldoyle*. VI.

---

123. *CERAS'TIUM.*

vulgátum. 1. CERAS'TIUM foliis ovatis, petalis calyce æqualibus, caulibus diffusis. *Lin. Sp. Pl. ed.* 3. 627. *Fl. Ang. ed.* 2. 200. *Fl. Scot.* 240. *With. Arrang. ed.* 2. 476. *Fl. Lond. N.* 22. *Ic.* 131.

Anglis, *common mouse-ear chickweed.*

Hibernis,

Inveni in pratis, pascuis, ruderatis, et ad vias ubique. V.

arven'se. 2. CERAS'TIUM foliis lineari lanceolatis obtusis, corollis calyce majoribus. *Lin. Sp. Pl. ed.* 3. 628. *Fl. Ang. ed.* 2. 201. *Fl. Scot.* 241. *Wither. Arrang. ed.* 2. 478. *Fl. Lond N.* 62. *Ic.* 368. *English Botany N.* 28. *Ic.* 93.

Anglis,

Anglis, *corn mouſe-ear chickweed.*

Hibernis,

Inveni in arvis arenoſis, et ad vias inter *Clontarf* et *Howth* abunde. IV.

---

124. *SPER'GULA.*

arven'ſis. 1. SPER'GULA foliis verticillatis (*fructibus pendulis Hudſon.*) floribus decandris. *Lin. Sp. Pl. ed.* 3. 630. *Fl. Ang. ed.* 2. 202. *Fl. Scot.* 243. *With. Arrang. ed.* 2. 481. *Fl. Lond. N.* 52. *Ic.* 310.

Anglis, *corn ſpurrey.*

Hibernis, **Corran lin, Cluan lin, cabrois.**

Inveni in arvis arenoſis, et inter ſegetes apud *Warren-Houſe* non longe ab *Howth*, ſuper monte *Kilmaſhouge*, *Knockmarron*, et alibi. VI.

nodóſa. 2. SPER'GULA foliis oppoſitis ſubulatis levibus, caulibus ſimplicibus. *Lin.*

Lin. Sp. Pl. ed. 3. 630. *Fl. Ang. ed.* 2. 203. *Fl. Scot.* 244. *Wither. Arrang. ed.* 2. 483. *Fl. Lond. N.* 44. *Ic.* 259.

Anglis, *knotted ſpurrey, Engliſh marſh ſaxifrage.*

Hibernis,

Inveni in arenoſis juxta rivulos *Sandy-mount*, et *Templeouge*, et rivos *Rathſarnam*; in paluſtribus circa *Killgobbin*, prope rivulos *Phœnix-Park*, et alibi. VI.

DODECANDRIA.

MONOGYNIA.

125. LYTHRUM.

ſalicária. 1. LYTHRUM foliis oppoſitis cordato-lanceolatis, floribus ſpicatis dodecandris. *Lin. Sp. Pl. ed.* 3. 640. *Fl. Lond. N.* 31. *Ic.* 186. *Fl. Ang. ed.* 2. 205. *Fl. Scot.* 247. *Wither. Arrang. ed.* 2. 489.

Anglis,

Anglis, *purple spiked willow-herb, or loosestrife.*

Hibernis, **Brealan leana.**

Inveni in palustribus, et ad fluviorum ripas frequenter. VI.

DODECANDRIA.

DIGYNIA.

126. *AGRIMO'NIA.*

eupatória. 1. AGRIMO'NIA foliis caulinis pinnatis impari-petiolatis, fructibus hispidis. *Lin. Sp. Pl. ed.* 3. 643 *Fl. Ang. ed.* 2. 206. *Fl. Scot.* 247. *Wither. Arrang. ed.* 2. 491. *Fl. Lond. N.* 53. *Ic.* 316. *Fl. Rustica N.* 13. *Ic.* 37.

Anglis, *common agrimony.*

Hibernis, **Marabh dhreighean.**

Inveni in locis nemorosis, et in pascuis ad sepes passim. VII.

TRIGYNIA.

DODECANDRIA.

TRIGYNIA.

127. *RE'SE'DA.*

lutéola. 1. RESE'DA foliis lanceolatis integris basi utrinque unidentatis, calycibus quadrifidis. *Lin. Sp. Pl. ed.* 3. 643. *Fl. Ang. ed.* 2. 207. *Fl. Scot.* 248. *With. Arrang. ed.* 2. 492. *Fl Rustica N.* 14. *Ic.* 40.

Anglis, *wild woad, dyer's weed, yellow weed.*

Hibernis, Buidhe mor.

Inveni super muros, et in locis ruderatis, etiam in pratis et arvis requietis frequenter. IV.

lútea. 2 RESE'DA foliis omnibus trifidis, inferioribus pinnatis. *Lin. Sp. Pl. ed.* 3. 645. *Fl. Ang. ed.* 2. 207. *Fl. Scot.* 249. *Wither. Arrang. ed.* 2. 493.

Anglis, *base rocket.*

Hibernis,

Inveni in arvis arenosis apud *Sandy-mount.* VI.

---

128. *EUPHOR'BIA.*

péplus. 1. EUPHOR'BIA umbella trifida dichotoma, involucellis ovatis, foliis integerrimis obovatis petiolatis. *Lin. Sp. Pl. ed.* 3. 653. *Fl. Ang. ed.* 2. 208. *Fl. Scot.* 249. *Wither. Arrang. ed.* 2. 495. *Fl. Lond. N.* 6. *Ic.* 32.

Anglis, *petty spurge.*

Hibernis, **Gear neimh.**

Inveni in hortis oleraceis, et arvis pinguioribus, inque agris neglectis frequenter. IV.

helioscópia, 2. EUPHOR'BIA umbella quinquefida, trifida dichotoma, involucellis obovatis, foliis cuneiformibus serratis. *Lin. Sp. Pl. ed.* 3. 658. *Fl. Ang. ed.* 2. 209. *Fl. Scot.* 250. *With. Arrang. ed.* 2. 497. *Fl. Lond. N.* 12. *Ic.* 71.

Anglis,

Anglis, *ſun ſpurge, wart-wort, churn-ſtaff, cat's milk, fairy's milk.*

Hibernis,

Inveni cum priore copioſe. VI.

exig'ua. 3. EUPHOR'BIA umbella trifida, dichotoma, involucellis lanceolatis, foliis linearibus. *Lin. Sp. Pl ed.* 3. 654 *Fl. Ang. ed.* 2. 208. *Fl. Scot.* 250. *With. Arrang. ed.* 2. 495. *Fl. Lond. N.* 41. *Ic.* 243.

Anglis, *dwarf ſpurge.*

Hibernis,

Inveni in arvis montoſis ſiccioribus, præſertim ſuper *Knockmaroon-hill*, inter *Chapelizod* et *Luttrel's-town*; in arenoſis *Raheny-ſtrand*, et alibi. VI.

parálias. 4. EUPHOR'BIA umbella ſubquinquefida bifida, involucellis cordato-reniformibus foliis ſurſum imbricatis. *Lin. Sp. Pl. ed.* 3. 657. *Fl Aug. ed.* 2. 209. *Wither. Arrang. ed.* 2. 496.

Anglis, *ſea ſpurge.*

Hibernis,

Inveni in littore arenoſo apud *Killeny-bay* copioſe. VII.

DODECANDRIA.

DODECAGYNIA.

---

129. *SEMPERVI'VUM.*

tectórum. 1. SEMPERVI'VUM foliis ciliatis, propaginibus patentibus. *Lin. Sp. Pl. ed.* 3. 664. *Fl. Ang. ed.* 2. 211. *Fl. Scot.* 251. *Wither. Arrang. ed.* 2. 502. *Fl. Lond. N.* 27. *Ic.* 162.

Anglis, *common houſe-leek.*

Hibernis, Feinne Gabhla, Finne Tinne, Toirpin.

Inveni fere ubique ſuper ſtraminea caſarum tecta, ſed præſertim apud *Raheny* abundanter. VII.

ICOSANDRIA.

ICOSANDRIA.

MONOGYNIA.

130. *PRU'NUS.*

spinósa. 1. PRU'NUS pedunculis solitariis, foliis lanceolatis glabris, ramis spinosis. *Lin. Sp. Pl. ed.* 3. 681. *Fl. Ang. ed.* 2. 212. *Fl. Scot.* 254. *Wither. Arrang. ed.* 2. 509. *Med. Bot. p.* 233. *Ic.* 84.

Anglis, *black-thorn*, *sloe tree*, *scrogs.*

Hibernis, **Airneog, draine'og, Kran airneadh, no draighean.**

Inveni in sylvis *Phænix Park*, *Luttrel's-town*, et in sepibus passim. IV.

DIGYNIA.

ICOSANDRIA

DIGYNIA.

131. *CRATÆ'GUS.*

oxyacántha. 1. CRATÆ'GUS foliis obtusis subtrifidis serratis. *Lin. Sp. Pl. ed.* 3. 683. *Fl. Scot.* 255. *Hunt. Ev. Sylv. ed alt. Vol.* 1. 178. *Cum floribus monogynis. Fl. Ang. ed.* 2. 214. *C. monogy'na. Wither. Arrang. ed.* 2. 511.

Anglis, *white-thorn, haw-thorn, may.*

Hibernis, **Sgeagh, Uath, Sgeach, Sgeach Gheal.**

Inveni in sylvis et sepibus ubique. V.

ICOSANDRIA

PENTAGYNIA.

132. *PY'RUS.*

málus. 1. PY'RUS foliis ſerratis umbellis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 686. *Fl. Ang ed.* 2. 216. *Fl. Scot.* 258. *Wither. Arrang. ed.* 2. 517.

Anglis, *crab tree, wilding.*

Hibernis, **Cairteog, Abhale Fiadhain.**

Inveni in ſylvis et ſepibus paſſim. V.

---

133. *SPIRÆ'A.*

ulmária. 1. SPIRÆ'A foliis pinnatis impari majore lobato, floribus cymoſis. *Lin. Sp. Pl ed.* 3. 702. *Fl Ang. ed.* 2. 217. *Fl. Scot.* 259. *Wither. Arrang. ed.* 2. 519. *Fl. Lond. N.* 58. *Ic.* 343.

Anglis,

Anglis, *meadow-ſweet, queen of the meadows.*

Hibernis, Airgiod Luachra.

Inveni in pratis humidis, et ad rivulorum ripas frequenter. VI.

ICOSANDRIA.

POLYGYNIA.

134. *ROʹSA.*

ſpinoſiſʹſima. 1. ROʹSA germinibus globoſis glabris, pedunculis hiſpidis, caule petioliſque aculeatiſſimis. *Lin. Sp. Pl. ed.* 3 705. *Fl. Ang. ed.* 2. 218. *Fl. Scot.* 260. *Wither. Arrang. ed.* 2. 524.

Anglis, *burnet roſe, pimpernel roſe.*

Hibernis,

Inveni in ſabuloſis inter *Sheds-of-Clontarf* et *Howth* copioſe, et alibi. V.

arvenʹſis.

arven'sis. 2. RO'SA germinibus globosis, pedunculisque glabris, caule petiolisque aculeatis, floribus subcymosis. *Sys. Veget. ed.* 13. 394. *Fl. Ang. ed* 1. 192. *ed.* 2. 219. *Fl. Scot.* 261. *Wither. Arrang. ed.* 2. 521.

Anglis, *white-flowered dog rose.*

Hibernis,

Inveni in sepibus frequenter. VI.

canina. 3. RO'SA germinibus ovatis, pedunculisque glabris, caule petiolisque aculeatis. *Lin. Sp. Pl. ed.* 3. 704. *Fl. Ang. ed.* 2. 219. *Fl. Scot.* 262. *Wither. Arrang. ed.* 2. 523. *Fl. Lond. N.* 51. *Ic.* 301. *Med. Botany p.* 377. *Ic.* 139.

Anglis, *dog rose, hep tree, wild briar.*

Hibernis, **Fora dhrios, sgeach mhadra.**

Inveni in sepibus passim. VI.

135. *R U' B U S.*

fruticóſus. 1. RU'BUS foliis quinato-digitatis ternatiſque, caule petioliſque aculeatis. *Lin. Sp. Pl. ed.* 3. 707. *Fl. Ang. ed.* 2. 220. *Fl. Scot.* 264. *Wither. Arrang. ed.* 2. 527.

Anglis, *common bramble, blackberry buſh, bumble-kites.*

Hibernis, **Dreſeog, Drios, Sgeach talmhan.**

Inveni in ſepibus et dumetis ubique. VII.

---

136. *F R A G A' R I A.*

veſ'ca. 1. FRAGA'RIA flagellis reptantibus. *Lin. Sp. Pl. ed.* 3. 708. *Fl. Ang. ed.* 2. 221. *Fl. Scot.* 267. *Wither. Arrang. ed.* 2. 529.

Anglis, *common ſtrawberry.*

Hibernis, **Suth talmhan.**

Inveni in ſylvis, dumetis, et ad ſepes frequenter. IV.

ſter'ilis.

ſter'ilis. 2. FRAGA'RIA caule decumbente, ramis floriferis laxis. *Sys. Veget. ed.* 13. 396. *Lin. Sp. Pl. ed.* 3. 709. *caule repente. Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang. ed.* 2. 530. *Fl. Lond. N.* 29. *Ic.* 170.

Anglis, *barren ſtrawberry.*

Hibernis, **Suth talmhan.**

Inveni in paſcuis et ericetis ſterilioribus paſſim; ad foſſarum aggeres copioſe circa *Killeſter*, *Raheny*, et alibi. III.

---

137. *POTENTIL'LA.*

anſerina. 1. POTENTIL'LA foliis pinnatis ſerratis, caule repente. *Lin. Sp. Pl. ed.* 3. 710. *pedunculis unifloris. Sys. Veget. ed.* 13. 396. *Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang. ed. ed.* 2. 532. *Fl. Lond. N.* 34. *Ic.* 204.

 Anglis,

Anglis, *silver-weed, wild tansey, goose-grass, goosetansey.*

Hibernis, **Briosclan.**

Inveni ubique. VI.

rep'tans. 2. POTENTIL'LA foliis digitatis, caule repente, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 714. *Fl. Ang. ed.* 2. 224. *Fl. Scot.* 271. *Wither. Arrang. ed.* 2. 534, 536. *Tormentil'la rep'tans. Fl. Lond. N.* 5. *Ic.* 29. *Med. Bot. p.* 160. *Ic.* 59.

Anglis, *common cinquefoil, five leaved-grass.*

Hibernis, **Cuigheag, Cuighnear Muirre, Meangach.**

Inveni in pascuis sterilioribus frequenter, et ad semitas. VI.

138. *TORMEN-*

138. *TORMENTIL'LA.*

erec'ta. 1. TORMENTIL'LA caule erectiusculo, foliis sessilibus. *Lin. Sp. Pl. ed.* 3. 716. *Fl. Ang. ed.* 2. 225. *Fl. Scot.* 272. *Wither. Arrang. ed.* 2. 536. et 535. *Potentil'la Tormentil'la. Fl. Lond. N.* 58. *Ic.* 344. *T. officinalis. Med. Bot. p.* 27. *Ic.* 9.

Anglis, *common tormentil, septfoil.*

Hibernis, **Meanaidin, Benedin, Leamhnacht.**

Inveni in pascuis ubique fere, præsertim montosis, et in ericetis. VI.

---

139. *G E' U M.*

urbánum. 1. GE'UM floribus erectis, fructu globoso villoso: aristis uncinatis nudis, foliis lyratis. *Lin. Sp. Pl. ed.* 3. 716. *Fl. Ang. ed.* 2. 226. *Fl. Scot.* 273, *Wither. Arrang. ed.* 2. 537. *Fl. Lond. N.* 19. *Ic.* 113.

Anglis,

Anglis, *common avens, herb bennet.*

Hibernis, Machall.

Inveni in dumetis, et ad ſepes frequenter V.

riválc. 2. GE'UM floribus nutantibus, fructu oblongo, ariſtis plumoſis tortis. *Lin. Sp. Pl. ed.* 3. 717. *Fl. Ang. ed.* 2. 226. *Fl. Scot.* 274. *Wither. Arrang. ed.* 2. 538, *Engliſh Botany N.* 30. *Ic.* 106.

Anglis, *water avens.*

Hibernis,

Inveni in locis ſubhumidis ſylvæ *Santry*, occidentem verſus. V.

POLYANDRIA.

POLYANDRIA.

MONOGYNIA.

140. *CHELIDO'NIUM.*

glau'cium. 1. CHELIDO'NIUM pedunculis uniflo-ris, foliis amplexicaulibus ſinuatis, caule glabro. *Lin. Sp. Pl. ed.* 3. 724. *Fl. Ang. ed.* 2. 229. *Fl. Scot.* 279. *Wither. Arrang. ed.* 2. 548. *Engliſh Bot. N.* 3. *Ic.* 8.

Anglis, *ſea celandine, yellow horned poppy.*

Hibernis,

Inveni in littoribus arenoſis apud *Killeny-Bay*, inter *Sheds-of-Clontarf* et *Howth*, inter *Sandy-Mount* et *Merrion*, et alibi. VI.

141. *PAPA'VER.*

141. *PAPA'VER.*

rhoe'as. 1. PAPA'VER capsulis glabris globosis, caule piloso multifloro, foliis pinnatifidis incisis. *Lin. Sp. Pl. ed* 3. 726. *Fl. Ang. ed.* 2. 230. *Fl. Scot.* 279. *Wither. Arrang. ed.* 2. 551. *Fl. Lond. N.* 36. *Ic.* 216. *Med. Bot. p.* 512. *Ic.* 186.

Anglis, *red poppy, corn rose, cop-rose, beadwark.*

Hibernis, **Blaith na mbodagh, Caul-leach Dhearg, Paipin.**

Inveni inter segetes, ad agrorum margines &c. fere ubique. V.

somnif'erum. 2. PAPA'VER calycibus capsulisque glabris, foliis amplexicaulibus incisis. *Lin. Sp. Pl. ed.* 3. 726. *Fl. Ang. ed.* 2. 231. *Wither. Arrang. ed.* 2. 553. *Med. Bot. p.* 503. *Ic.* 185.

Anglis, *white poppy.*

Hibernis, **Collaidin, Poipin.**

Inveni in sterilioribus circa *Warren-house* juxta *Howth*, apud *Blue-bell*, et in locis incultis et neglectis passim. VI.

142. *NYMPHÆ'A.*

142. *NYMPHÆ'A.*

lútea. 1. NYMPHÆ'A foliis cordatis integerrimis, calyce pentaphyllo majore. *Lin. Sp. Pl. ed* 3 729 *Fl. Ang. ed* 2. 234. *Fl Scot.* 282. *Wither Arrang. ed.* 2. 554. *English Botany N.* 39. *Ic.* 159.

Anglis, *yellow water-lily.*

Hibernis, **Cabhan Abhan, Duilleog bhaite, Liach Loghar.**

Inveni in ſtagnis majoribus profundis, prope pontem *Glaſnevin*, auſtrali parte. VII.

POLYANDRIA.

PENTAGYNIA.

143. *AQUILE'GIA.*

vulgáris. 1. AQUILE'GIA nectariis incurvis. *Lin. Sp. Pl. ed.* 3. 752. *Fl. Ang. ed.* 2. 235. *Fl. Scot.* 284. *Wither. Arrang. ed.* 2. 562.

Anglis, *columbines.*

Hibernis, **Cruba Lefin.**

Inveni in pascuis, et ad sepes, copiose circa *Cappoge*, et *Dunsink*, et super apice et ad latera collis *Knockmaroon* inter *Chapelizod* et *Luttrel's-town.* V.

POLYGYNIA.

POLYANDRIA.

POLYGYNIA.

144. *ANEMO'NE.*

nemorósa. 1. ANEMO'NE ſeminibus acutis, foliolis inciſis, caule unifloro. *Lin. Sp Pl. ed.* 3. 762. *Fl. Ang. ed.* 2. 236. *Fl. Scot.* 284. *Wither. Arrang. ed.* 2. 566. *Fl. Lond. N.* 13. *Ic.* 75.

Anglis, *wood anemone.*

Hibernis, **Mead Cailleach.**

Inveni in dumetis juxta ſcholam reverendi *Mears* apud *Black-rock,* auſtrali parte; et in ſylvis paſſim. IV.

---

145. *ADO'NIS.*

autumnális. 1. ADO'NIS floribus octopetalis, fructibus ſubcylindricis. *Lin Sp. Pl. ed.* 3. 771. *Fl. Ang. ed.* 2. 239.

 Wither.

Wither. Arrang. ed. 2. 570. *Fl. Lond. N.* 23. *Ic.* 133.

Anglis, *corn flos-adonis, pheasant's eye, red mathies, red Morocco.*

Hibernis,

Inveni inter segetes nonnunquam. VII.

---

146. *RANUN'CULUS.*

flam'mula. 1. RANUN'CULUS foliis ovato-lanceolatis petiolatis, caule declinato. *Lin. Sp. Pl. ed.* 3. 772. *Fl. Ang. ed.* 2. 239. *Fl. Scot.* 288. *Wither. Arrang. ed.* 2. 571. *Fl. Lond. N.* 66. *Ic.* 396.

Anglis, *less spearwort.*

Hibernis, **Lassair Leana, Conaigh.**

Inveni in pratis uliginosis, et vadis ad rivulos fere ubique. VII.

lin'gua. 2. RANUN'CULUS foliis lanceolatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 773. *Fl.*

Fl. Ang. ed. 2. 240. *Fl. Scot.* 287. *With. Arrang. ed.* 2. 572. *English Botany N.* 29. *Ic.* 100.

Anglis, *greater spearwort.*

Hibernis,

Inveni in pratis uliginosis *Scrible's-town,* et alibi cum priore nonnunquam. VI.

ficária. 3. RANUN'CULUS foliis cordatis angulatis petiolatis. *Lin. Sp. Pl. ed.* 3. 774. *Fl. Scot.* 289. *Fl. Lond. N.* 13. *Ic.* 76. *Flora Rustica N.* 7. *Ic.* 21. *Ficária Ver'na. Fl. Ang. ed.* 2. 244. *Wither. Arrang. ed.* 2. 579.

Anglis, *common pilewort, less celandine.*

Hibernis, Grain Aigain.

Inveni in sylvis, pratis, et ad sepes passim; præsertim apud *Phænix-Park, Rathmines, Killester, Finglass-Bridge,* et alibi. III.

répens. 4. RANUN'CULUS calycibus patulis, pedunculis ſulcatis, ſarmentis repentibus, foliis compoſitis *Lin Sp. Pl. ed.* 3. 779. *Fl. Ang ed.* 2. 240. *Fl. Scot.* 292. *With Arrang. ed.* 2. 575. *Fl Lond. N.* 39. *Ic.* 229 *Fl. Ruſtica N.* 10. *Ic.* 29.

Anglis, *creeping crowfoot or butter-cups.*

Hibernis, **Fearban, Bairgin.**

Inveni in pratis, paſcuis, foſſis, hortis, et ruderatis, locis humidioribus. V.

bulbóſus. 5. RANUN'CULUS calycibus retroflexis, pedunculis ſulcatis, caule erecto, foliis compoſitis. *Lin. Sp. Pl. ed.* 3. 778. *Fl. Ang. ed.* 2. 241. *Fl. Scot.* 292. *Wither. Arrang. ed.* 2. 574. *Fl. Lond. N.* 7. *Ic.* 38. *Flora Ruſtica N.* 10. *Ic.* 28.

Anglis, *bulbous crowfoot, butter-flower, butter-cups or gold-cup.*

Hibernis, **Tuile talmhan.**

Inveni in paſcuis ſiccioribus frequenter, etiamque in hortis, pratis, et ad vias. V.

ácris.

ácris. 6. RANUN'CULUS calycibus patulis, pedunculis teretibus, foliis tripartito-multifidis ſummis linearibus. *Lin. Sp. Pl. ed.* 3. 779. *Fl. Ang. ed.* 2. 241. *Fl. Scot.* 293. *With. Arrang. ed.* 2. 576. *Fl. Lond. N.* 4. *Ic.* 20. *Flora Ruſtica N.* 10. *Ic.* 30.

Anglis, *upright crowfoot, butter-flower or butter-cups.*

Hibernis,

Inveni in pratis et paſcuis frequenter. V.

ſcelerátus. 7. RANUN'CULUS foliis inferioribus palmatis, ſummis digitatis, fructibus oblongis *Lin. Sp. Pl. ed.* 3. 776. *Fl. Ang. ed.* 2. 241. *Fl. Scot* 291. *With. Arrang. ed.* 2. 573. *Fl. Lond. N.* 17. *Ic.* 99.

Anglis, *celery-leaved crowfoot.*

Hibernis, **Toracħas biadħain.**

Inveni in aquoſis, inque aquis ipſis ubique. V.

auricomus.

auricomus 8. RANUN'CULUS foliis radicalibus reniformibus crenatis incisis, caulinis digitatis linearibus, caule multifloro. *Lin. Sp. Pl. ed.* 3. 775. *Fl. Ang. ed.* 2. 242. *Fl. Scot.* 290. *Wither. Arrang. ed.* 2. 573. *Fl. Lond. N.* 16. *Ic.* 91.

Anglis, *wood crowfoot, goldilocks.*

Hibernis,

Inveni in ſylvis *Luttrel's-town, Santry, Rathfarnham, Phœnix-Park* et alibi, locis umbroſis. IV.

hederáceus. 9. RANUN'CULUS foliis ſubrotundis trilobis intègerrimis, caule repente. *Lin. Sp. Pl. ed.* 3. 781. *Fl. Ang. ed.* 2. 243. *Fl. Scot.* 294. *Wither. Arrang. ed.* 2. 577. *Fl. Lond. N.* 42. *Ic.* 251.

Anglis, *ivy-leaved crowfoot.*

Hibernis,

Inveni in vadis limoſis, et ad ſcaturigines apud *Howth*, et alibi copioſe. IV.

aquátilis.

aquatilis. 10. RANUN'CULUS foliis submersis capillaceis, emersis subpeltatis. *Lin. Sp. Pl. ed.* 3. 781. *Fl. Ang. ed.* 2. 243. *Fl. Scot.* 295. *Wither. Arrang. ed.* 2. 577. *English Botany N.* 29. *Ic.* 101.

Anglis, *various-leaved water crowfoot.*

Hibernis, **Neal Uisge, Lionan Abhan, Fleann Uisge, Leananach Snaithe baite'.**

Inveni in fossis aqueis, lente rivulis decurrentibus, fluviis, et stagnis variis copiose, ubique. IV.

---

147. *C A L' T H A.*

palus'tris. 1. CAL'THA. *Lin. Sp. Pl. ed.* 3. 784. *Fl. Ang. ed.* 2. 245. *Fl. Scot.* 298. *Wither. Arrang. ed.* 2. 583. *Fl. Lond. N.* 8. *Ic.* 47.

Anglis, *marsh marigold, meadow bouts.*

Hibernis, **Plubairſin, Bearnan, Bealtaine, Luſ buiḣ Bealtaine.**

Inveni in locis aquoſis, et ad fluviorum ripas, apud *Long Meadows*, &c. in pratis et paſcuis montoſis humidis apud *Howth*, prope *Wood-town* et *Stag's-town* ad radices montium Dublinenſium, et alibi copioſe. III.

DIDYNAMIA.

GYMNOSPERMIA.

---

148. *TEU'CRIUM.*

chamæ'drys. 1. TEU'CRIUM foliis cuneiformi-ovatis inciſo-crenatis petiolatis, floribus ternis, caulibus procumbentibus ſubpiloſis. *Sp. Pl. ed.* 3. 790. *Fl. Ang. ed.* 2. 247. *Wither. Arrang. ed.* 2. 592.

Anglis, *common germander.*

Hibernis,

Hibernis,

Inveni in marginibus agrorum ſatis ab ædibus remotum apud *Green-hills* via ad *Tallaght* ducente. VII.

ſcorodónia. 2. TEU'CRIUM foliis cordatis ſerratis petiolatis, racemis lateralibus ſecundis, caule erecto. *Lin. Sp. Pl. ed.* 3. 789. *Fl. Ang. ed.* 2. 248. *Fl. Scot.* 303. *With. Arrang. ed.* 2. 591. *Fl. Lond. N.* 50. *Ic.* 299.

Anglis, *wood germander, wood ſage.*

Hibernis,

Inveni in ericetis, et inter rupes abunde, apud *Howth*, et ad latera et radices montium Dublinenſium ubique. VII.

---

149. *A' J U G A.*

rep'tans. 1. A'JUGA glabra, ſtolonibus reptantibus. *Lin. Sp. Pl. ed.* 3. 785. *Fl. Ang. ed.* 2. 248. *Fl. Scot.* 302. *Wither. Arrang. ed.* 2. 589. *Fl. Lond. N.* 14. *Ic.* 81.

 Anglis,

Anglis, *common bugle.*

Hibernis, **Glassar heile.**

Inveni in sylva *Luttrel's-town* abunde, et ad fossarum latera inter *Finglas* et *Cappogh*, et alibi. V.

---

150. *VERBE'NA.*

officinalis. 1. VERBE'NA spicis filiformibus paniculatis, foliis multifido-lanceolatis, caule solitario. *Lin. Sp. Pl. ed.* 3. 29. *Fl. Ang. ed.* 2. 249. *Wither. Arrang. ed.* 2. 595. *Fl. Lond. N.* 5. *Ic.* 28.

Anglis, *common vervain, simpler's joy.*

Hibernis, **Cruba Leoin.**

Inveni secundum vias publicas prope *Luttrel's-town*, et ad radices collis *Knockmaroon*, apud *Dalkey* juxta muros templi antiqui, prope *Swords*, in pastubus communibus prope *Bray*, juxta pontem *Finglas* occidentem versus, et alibi. VII.

151. *MENTHA.*

151. *MEN'THA.*

aqua'tica. 1. MEN'THA ſpicis capitatis, foliis ovatis ſerratis petiolatis, ſtaminibus corolla longioribus. *Lin. Sp. Pl. ed.* 3. 805. *Fl. Ang. ed.* 2. 252. *Fl. Scot.* 305. *Wither. Arrang. ed.* 2. 598.

Anglis, *water mint.*

Hibernis, **Cartloinn.**

Inveni paſſim ſecundum rivos et in locis humidioribus, præſertim apud *Phœnix-Park* abundanter. VII.

---

152. *GLECO'MA.*

hederácea. 1. GLECO'MA foliis reniformibus crenatis. *Lin. Sp. Pl. ed.* 3. 807. *Fl. Ang. ed.* 2. 254. *Fl. Scot.* 307. *With. Arrang. ed.* 2. 603. *Fl. Lond. N.* 24. *Ic.* 141. *Fl Ruſtica N.* 21. *Ic.* 61. *Med. Bot. p.* 84. *Ic.* 28.

Anglis,

Anglis, *common ground ivy, cat's foot, ale-hoof, tun-hoof.*

Hibernis, **Athair Lus.**

Inveni in ſylva *Luttrel's-town* copioſiſſime, et ad ſepes et macerias alibi frequenter. IV.

---

153. *LA'MIUM.*

al'bum. 1. LA'MIUM foliis cordatis acuminatis ſerratis petiolatis, verticillis viginti-floris. *Lin. Sp. Pl. ed.* 3. 809. *Fl. Ang. ed.* 2. 255. *Fl. Scot.* 308. *Wither. Arrang. ed.* 2. 604. *Fl. Lond. N.* 20. *Ic.* 119. *Fl. Ruſtica N.* 9. *Ic.* 26.

Anglis, *white archangel, white dead nettle.*

Hibernis, **Neantog Mharabh, Neantog chaech.**

Inveni in arvis requietis, ad ſepes et macerias, inque locis ruderatis et hortorum areis. IV.

purpùreum.

purpúreum. 2. LA'MIUM foliis cordatis obtusis petiolatis. *Lin. Sp. Pl. ed.* 3. 809. *Fl. Ang. ed.* 2. 255 *Fl. Scot.* 309. *Wither. Arrang. ed.* 2. 605 *Fl. Lond. N.* 8. *Ic.* 45. *Fl. Rustica N.* 9 *Ic.* 25.

Anglis, *red archangel, red dead nettle, dee-nettle.*

Hibernis, **Neantog Mharabh.**

Inveni cum priore frequenter. III.

amplexicaúle. 3. LA'MIUM foliis floralibus sessilibus amplexicaulibus obtusis. *Lin. Sp. Pl. ed.* 3. 809. *Fl. Ang. ed.* 2. 255. *Fl. Scot.* 309. *Wither. Arrang. ed.* 2. 606. *Fl. Lond. N.* 19. *Ic.* 114.

Anglis, *perfoliate archangel, great henbit.*

Hibernis, **Neantog Chaech.**

Inveni cum priore, sed rarius. V.

154. *GALEOP'SIS.*

154. *GALEOP'SIS.*

lad'anum. 1. GALEOP'SIS internodiis caulinis æqualibus, verticillis omnibus remotis. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Ang. ed.* 2. 256. *Wither. Arrang. ed.* 2. 607.

Anglis, *red dead nettle or nettle hemp.*

Hibernis,

Inveni inter ſegetes apud *Malahide* juxta littus abundanter, et alibi; ad viam publicam in aggeribus ſepium et agrorum marginibus inter *Chapelizod* et *Luttrel's-town*, et alibi copioſe. VIII.

tet'rahit. 2. GALEOP'SIS internodiis caulinis ſuperne incraſſatis, verticillis ſummis contiguis. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Ang. ed.* 2. 257. *Fl. Scot.* 310. *With. Arrang. ed.* 2. 608.

Anglis, *common dead nettle or nettle hemp.*

Hibernis,

Inveni cum priore frequenter. VII.

galeob'dolon.

galeob'dolon. 3. GALEOP'SIS verticillis ſexfloris involucro tetraphyllo. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Scot.* 310. *Galeob'-dolon luteum. Fl. Ang. ed.* 2. 258. *Wither. Arrang. ed* 2 610. *Galeob'-dolon Galeop'ſis. Fl. Lond. N.* 42. *Ic.* 248.

Anglis, *yellow archangel, yellow dead-nettle.*

Hibernis,

Inveni in ſylva *Luttrel's-town,* et ad ſepes inter *Ballibogil-Bridge* et *Aſh-Town,* et juxta *Cardiff's-Bridge,* auſtrali parte. V.

---

155. *STA'CHYS.*

ſylvat'ica. 1. STA'CHYS verticillis ſexfloris, foliis cordatis petiolatis. *Lin. Sp. Pl. ed.* 3. 811. *Fl. Ang. ed.* 2. 259. *Fl. Scot.* 312. *Wither. Arrang. ed.* 2. 612. *Fl. Lond. N.* 31. *Ic.* 184.

Anglis, *hedge nettle.*

Hibernis,

Inveni in ſylvis et ſepibus frequenter. VI.

paluſtris. 2. STA'CHYS verticillis ſexfloris, foliis lineari-lanceolatis ſemiamplexicaulibus. *Lin. Sp. Pl. ed* 3. 811. *Fl. Ang. ed.* 2. 259. *Fl. Scot.* 313. *Wither. Arrang. ed.* 2. 613. *Fl. Lond. N.* 35. *Ic.* 207.

Anglis, *clown's all-heal, clown's woundwort.*

Hibernis,

Inveni ad fluvios et in locis aquoſis nonnunquam, præſertim inter *Milltown* et *Rathmines*, prope *Mueden* juxta *Swords*, inter *Knockmaroon* et *Lucan*, et alibi. VII.

156. *BALLO'TA.*

156. *BALLO'TA.*

nigra. 1. BALLO'TA foliis cordatis indivisis serratis, calycibus acuminatis. *Lin. Sp. Pl. ed.* 3. 814. *Fl. Ang. ed.* 2. 260. *Fl. Scot.* 314. *With. Arrang. ed.* 2. 615. *English Botany N.* 16. *Ic.* 46.

Anglis, *stinking horehound.*

Hibernis, **Grafan.**

Inveni in ruderatis et ad sepes, præsertim apud *Howth* prope cænobium vetustum, juxta *Kilgobbin*, *Rathmines*, *Bullock*, et alibi. VII.

al'ba. 2. BALLO'TA foliis cordatis indivisis serratis, calycibus subtruncatis. *Lin. Sp. Pl. ed.* 3. 814. *B. nigra var.* β. *Fl. Ang. ed.* 2. 260.

Anglis, *white stinking horehound.*

Hibernis,

Inveni in ruderatis nonnunquam cum priore. VII.

157. *ORIG'ANUM.*

vulgáre 1. ORIG'ANUM ſpicis ſubrotundis, paniculis conglomeratis, bracteis calyce longioribus ovatis. *Lin. Sp. Pl. ed.* 3. 824. *Fl. Ang. ed* 2. 262. *Fl. Scot.* 317. *Wither. Arrang. ed.* 2. 621. *Fl. Lond. N.* 57. *Ic.* 341. *Med. Bot. p.* 451. *Ic.* 164.

Anglis, *wild marjoram.*

Hibernis,

Inveni in ſepibus copioſiſſime circa *Roebuck*, ſuper monte *Knockmaroon*, et alibi. VIII.

---

158. *THYMUS.*

ſerpyl'lum. 1. THY'MUS floribus capitatis, caulibus decumbentibus, foliis planis obtuſis. *Lin. Sp. Pl. ed.* 3. 825. *Fl. Ang. ed.* 2. 262. *Fl. Scot.* 318. *Wither. Arrang. ed.* 2. 623. *Flora Lond. N.* 13. *Ic.* 74. *Med. Bot. p.* 301. *Ic.* 110.

Anglis,

Anglis, *wild thyme, mother of thyme.*

Hibernis,

Inveni in montosis, pascuis siccioribus, ericetis, et in formicarum tumulis ubique. VI.

---

159. *P R U N E L' L A.*

vulgáris. 1. PRUNEL'LA foliis omnibus ovato-oblongis petiolatis. *Lin. Sp. Pl. ed.* 3. 837. *Fl. Ang. ed.* 2. 264. *Fl. Scot.* 321. *Wither. Arrang. ed.* 2. 631. *Fl. Lond. N.* 38. *Ic.* 226.

Anglis, *common self-heal.*

Hibernis, **Ceannabhan beag, Dubhan Ceanncbosach, Dubhamuith.**

Inveni in pratis, pascuis, et ad vias ubique. VI.

160. MELIS'SA.

calamin'tha. 1 MELIS'SA pedunculis axillaribus dichotomis longitudine foliorum. *Lin. Sp. Pl. ed.* 3. 827. *Fl. Ang. ed.* 2. 263. *Wither. Arrang. ed.* 2. 626.

Anglis, *mountain calamint.*

Hibernis,

Inveni in aggeribus sepium prope *Luttrel's-town*, et in ruderosis ad sepes viasque copiose circa radices montis *Knockmaroon.* VIII.

DIDYNAMIA.

ANGIOSPERMIA.

---

161. EUPHRA'SIA.

odontites. 1. EUPHRA'SIA foliis linearibus omnibus serratis. *Lin. Sp. Pl. ed.* 3. 841. *Fl. Scot.* 324. *Wither. Arrang. ed.*

ed. 2. 636. *Fl. Lond. N.* 11. *Ic.* 64. *Bart'ſia odontites. Fl. Ang. ed.* 2. 268. *Fl. Ruſt. N.* 14. *Ic.* 42.

Anglis, *red eye-bright.*

Hibernis,

Inveni in pratis et paſcuis humidis juxta *Sandymount*, *Kilgobbin*, *Swords*, et alibi abundanter. VII.

officinális, 2. EUPHRA'SIA foliis ovatis lineatis argute dentatis. *Lin. Sp. Pl. ed.* 3. 841. *Fl. Ang. ed.* 2. 269. *Fl. Scot.* 323. *Wither. Arrang. ed.* 2. 635. *Lond. N.* 57. *Ic.* 338.

Anglis, *common eye-bright.*

Hibernis, Raidhircín, Raeimin Raidhre, Ruisnin Raidhre Lín Raidhre, Glan ruisc.

Inveni in pratis et paſcuis ſiccioribus, præſertim apud *Phœnix-Park*, *Killbarrick*, *Howth*, ſuper *Dublin-Mountains* et prope eorundem radices, et alibi abundanter. VII.

162. *RHINAN'THUS.*

crif'ta-galli. 1. RHINAN'THUS corollarum labio fuperiore compreffo breviore. *Lin. Sp. Pl. ed.* 3. 840. *Fl. Ang. ed.* 2. 268. *Fl. Scot.* 322. *Wither. Arrang. ed.* 2. 634. *Fl. Lond. N.* 55. *Ic.* 326.

Anglis, *yellow rattle, penny-grafs, cox-comb, cockfcomb.*

Hibernis, **Bodanae Chloigin.**

Inveni in pratis et pafcuis fterilioribus abundanter. V.

---

163. *MELAMPY'RUM.*

fylvaticum. 1. MELAMPY'RUM floribus fecundis lateralibus, conjugationibus remotis, corollis hiantibus. *Lin. Sp. Pl. ed.* 3. 843. *Fl. Ang. ed.* 2. 270. *Fl. Scot.* 325. *Wither. Arrang. ed.* 2. 641.

Anglis,

Anglis, *yellow cow-wheat.*

Hibernis,

Inveni ſuper montes Dublinenſes copioſe, et in ſylvis *Luttrel's-town*, *Santry*, et *Phænix-Park.* VI.

---

164. *PEDICULA'RIS.*

paluſ'tris. 1. PEDICULA'RIS caule ramoſo, calycibus calloſo-punctatis, corollis labio obliquis. *Lin. Sp. Pl. ed.* 3. 845. *Fl. Ang. ed.* 2. 270. *Fl. Scot.* 326. *Wither. Arrang. ed.* 2. 643.

Anglis, *marſh louſe-wort.*

Hibernis,

Inveni in paludoſis udiſque pratis, ſuper montes Dublinenſes, et alibi copioſe. VI.

ſylva t'ica. 2. PEDICULA'RIS caule ramoſo, calycibus oblongis angulatis lævibus, corollis labio cordato. *Lin. Sp. Pl. ed.* 3. 845. *Fl. Ang. ed.* 2. 271. *Fl. Scot.* 327. *With. Arrang. ed.* 2. 644.

Z Anglis,

Anglis, *common louſe-wort.*

Hibernis, Maothlan mona, Luſ ri-abhach, Lus an giolla, Riabhaigh, Milſhan Monah.

Inveni cum priore frequenter. IV.

---

165. *ANTIRRHI'NUM.*

linária. 1. ANTIRRHI'NUM foliis lanceolato-linearibus confertis, caule erecto, ſpicis terminalibus ſeſſilibus, floribus imbricatis. *Lin. Sp. Pl. ed.* 3. 858. *Fl. Ang. ed.* 2. 273. *Fl. Scot.* 328. *Wither. Arrang. ed.* 2. 648. *Fl. Lond. N.* 5. *Ic.* 25.

Anglis, *common toad-flax.*

Hibernis,

Inveni ad viam publicam inter *Rathmines* et *Milltown*, juxta flumen *Dodder* boream verſus, et in ſterilioribus arenoſis apud *Liſſon-hall* adverſus *Malahide.* VII.

május.

május. 2. ANTIRRHI'NUM corollis ecaudatis, floribus ſpicatis, capſulis rotundatis. *Lin. Sp. Pl. ed.* 3. 859. *Fl. Ang. ed.* 2. 274. *Wither. Arrang. ed.* 2. 650. *Engliſh Botany N.* 34. *Ic.* 129.

Anglis, *ſnapdragon.*

Hibernis, **Sriumh na Laogh.**

Inveni in muros antiquos hortis vicinos frequenter; ortum vero, ut ſuſpicor, ſeminibus hortenſibus trahens. VI.

---

166. *SCROPHULA'RIA.*

nodóſa. 1. SCROPHULA'RIA foliis cordatis trinervatis, caule obtuſangulo. *Lin. Sp. Pl. ed.* 3. 863. *Fl. Ang. ed.* 2. 274. *Fl. Scot.* 329. *With. Arrang. ed.* 2. 651.

Anglis, *great fig-wort, kernel-wort.*

Hibernis, **Fothrum, Dun Lus, Farach dubh, Luſ na Ccnapan.**

Inveni in ſylvis, dumetis, et ſepibus paſſim. VI.

aquatica. 2. SCROPHULA'RIA foliis cordatis petiolatis decurrentibus obtusis, caule membranis angulato, racemis terminalibus. *Lin. Sp. Pl. ed.* 3. 864. *Fl. Ang. ed.* 2. 275. *Fl. Scot.* 329. *Wither. Arrang. ed.* 2. 652. *Fl. Lond. N.* 49. *Ic.* 290.

Anglis, *water betony.*

Hibernis,

Inveni ad ripas fluviorum et in ipsis aquis in *Long-Meadows*, inter *Cardiff's-Bridge* et *Ash-Town*, et alibi, copiose. VI.

---

167. *D I G I T A' L I S.*

purpúrea. 1. DIGITA'LIS calycinis foliolis ovatis acutis, corollis obtusis, labio superiore integro. *Lin. Sp. Pl. ed.* 3. 866. *Fl. Ang. ed.* 2. 275. *Fl. Scot.* 330. *Wither. Arrang. ed.* 2. 654. *Fl. Lond. N.* 11. *Ic.* 65. *Med. Bot. p.* 71. *Ic.* 24.

Anglis, *purple foxglove.*

Hibernis, Mearacan, Siothan Mearacan na mna Sighe.

Inveni ad vias et ſepes inter *Killgobbin Scalp* et *Glancullen* copioſe, apud collem *Grange* ad radices montium Dublinenſium, et apud collem *Tallaght* juxta viam ad *Bleſſingtown* ducentem. VI.

TETRADYNAMIA.

SILICULOSA.

168. *DRA'BA.*

ver'na. 1. DRA'BA ſcapis nudis, foliis lanceolatis ſubinciſis. *Lin. Sp. Pl. ed.* 3. 896. *Fl. Ang. ed.* 2. 278. *Fl. Scot.* 337. *Wither. Arrang. ed.* 2. 668. *Fl. Lond. N.* 2. *Ic.* 7.

Anglis, *common whitlow-graſs.*

Hibernis,

Hibernis,

Inveni ſuper muros antiquos in auſtralo-occidentali parte, *Phœnix-Park*, inter *Sarah's-Bridge* et *Chapelizod* abundanter, in aggeribus ſicciori-bus *North Wall* copioſe, et alibi. III.

---

169. *THLAS'PI.*

campeſ'tre. 1. THLAS'PI ſiliculis ſubrotundis, foliis ſagittatis dentatis incanis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 281. *Fl. Scot.* 341. *Wither. Arrang. ed.* 2. 674. *Fl. Lond. N.* 51. *Ic.* 304.

Anglis, *baſtard creſs*, *mithridate muſtard.*

Hibernis, **Garbh raitheoch.**

Inveni in locis apricis, ſolo arenoſo gaudens apud *Howth*, *Dublin Mountains*, inter *Killgobbin* et *Glancullen*, et alibi. VI.

arven'ſe. 2. THLAS'PI ſiliculis orbiculatis, foliis oblongis dentatis glabris. *Lin. Sp. Pl.*

Pl. ed. 3. 901. *Fl. Ang. ed.* 2. 281. *Fl. Scot.* 340. *Wither. Arrang. ed.* 2. 673. *Fl. Lond. N.* 62. *Ic.* 367.

Anglis, *treacle muſtard, penny creſs, baſtard creſs or muſtard.*

Hibernis, **Praiſeach Fiadh, Praiſeach na Ccaoragh.**

Inveni in agris requietis copioſe apud *Bray*, et alibi. VI.

burſa paſtóris. 3. THLAS'PI ſiliculis obcordatis, foliis radicalibus pinnatifidis. *Lin. Sp. Pl. ed.* 3. 905. *Fl. Scot.* 342. *Fl. Ang. ed.* 2. 283. *Wither. Arrang. ed.* 2. 679. *Fl. Lond. N.* 9. *Ic.* 52.

Anglis, *ſheperd's purſe, ſheperd's pouch.*

Hibernis, **Sraidín, Luſs a ſparain, Lus na fola.**

Inveni ſecus vias, in locis deſertis et incultis, ſuper muris antiquis, inque ruderibus ubique. II. XI.

170. *COCHLEA'RIA.*

officinális. 1. COCHLEA'RIA foliis radicalibus subrotundis, caulinis oblongis subsinuatis. *Lin. Sp. Pl ed.* 3. 903. *Fl. Ang. ed.* 2 283. *Fl. Scot.* 342. *With. Arrang. ed.* 2. 677. *Med. Bot. p.* 86. *Ic.* 29.

Anglis, *scurvy grass*, *scrooby grass*.

Hibernis, **Biolar Tragha.**

Inveni ad litus maris variis in locis, præsertim apud *Black Rock*, *Dunleary*, *Bullock*, *Dalkey*, *Howth*, &c. ubi e scopulorum fissubus exit. IV.

Groenlan'dica. 2. COCHLEA'RIA foliis reniformibus carnosis integerrimis. *Lin. Sp. Pl. ed.* 3. 904. *Fl. Ang. ed.* 2. 383. *var.* γ. *Fl. Scot.* 344. *With. Arrang. ed.* 2. 678, 679.

Anglis, *Greenland scurvy grass*.

Hibernis,

Inveni cum priore passim. IV.

Dánica.

Dánica. 3. COCHLEA'RIA foliis haſtatis angulatis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 284. *Fl. Scot.* 343. *Wither. Arrang. ed.* 2. 679.

Anglis, *Daniſh ſcurvy graſs.*

Hibernis, ,

Inveni cum cochlearia officinali interdum,in littoribus maritimis ſolo lutoſo gaudentem abundanter, inter *Beggar's-buſh* et *Iriſh-town* prope pontem *Ring's-end.* V.

corónopus. 4. COCHLEA'RIA foliis pinnatifidis. *Lin. Sp. Pl. ed.* 3. 904. *Fl. Ang. ed.* 2. 284. *Fl. Scot.* 345. *Wither. Arrang. ed.* 2. 680.

Anglis, *ſwine's creſſes or ſcurvy graſs.*

Hibernis,

Inveni in locis uliginoſis, et ad vias paſſim, præſertim viam ad *Rathſarnham* ducentem. VII.

TETRADYNAMIA.

SILIQUOSA.

171 *ERYS'IMUM.*

officinále. 1. ERYS'IMUM filiquis fpicæ adpreffis, foliis runcinatis. *Lin Sp Pl. ed* 3. 922. *Fl. Ang. ed.* 2. 286. *Fl. Scot.* 354. *Wither. Arrang. ed.* 2. 695. *Fl. Lond. N.* 55. *Ic.* 328.

Anglis, *common hedge-muftard, bank creffes, fcrambling rocket.*

Hibernis, **Mael Ifa Gard raith-eath.**

Inveni ad fepes et muros, inque locis ruderatis ubique. IV.

barbárea. 2. ERYS'IMUM foliis lyratis, extimo fubrotundo. *Lin. Sp. Pl. ed.* 3. 922. *Fl. Ang. ed.* 2. 286. *Fl. Scot.* 355. *Wither. Arrang. ed.* 2. 696.

Anglis,

Anglis, *winter creſſes, winter rocket.*

Hibernis, Trabach.

Inveni in muros, aggeres juxta rivulos ubique, non raro etiam in campeſtribus cultis. IV.

alliária. 3. ERYS'IMUM foliis cordatis. *Lin. Sp. Pl. ed.* 3. 922. *Fl. Ang. ed.* 2. 286. *Fl. Scot.* 356 *With. Arrang. ed.* 2. 696. *Fl. Lond. N.* 24. *Ic.* 140.

Anglis, *ſtinking hedge-muſtard, Jack-by-the-hedge, ſauce-alone.*

Hibernis, Bo Cuineall, Garb Raitheach, Gairealach Collain.

Inveni in ſepibus, umbroſis, et ruderoſis paſſim. IV.

---

172. *CHEIRAN'THUS.*

cheiri. 1. CHEIRAN'THUS foliis lanceolatis acutis glabris, ramis angulatis *Lin. Sp. Pl. ed.* 3. 924. *Fl. Ang. ed.* 2. 287. *Fl. Scot.* 357. *Wither. Arrang. ed.* 2. 699.

Anglis, *common wall-flower.*

Hibernis,

Inveni ſuper muros vetuſtos juxta pontem *Milltown* copioſe, et alibi. IV.

ä73. *R A P H' A N U S.*

raphaniſ'trum. 1. RAPH'ANUS ſiliquis teretibus articulatis lævibus unilocularibus. *Lin. Sp. Pl. ed.* 3. 935. *Fl. Ang. ed.* 2. 289. *Fl. Scct.* 362. *With. Arrang. ed.* 2. 715. *Fl. Lond. N.* 45. *Ic.* 270. *Fl. Ruſtica N.* 24 *Ic.* 71.

Anglis, *corn radiſh, charlock.*

Hibernis, Praiſeach.

Inveni inter ſegetes frequenter. VI.

174. *BRAS'SICA.*

nápus. 1. BRAS'SICA radice caulescente fusiforme. *Lin. Sp. Pl. ed.* 3. 931. *Fl. Ang. ed.* 2. 290. *Fl. Scot.* 359. *Wither. Arrang. ed.* 2. 707.

Anglis, *wild cabbage, rape, nape, navew.*

Hibernis, Praiseach buidhe.

Inveni in aggeribus fossarum ubique. IV.

---

175. *CARDAM'INE.*

praten'sis. 1. CARDAM'INE foliis pinnatis, foliolis radicalibus subrotundis, caulinis lanceolatis *Lin. Sp. Pl. ed.* 3. 915. *Fl. Ang. ed* 2. 294. *Fl. Scot.* 349. *Wither. Arrang. ed.* 2. 688. *Fl. Lond. N.* 30. *Ic.* 178. *Med. Bot. p.* 89. *Ic.* 30.

Anglis, *common lady's smock, cuckow-flower.*

Hibernis,

Hibernis, Glcoran, Billar Griagain.

Inveni in pratis, locis humidis, et ad rivulos ubique. IV.

hirsuta. 2. CARDAM'INE foliis pinnatis, floribus tetrandis. *Lin. Sp. Pl. ed.* 3. 915. *Fl. Ang. ed.* 2. 295. *Fl. Scot.* 348. *Wither. Arrang. ed.* 2. 688. *Fl. Lond. N.* 47. *Ic.* 277.

Anglis, *hairy leaved lady's ſmock.*

Hibernis, Gleoran.

Inveni ſuper muros antiquos, in pratis et paſcuis, inque locis umbroſis humidis ubique. III.

---

176. *SISYM'BRIUM.*

naſtur'tium aquaticum. 1. SISYM'BRIUM ſiliquis declinatis, ſoliis pinnatis, foliolis ſubrotundis. *Lin. Sp. Pl. ed.* 3. 916. *Fl. Scot.* 350. *Fl. Ang. ed.* 2. 296. *With. Arrang. ed.* 2. 690. *Fl. Lond. N.* 61. *Ic.* 366. *Med. Botany p.* 134. *Ic.* 48.

Anglis,

Anglis, *common water cress.*

Hibernis, Biolar.

Inveni in vadis, et prope rivulos ubique. V.

sophia. 2. SISYM'BRIUM petalis calyce minoribus, foliis decomposito-pinnatis. *Lin. Sp. Pl. ed.* 3. 920. *Fl. Ang. ed.* 2. 297. *Fl. Scot.* 354. *Wither. Arrang. ed.* 2. 693. *Flora Rustica N.* 19. *Ic.* 57.

Anglis, *flix weed.*

Hibernis, Fineal Muire.

Inveni in ruderatis locis, lapidosis et arenosis, et super vetustas macerias frequenter. VI.

---

177. *SINA'PIS.*

arven'sis. 1. SINA'PIS siliquis multangulis toroso-turgidis rostro longioribus. *Lin. Sp. Pl. ed.* 3. 933. *Fl. Ang. ed.* 2. 298. *Fl. Scot.* 360. *With. Arrang. ed* 2. 712. *Fl. Lond. N.* 54. *Ic.* 322.

Anglis,

Anglis, *wild muſtard, charlock, chadlock, corn cale.*

Hibernis, **Praiſſeagh Garuh, Gaſ na Connachta, Garabhog, Carth Raitheach.**

Inveni in locis ruderoſis ubique. IV.

---

178. *BU'NIAS.*

cakile. 1. BU'NIAS ſiliquis ovatis lævibus ancipitibus. *Lin. Sp. Pl. ed.* 3. 936. *Fl Ang. ed.* 2. 298. *Fl. Scot.* 363. *With. Arrang. ed.* 2. 716.

Anglis, *ſea rocket.*

Hibernis,

Inveni in arenoſis littoribus inter *Sandymount* et *Merrion*, apud *Sheds-of-Clontarf* et *Howth*, et apud *Killeny-Bay.* VI.

179. *CRAM'BE.*

179. *CRAM'BE.*

marit'ima. 1. CRAM'BE foliis cauleque glabris. *Lin. Sp Pl ed* 3 937 *Foliis subrotundo-ovatis undulatis carnosis. Fl. Ang. ed.* 2. 299. *Fl. Scot.* 364. *Wither. Arrang. ed.* 2. 718.

Anglis, *sea colewort.*

Hibernis, **Raitheach Tragha, Praiseach tragha.**

Inveni in arenosis littoribus apud *Merrion*, *Dunleary*, et juxta *Warren-House* via ad *Howth* ducente. V.

MONADELPHIA.

DECANDRIA.

180. *GERA'NIUM.*

cicutárium. 1. GERA'NIUM pedunculis multifloris, floribus pentandris, foliis pinnatis incisis obtusis. *Lin. Sp. Pl. ed.* 3. 951. *Fl. Ang. ed.* 2. 300. *Fl. Scot.* 366. *Wither. Arrang. ed.* 2. 722. *Fl. Lond. N.* 9. *Ic.* 53.

Anglis, *hemlock crane's bill.*

Hibernis,

Inveni in pratis et aggeribus arenosis, prope littus inter *Sheds-of-Clontarf* et *Howth* copiosissime, et alibi. IV.

moschátum. 2. GERA'NIUM pedunculis multifloris, floribus pentandris, foliis pinnatis incisis, cotyledonibus pinnatifidis. *Lin. Sp. Pl. ed* 3. 951. *Fl. Ang. ed.* 2. 300. *Wither. Arrang. ed.* 2. 725.

Anglis,

Anglis, *musked crane's bill.*

Hibernis,

Inveni ad radices muri hortenfis domini *Donnellan*, fecus viam publicam *Artane*, et prope *Dunleary*; in muros antiquos cum draba verna, inter *Sarah's-Bridge* et *Chapelizod*; apud paftus communes *Bray*, et juxta *Warren-Houfe*. IV.

mol'le. 3. GERA'NIUM pedunculis bifloris, foliifque floralibus alternis, caule ramofo erectiufculo, calycibus muticis. *Lin. Sp. Pl. ed.* 3 955 *Fl. Ang. ed.* 2. 303. *Fl. Scot.* 370. *Wither. Arrang. ed.* 2. 731. *Fl. Lond. N.* 24. *Ic.* 144. *et N.* 64. *Ic.* 381.

Anglis, *common dove's foot crane's bill.*

Hibernis,

Inveni ad fepes et femitas, inque locis fabulofis paffim. IV.

Columbinum. 4. GERA'NIUM pedunculis bifloris, folio longioribus, foliis quinquepartito-multifidis, laciniis acutis, arillis glabris, calycibus ariftatis. *Lin. Sp.*

Pl. ed. 3. 956. *Fl. Ang. ed.* 2. 304. *Fl. Scot.* 371. *Wither. Arrang. ed.* 2. 731.

Anglis, *long-ſtalked dove's foot crane's bill.*

Hibernis, **Creachtrach dhearg.**

Inveni in paſcuis,arvis,et ad ſepes paſſim. V.

diſſec'tum. 5. GERA'NIUM pedunculis bifloris, foliis quinquepartito-trifidis, petalis emarginatis longitudine calycis, arillis villoſis. *Lin. Sp. Pl. ed.* 3. 956. *Fl. Ang. ed.* 2. 304 *Wither. Arrang. ed.* 2. 732. *Fl. Lond. N.* 65. *Ic.* 387

Anglis, *jagged-leaved dove's foot crane's bill.*

Hibernis,

Inveni in paſcuis ſterilioribus, locis glareoſ:s, et ad ſepes paſſim, nec non in arvis requietis præſertim inter *Knockmaroon* et *Luttrel's-town.* VI.

Robertiánum. 6. GERA'NIUM pedunculis bifloris, calycibus piloſis decemangularibus. *Lin. Sp. Pl. ed.* 3. 955. *Fl. Ang. ed.*

ed. 2. 305. *Fl. Scot.* 369. *Wither. Arrang. ed.* 2. 729. *Fl. Lond. N.* 10. *Ic.* 57.

Anglis, *ſtinking crane's bill, herb Robert, ſtock-bill.*

Hibernis, **Earbal Righ, Rial Cuil, Rian Righ, Creachtach.**

Inveni ad ſepes ubique, ſuper ſaxoſos muros, et in locis ruderatis. IV.

ſanguineum. 7. GERA'NIUM pedunculis unifloris, foliis quinquepartitis trifidis orbiculatis. *Lin. Sp. Pl. ed.* 3. 958. *Fl. Ang. ed.* 2. 305. *Fl. Scot.* 372. *With. Arrang. ed.* 2. 734.

Anglis, *bloody crane's bill.*

Hibernis, **Creachtach dhearg.**

Inveni in dumetis, præſertim montoſis adjacente ſolo arenoſo, ad littus in *Howth* prope lavacrum, et in *Killeny-Bay* copioſe. VII.

MONADEL-

MONADELPHIA.

POLYANDRIA.

181. *MAL'VA.*

ſylveſtris. 1. MAL'VA caule erecto herbaceo, foliis ſeptemlobatis acutis, pedunculis petiolisque piloſis. *Lin. Sp. Pl. ed* 3. 969. *Fl. Ang. ed.* 2 307 *Fl. Scot.* 375. *Wither. Arrang. ed.* 2. 738. *Fl. Lond N.* 15. *Ic.* 89. *Med. Bot. p.* 148. *Ic.* 54.

Anglis, *common mallow.*

Hibernis, **Ucas Fiḃain, Luſ na miol Mor.**

Inveni ad ſepes et ſemitas, inque locis ruderatis ubique. VI.

rötundifólia. 2. MAL'VA caule proſtrato foliis cordato-orbiculatis obſolete quinquelobis, pedunculis fructiferis declinatis. *Lin. Sp. Pl. ed.* 3. 969. *Fl. Ang. ed.* 2. 307. *Fl. Scot* 374. *Wither. Arrang.*

Arrang. ed. 2. 737. *Fl. Lond. N.* 27. *Ic.* 159.

Anglis, *dwarf mallow.*

Hibernis, **Ucas Francach.**

Inveni cum priore frequenter, ſed præcipue circa *Warren Houſe, North-Wall, Raheny, Howth,* et alibi. VI.

DIADELPHIA.

HEXANDRIA.

182. *FUMA'RIA.*

officinális. 1. FUMA'RIA pericarpiis monoſpermis racemoſis, caule diffuſo. *Lin. Sp. Pl. ed.* 3. 984. *Fl. Ang. ed.* 2. 309. *Fl. Scot.* 379. *Wither. Arrang. ed.* 2. 751. *Fl. Lond. N.* 19. *Ic.* 112. *Fl. Ruſtica N.* 23. *Ic.* 68. *Med. Bot. p.* 241. *Ic.* 88.

Anglis, *officinal fumitory.*

Hibernis, **Caman Scarraigh, Derag talnhan, Mantatach, Fuaim a tſſorraigh.**

Inveni in ſepibus, aggeribus, terrenis hortis, et ad muros frequenter. IV.

DIADEL-

DIADELPHIA.

OCTANDRIA.

113. *POLYG'ALA.*

vulgáris. 1. POLYG'ALA floribus criſtatis racemoſis, caulibus herbaceis ſimplicibus procumbentibus, foliis lineari-lanceolatis. *Lin. Sp. Pl. ed* 3. 986. *Fl. Ang. ed.* 2. 310. *Fl. Scot.* 381. *Wither. Arrang. ed.* 2. 744. *Engliſh Botany N.* 25. *Ic.* 76.

Anglis, *milk-wort.*

Hibernis, **Lus Baine, Lus an Chaine.**

Inveni in paſcuis ſiccioribus et montoſis ubique IV.

DIADEL-

DIADELPHIA.

DECANDRIA.

184. *SPAR'TIUM.*

ſcopárium. 1. SPAR'TIUM foliis ternatis ſolitariisque, ramis inermibus angulatis. *Lin. Sp. Pl. ed.* 3. 996. *Fl. Ang. ed.* 2. 310. *Fl. Scot.* 382. *With. Arrang. ed.* 2. 756. *Fl. Lond. N.* 60. *Ic.* 356. *Med. Bot. p.* 243. *Ic.* 89.

Anglis, *common broom.*

Hibernis, **Giolcach, Giolcach Shleibhe.**

Inveni circa *Simmon's-court* inter *Ball's-bridge* et *Merrion* copioſe, et alibi. V.

185. *U'LEX.*

Europæ'us. 1. U'LEX foliis villosis acutis, spinis sparsis. *Lin. Sp. Pl. ed.* 3. 1045 *Fl. Ang. ed.* 2. 312. *Fl. Scot.* 385. *With. Arrang. ed.* 2. 760.

Anglis, *common furze, whin, gorse.*

Hibernis, **Aiteann.**

Inveni in locis sabulosis sterilioribus, in ericetis et pascuis ubique. II. XI.

---

186. *ONO'NIS.*

spinósa. 1. ONO'NIS floribus racemosis geminis, foliis ternatis superioribus solitariis, ramis *inermibus,* subvillosis. *Lin. Sp. Pl. ed.* 3. 1006. *var.* α. *O. inermis. Fl. Ang. ed.* 2. 312. *var.* α. *O. arvensis. Fl. Scot.* 386. *Wither. Arrang. ed.* 2. 763.

Anglis, *rest-harrow, cammock.*

Hibernis,

Hibernis, Sreann bo, Sreann tear-ran, Ciantaran.

Inveni in agrorum marginibus, in arvis et paſcuis ſterilioribus, inque littoribus maritimis arenoſis ubique fere. VI.

---

187. *ANTHYL'LIS.*

vulnerária. 1. ANTHYL'LIS herbacea, foliis pinnatis inæqualibus, capitulo duplicato. *Lin. Sp. Pl. ed* 3. 1012. *Fl Ang. ed.* 2 312. *Fl Scot.* 387. *Wither. Arrang. ed.* 2. 765. *Engliſh Botany N.* 30. *Ic.* 104.

Anglis, *kidney-vetch*, *ladies'-finger.*

Hibernis,

Inveni in arvis arenoſis apud *North* et *South Walls*, juxta *Finglaſs* pontem, ſuper collem *Knockmaroon*, et alibi copioſe. VI.

 188. *OR'OBUS.*

188. *O R' O B U S.*

tuberósus. 1. OR'OBUS foliis pinnatis lanceolatis, ſtipulis ſemiſagittatis, caule ſimplici. *Lin. Sp. Pl. ed.* 3. 1028. *Fl. Ang. ed.* 2. 314 *Fl Scot.* 388. *Wither. Arrang ed.* 2. 768. *Fl. Lond. N.* 4. *Ic.* 22.

Anglis, *wood peaſe, heath peaſe.*

Hibernis,

Inveni in dumetis, præſertim montoſis, juxta *Wood-town* et *Stag's-town Dublin Mountains.* V.

---

189. *L A T H' Y R U S.*

praten'ſis. 1. LATH'YRUS pedunculis multifloris, cirrhis diphyllis ſimpliciſſimis; foliis lanceolatis. *Lin. Sp. Pl. ed.* 3. 1033. *Fl. Ang. ed.* 2. 317. *Fl. Scot.* 391. *Wither. Arrang ed.* 2. 771. *Fl. Lond. N.* 29. *Ic.* 173. *Fl. Ruſtica N.* 18. *Ic.* 52.

Anglis,

Anglis, *tare everlasting, common yellow vetchling.*

Hibernis, Piß bhuidhe.

Inveni in dumetis et ſepibus, haud raro etiam in pratis et paſcuis. VII.

---

190. *V I C' I A.*

crac'ca. 1. VIC'IA pedunculis multifloris, floribus imbricatis, foliolis lanceolatis pubeſcentibus, ſtipulis integris. *Lin. Sp. Pl. ed.* 3. 1035. *Fl. Ang. ed.* 2. 317. *Fl. Scot.* 394. *Wither. Arrang. ed.* 2. 775. *Fl. Lond. N.* 54. *Ic.* 319.

Anglis, *tufted vetch.*

Hibernis,

Inveni inter ſegetes, in dumetis et ſepibus, etiamque in pratis frequenter. VI.

ſylvat'ica 2. VIC'IA pedunculis multifloris, foliolis ovalibus, ſtipulis denticulatis. *Lin. Sp. Pl. ed.* 3. 1035. *Fl. Ang. ed.*

ed.

2. 318. *Fl. Scot.* 393. *Wither. Arrang. ed.* 2. 774. *Engliſh Botany N.* 26. *Ic.* 79.

Anglis, *tufted wood vetch.*

Hibernis,

Inveni in dumetis, præſertim montoſis inter *Dalkey* et obeliſcum *Malpas.* VII.

ſativa. 3. VICIA leguminibus ſeſſilibus erectis, foliis retuſis, ſtipulis notatis. *Lin. Sp. Pl. ed.* 3. 1037. *Fl. Ang. ed* 2. 318. *Fl. Scot.* 395. *Wither. Arrang. ed.* 2. 776.

Anglis, *vetch, fetch, tare.*

Hibernis, Pis capuil, Pis dubh, Pis Phreachain.

Inveni in dumetis, agris, pratis ſiccioribus, ſepibus, et inter ſegetes paſſim, ſed præſertim ſecus flumen *Dodder* copioſe. IV.

lathyroides. 4. VIC'IA leguminibus sessilibus solitariis erectis glabris, foliolis senis, inferioribus obcordatis. *Lin. Sp. Pl. ed.* 3. 1037. *an Ervum soloniense* 1040? *Fl. Ang ed.* 2. 318. *var* γ. *Fl. Scot.* 396. *Wither. Arrang. ed.* 2. 777. *English Botany N.* 10. *Ic.* 30.

Anglis, *spring vetch.*

Hibernis,

Inveni cum priore nonnunquam. V.

---

191. *E R' V U M.*

hirsutum. 1. ER'VUM pedunculis multifloris, seminibus globosis binis. *Lin. Sp. Pl. ed.* 3. 1039. *Fl. Ang. ed.* 2. 321. *Fl. Scot.* 398. *With. Arrang. ed.* 2. 781. *Fl. Lond. N.* 8. *Ic.* 48.

Anglis, *wild tare, fine tare, hairy tare.*

Hibernis,

Inveni inter segetes, et in pratis et arvis arenosis nonnunquam. VI.

192. *O R N I'-*

192. *ORNI'THOPUS.*

perpusil'lus. 1. ORNI'THOPUS foliis pinnatis leguminibus incurvis. *Lin. Sp. Pl. ed.* 3. 1049. *Fl. Ang. ed.* 2. 321 *Fl. Scot.* 399. *Wither. Arrang. ed.* 2. 728. *Fl. Lond. N.* 64. *Ic.* 380.

Anglis, *common bird's foot.*

Hibernis,

Inveni in locis arenosis et glareosis nonnunquam. VII.

---

193. *TRIFO'LIUM.*

melilótus. officinális. 1. TRIFO'LIUM leguminibus racemosis nudis dispermis rugosis acutis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1078. *Fl. Ang. ed.* 2. 323. *Fl. Scot.* 402. *Wither. Arrang. ed.* 2. 790. *Flora Rustica N.* 24. *Ic.* 72.

Anglis, *common melilot, king's claver, hart's claver.*

Hibernis, Plurín Seangan.

Inveni

Inveni in arvis circa lapicidinam prope pontem *Finglaſs* copioſe, in aggeribus arenoſis et dumoſis apud *Killeny-Bay*, circa pontem *Mavne* appellatam juxta *Balldoyle* abunde, et alibi. IV.

M. ornithopodioides. 2. TRIFO'LIUM leguminibus nudis octoſpermis ſubternis, calyce duplo longioribus, caulibus declinatis. *Lin. Sp. Pl. ed.* 3. 1078. *Fl. Ang. ed.* 2. 324. *Fl. Scot.* 403. *Wither. Arrang. ed.* 2. 791. *Fl. Lond. N.* 21. *Ic.* 125.

Anglis, *bird's foot.*

Hibernis, **Crob eain.**

Inveni in arenoſis prope murum borealem dictum, cum arenaria rubra. VI.

repens. 3. TRIFO'LIUM capitulis umbellaribus, leguminibus tetraſpermis, caule repente. *Lin. Sp. Pl. ed.* 3. 1080. *Fl. Scot.* 404. *Fl. Ang. ed.* 2. 324. *Wither. Arrang. ed.* 2. 792. *Fl. Lond. N.* 33. *Ic.* 193. *Flora Ruſtica N.* 12. *Ic.* 34.

Anglis, *creeping white trefoil, Dutch trefoil, white honey ſuckle.*

Hibernis, **Seamair bhan, Seamrog.**

Inveni in pratis et paſcuis ubique. V.

praten'ſe. 4. TRIFO'LIUM ſpicis globoſis villoſis, cinctis ſtipulis oppoſitis membranaceis, corollis monopetalis. *Lin. Sp. Pl. ed.* 3. 1082. *Fl. Ang. ed.* 2. 325. *Fl. Scot.* 404. *With. Arrang. ed.* 2. 794. *Flora Ruſtica N.* 1. *Ic.* 3.

Anglis, *purple trefoil, broad clover.*

Hibernis, **Seamair Capuil.**

Inveni in pratis et paſcuis. V.

alpeſ'tre. 5. TRIFO'LIUM ſpicis ſubgloboſis villoſis terminalibus ſeſſilibus, caule erecto, foliis lanceolatis ſerrulatis. *Lin. Sp. Pl. ed.* 3. 1082. *Fl. Ang. ed.* 2. 326. *Fl. Scot.* 406. *Wither. Arrang. ed.* 2. 796. *Fl. Ruſtica N.* 1. *Ic.* 1.

Anglis, *mountain clover, marle graſs, perennial trefoil.*

Hibernis,

Hibernis, Plurin Seangan.

Inveni in pratis ſuper montes Dublinenſes, et prope eorundem radices. VI.

fragif'erum. 6. TRIFO'LIUM capitulis ſubrotundis, calycibus inflatis bidentatis reflexis, caulibus repentibus *Lin. Sp. Pl. ed.* 3. 1086. *Fl. Ang. ed* 2. 328 *Wither. Arrang. ed.* 2. 801. *Fl. Lond N.* 16 *Ic.* 93.

Anglis, *ſtrawberry trefoil.*

Hibernis,

Inveni in locis humidis nonnunquam. VI.

agrárium. 7. TRIFO'LIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus, calycibus nudis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1087. *Fl. Ang. ed.* 2. 328. *Fl. Scot.* 409. *Wither. Arrang. ed.* 2. 801. *Fl. Lond. N.* 27. *Ic.* 161.

Anglis, *hop trefoil.*

Hibernis,

 Inveni

Inveni inter ſegetes, et in agris arenoſis ubique. V.

procum'bens. 8. TRIFO'LIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus caulibus procumbentibus. *Lin. Sp. Pl. ed.* 3. 1088. *Fl. Ang. ed.* 2. 328. *Fl. Scot.* 409. *Wither. Arrang. ed.* 2. 802. *Fl. Lond. N.* 52. *Ic.* 311.

Anglis, *leſſer hop treſoil, procumbent treſoil.*

Hibernis,

Inveni cum priore nonnunquam. VI.

---

194. *L O' T U S.*

corniculátus. 1. LO'TUS capitulis depreſſis, caulibus decumbentibus, leguminibus cylindricis patentibus. *Lin. Sp. Pl. ed.* 3. 1092. *Fl Scot.* 411. *Fl. Ang. ed.* 2. 329. *Wither. Arrang. ed.* 2. 804.

804. *Fl. Lond. N.* 18. *Ic.* 108. *Fl. Ruſt. N.* 18. *Ic.* 53.

Anglis, *bird's foot trefoil.*

Hibernis,

Inveni in paſcuis ubique. V.

---

195. *MEDICA'GO.*

lupulina. 1. MEDICA'GO ſpicis ovalibus, leguminibus reniformibus monoſpermis, caule procumbente. *Lin. Sp. Pl. ed.* 3. 1097. *Fl. Ang. ed.* 2. 330. *Fl. Scot.* 412. *Wither. Arrang. ed.* 2. 807. *Fl. Lond. N.* 20. *Ic.* 116.

Anglis, *melilot trefoil, black medick, none ſuch.*

Hibernis,

Inveni in agris arenoſis montanis frequenter. V.

POLYADELPHIA.

POLYANDRIA.

196. HYPER'ICUM.

androſæ'mum. 1. HYPER'ICUM floribus trigynis, fructibus baccatis, caule fruticoſo ancipiti. *Lin. Sp. Pl. ed.* 3. 1102. *Fl. Ang. ed.* 2. 332. *Fl. Scot.* 416. *With. Arrang. ed.* 2. 812. *Fl. Lond. N.* 35. *Ic.* 208.

Anglis, *tutſan, park-leaves.*

Hibernis, Meaſtork keeil, Meaſtorc caſil, Meaſtorc alta.

Inveni ad ſepes inter *Santry* et *Clanſab*, circa *Kilgobbin*, et alibi; in ſylvis *Luttrel's-town*, *Santry*, et *Phænix-Park.* VI.

humifuſum. 2. HYPER'ICUM floribus trigynis axillaribus ſolitariis, caulibus ancipitibus proſtratis filiformibus, foliis glabris. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.*

ed. 2. 332. *Fl. Scot.* 418. *Wither. Arrang. ed.* 2. 814. *Fl. Lond. N.* 28. *Ic.* 167.

Anglis, *trailing Saint John's wort.*

Hibernis,

Inveni in paſcuis arenoſis, et ſterilioribus agris apud *Killeny*, præcipue dextrorſum viæ ad fornacem calcariam ducentis. VII.

pul'chrum. 3. HYPER'ICUM floribus trigynis, calycibus ſerrato-glandulosis, caule tereti, foliis perfoliatis cordatis glabris. *Lin. Sp. Pl. ed.* 3. 1106. *Fl. Ang. ed.* 2. 333. *Fl. Scot.* 420. *Wither. Arrang. ed.* 2. 817. *Fl. Lond. N.* 1. *Ic.* 1.

Anglis, *upright Saint John's wort.*

Hibernis,

Inveni cum priore, et in ericetis et dumetis ad radices montium Dublinenſium, apud *Howth*, juxta *Bullock*, et alibi. VII.

perforátum. 4. HYPER'ICUM floribus trigynis, caule ancipiti, foliis obtuſis pellucido punctatis.

tatis. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.* 2. 333. *Fl. Scot.* 416. *Wither. Arrang. ed.* 2. 813. *Fl. Lond. N.* 2. *Ic.* 10. *Med. Botany p.* 29. *Ic.* 10.

Anglis, *officinal Saint John's wort.*

Hibernis, **Allas Muire, Beahnoba Caed Coluim Kille, Feahnua Bicinionn, Beadhnuad Firionn.**

Inveni in ſepibus frequenter. VI.

montánum. 5. HYPER'ICUM floribus trigynis, calycibus ſerraturis glanduloſis, caule tereti erecto glabro, foliis ovatis. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.* 2. 333. *Fl. Scot.* 418. *Wither. Arrang. ed.* 2. 815.

Anglis, *mountain Saint John's wort.*

Hibernis,

Inveni in dumetis montoſis apud *Howth*, ſuper montes Dublinenſes, et alibi. VI.

quadrangúlum. 6. HYPER'ICUM floribus trigynis, caule quadrato herbaceo. *Lin. Sp. Pl. ed.* 3. 1104. *Fl. Ang. ed.* 2.

334.

334. *Fl. Scot.* 416. *With. Arrang. ed.* 2. 813. *Fl. Lond. N.* 38. *Ic.* 224.

Anglis, *Saint Peter's wort.*

Hibernis,

Inveni in ſepibus humidis apud *Kilgobbin*, et alibi. VII.

elódes. 7. HYPER'ICUM floribus trigynis, caule tereti repente foliiſque villoſis ſubrotundis. *Lin. Sp. Pl. ed.* 1106. *Fl. Ang. ed.* 2. 334. *Fl. Scot.* 419. *Wither. Arrang. ed.* 2. 815. *Engliſh Botany N.* 31. *Ic.* 109.

Anglis, *marſh Saint John's wort, marſh hoary Saint Peter's wort.*

Hibernis,

Inveni in paluſtribus cum parnaſſia vulgari circa radicem montis *Kilgobbin* copioſe occidentem verſus. VII.

SYNGENESIA.

POLYGAMIA ÆQUALIS.

197. *TRAGOPO'GON.*

praten'se. 1. TRAGOPO'GON calycibus corollæ radium æquantibus, foliis integris ſtrictis. *Lin. Sp. Pl. ed.* 3. 1109. *Fl. Ang. ed.* 2. 335. *Fl. Scot.* 426. *With. Arrang. ed* 2. 827.

Anglis, *yellow goat's beard, go-to-bed-at-noon.*

Hibernis,

Inveni in pratis et paſcuis paſſim. VI.

198. *SON'CHUS.*

oleráceus. 1. SON'CHUS pedunculis tomentoſis, calycibus glabris. *Lin. Sp. Pl. ed.* 3. 1116. *Fl. Ang. ed.* 2. 336. *Fl. Scot.* 428. *Wither. Arrang. ed.* 2. 832. *Fl. Lond. N.* 21. *Ic.* 126.

Anglis,

Anglis, *common ſow-thiſtle.*

Hibernis, Baine muc, Blioght Fhoc-hadan, Fhoſannan, Foſannan min.

Inveni varietates omnes in cultis, hortis, locis ruderatis, arvis, &c. præſertim lætiori ſolo ubique fere. VII.

arven'ſis. 2. SON'CHUS pedunculis calycibuſque hiſpidis ſubumbellatis, foliis runcinatis baſi cordatis. *Lin. Sp. Pl. ed.* 3. 1116. *Fl. Ang. ed.* 2. 337. *Fl. Scot.* 427. *With. Arrang. ed.* 2. 832. *Fl. Lond. N.* 45. *Ic.* 266.

Anglis, *corn ſow-thiſtle, tree ſow-thiſtle.*

Hibernis,

Inveni inter ſegetes paſſim. VII.

 199. *LEON'-*

199. *LEON'TODON.*

tarax'acum. 1. LEON'TODON calyce ſquamis inferne reflexis, foliis runcinatis denticulatis lævibus. *Lin. Sp. Pl. ed* 3. 1122. *Fl. Ang. ed.* 2. 339. *Fl Scot.* 432. *Wither. Arrang. ed.* 2. 838. *Fl. Lond. N.* 3. *Ic.* 14. *Med. Bot. p.* 7. *Ic.* 3.

Anglis, *common dandelion, piſs-a-bed.*

Hibernis, **Cas tſearbhan, Bearnan Bearnach.**

Inveni varietates omnes in pratis, paſcuis, hortis, locis umbroſis humidis, areis, &c. III.

hiſ'pidum. 2. LEON'TODON calyce toto erecto hiſpido, foliis dentatis integerrimis hiſpidis, ſetis furcatis. *Lin. Sp Pl. ed.* 3. 1124. *Fl. Scot.* 433 *Wither. Arrang. ed.* 2. 842. *Fl. Lond. N.* 53. *Ic.* 314. *Hedypnois hiſpidum. Fl Ang. ed.* 2. 340.

Anglis, *rough dandelion.*

Hibernis,

Hibernis,

Inveni in pratis nonnunquam, ſed præſertim apud *Blue-Bell.* VI.

---

200. *HIERA'CIUM.*

piloſel'la. 1. HIERA'CIUM foliis integerrimis ovatis, ſubtus tomentoſis, caule repente, ſcapo unifloro. *Lin. Sp. Pl. ed.* 3. 1125. *Fl. Ang. ed.* 2. 343. *Fl. Scot.* 436. *Wither. Arrang. ed.* 2. 845. *Fl. Lond. N.* 47. *Ic.* 278.

Anglis, *creeping mouſe-ear hawkweed.*

Hibernis, **Cluas Liath, Cluas Luch.**

Inveni in paſcuis ſiccioribus et ſterilioribus frequenter. V.

paludóſum. 2. HIERA'CIUM caule paniculato, foliis amplexicaulibus dentatis glabris, calycibus hiſpidis. *Lin. Sp. Pl. ed.* 3. 1129. *Fl. Ang. ed.* 2. 345. *Fl. Scot.* 438. *With. Arrang. ed.* 2. 849.

Anglis,

Anglis, *marſh hawkweed.*

Hibernis,

Inveni in paludoſis, et juxta rivulos ſuper montem *Killmaſhoge.* VI.

---

201. *CRE'PIS.*

tectórum. 1. CRE'PIS foliis lanceolato-runcinatis, ſeſſilibus lævibus; inferioribus dentatis caule glabro. *Lin. Sp. Pl. ed.* 3. 1135. *Fl. Scot.* 440. *Wither. Arrang. ed.* 2. 853. *Fl. Lond. N.* 55. *Ic.* 325. *Fl. Ang. ed.* 2. 341. *Hedyp'nois tectórum.*

Anglis, *ſmooth ſuccory hawkweed.*

Hibernis,

Inveni in pratis, paſcuis, et ſuper muros vetuſtos ubique fere. V.

bien'nis. 2. CRE'PIS foliis runcinato-pinnatifidis ſcabris baſi ſuperne dentatis, calycibus muricatis. *Lin. Sp. Pl. ed.* 3. 1136. *Wither. Arrang. ed.* 2. 855.

Engliſh

English Botany N. 37. *Ic.* 149. *Fl. Ang. ed.* 2. 342. *Hedyp'nois biennis.*

Anglis, *rough ſuccory hawk-weed.*

Hibernis,

Inveni in agrorum marginibus juxta *Balldoyle*, *Knockmaroon-Hill*, et alibi. VI.

---

202. *P I' C R I S.*

echioídes. 1. PI'CRIS perianthiis exterioribus pentaphyllis, interiore ariſtato majoribus. *Lin. Sp. Pl. ed* 3. 1114. *Fl. Ang. ed.* 2. 342. *Wither. Arrang. ed.* 2. 829. *Fl. Lond. N.* 25. *Ic.* 149.

Anglis, *rough picris*, *lang de boeuf.*

Hibernis,

Inveni ad agrorum margines, præcipue inter *Beggar's-buſh* et *Sandymount*, non raro et in ſylvis cæduis, ac ſepium aggeribus. VI.

203. *HYSPOCHÆ'-*

203. *HYPOCHÆ'RIS.*

radicáta. 1. HYPOCHÆ'RIS foliis runcinatis obtusis scabris, caule ramoso nudo lævi pedunculis squamosis. *Lin. Sp. Pl. ed.* 3. 1140. *Fl. Ang. ed.* 2. 347. *Fl. Scot.* 443. *Wither. Arrang. ed.* 2. 860. *Fl. Lond. N.* 26. *Ic.* 152.

Anglis, *long rooted hawkweed.*

Hibernis,

Inveni in pratis, pascuis, ericetis, et super tumulos aridiores. V.

---

204. *LAP'SANA.*

commúnis. 1. LAP'SANA calycibus fructus angulatis, pedunculis tenuibus ramosissimis. *Lin. Sp. Pl. ed.* 3. 1141. *Fl. Ang. ed.* 2. 347. *Fl.Scot.* 444. *With. Arrang. ed.* 2. 861. *Fl. Lond. N.* 10. *Ic.* 59.

Anglis, *nipple wort, dock cresses.*

Hibernis,

Hibernis, **Son Duilleog, Duilleog Bride, Duilleog mhaith, Duilleog mhin.**

Inveni in hortis, cultis, ſylvis, ruderatis, et ſepibus ubique. VI.

---

205. *ARC'TIUM.*

lap'pa. 1. ARC'TIUM foliis cordatis inermibus petiolatis. *Lin. Sp. Pl. ed.* 3. 1143. *Fl. Ang. ed.* 2. 348. *Fl. Scot.* 445. *Wither. Arrang. ed.* 2. 863. *Fl. Lond. N.* 40. *Ic.* 239. *Med. Bot. p.* 41. *Ic.* 15.

Anglis, *burdock, burr, clottbur, burr-burr.*

Hibernis, **Copog thnaithil, Cocoil.**

Inveni ad vias ſepeſque, inque locis ruderatis frequenter. VI.

206. *CICHO'RIUM.*

in'tybus. 1. CICHO'RIUM floribus geminis sessilibus, foliis runcinatis *Lin. Sp. Pl. ed.* 3. 1142. *Fl. Ang. ed.* 2. 348. *Wither. Arrang. ed.* 2. 862. *Fl. Lond. N* 41. *Ic.* 241.

Anglis, *wild succory, cichory.*

Hibernis,

Inveni in incultis locis juxta carcerem novum apud *Kilmainham*, boream versus. VII.

---

207. *SERRA'TULA.*

arven'sis. 1. SERRA'TULA foliis dentatis spinosis. *Lin. Sp. Pl. ed.* 3. 1149. *Fl. Ang. ed.* 2. 349. *Fl. Scot.* 449. *Wither. Arrang. ed.* 2. 867. *Carduus arvensis. Fl. Lond. N.* 63. *Ic.* 374.

Anglis,

Anglis, *common way thiſtle*, *corn thiſtle*.

Hibernis, Feochadan, Fothanan.

Inveni in arvis, et inter ſegetes nimis frequenter, nec minus in paſcuis, et ad vias. VI.

---

208. *CAR'DUUS.*

paluſ'tris. 1. CAR'DUUS foliis decurrentibus dentatis; margine ſpinoſis, floribus racemoſis erectis, pedunculis inermibus. *Lin. Sp. Pl. ed.* 3. 1151. *Fl. Ang. ed.* 2. 352. *Fl. Scot.* 453. *Wither. Arrang. ed.* 2. 873. *Fl. Lond. N.* 62. *Ic.* 369.

Anglis, *marſh thiſtle*.

Hibernis,

Inveni in locis paluſtribus nemoroſis, et in pratis humidis frequenter. VI.

lanceolátus. 2. CAR'DUUS foliis decurrentibus pinnatifidis hiſpidis, laciniis divaricatis, calycibus ovatis ſpinoſis villoſis, caule piloſo.

pilofo. *Lin. Sp. Pl. ed.* 3. 1149. *Fl. Ang. ed.* 2. 350. *Fl. Scot.* 450. *With. Arrang. ed.* 2. 868. *English Botany N.* 30. *Ic.* 107.

Anglis, *fpear thiftle.*

Hibernis,

Inveni in locis cultis, ad fepes, et ad vias publicas ubique fere. VII.

crif'pus. 3. CAR'DUUS foliis decurrentibus finuatis, margine fpinofis; floribus aggregatis terminalibus, fquamis inermibus fubariftatis patulis *Lin. Sp. Pl. ed.* 3. 1150. *Fl. Scot.* 452. *Wither. Arrang. ed.* 2. 870, 871. *Fl. Lond. N.* 67. *Ic.* 399. et 400. *Fl. Ang. ed.* 2. 351. *C. acanthoides* ?

Anglis, *thiftle upon thiftle.*

Hibernis,

Inveni in aggeribus foffarum, ad fepes et vias. VI.

Mariánus. 4. CAR'DUUS foliis amplexicaulibus haftato-pinnatifidis fpinofis, calycibus aphyllis, fpinis canaliculatis duplicato-

cato-ſpinoſis. *Lin. Sp. Pl. ed.* 3. 1152. *Fl. Ang. ed.* 2. 353. *Fl. Scot.* 454. *Wither. Arrang. ed.* 2. 874. *Fl. Lond. N.* 25. *Ic.* 145.

Anglis, *milk thiſtle, lady's thiſtle.*

Hibernis,

Inveni ad agrorum margines, in aggeribus foſſarum et in ruderatis nonnunquam, præſertim circa *Warren-houſe* via ad *Howth* ducente. VII.

---

209. *C A R L I' N A.*

vulgáris. 1. CARLI'NA caule multifloro corymboſo, floribus terminalibus, calycibus radio albis. *Lin. Sp. Pl. ed.* 3. 1161. *Fl. Ang. ed.* 2. 355. *Fl. Scot.* 460. *Wither. Arrang. ed.* 2. 880.

Anglis, *common carline thiſtle.*

Hibernis,

Inveni

Inveni in pascuis et pratis siccioribus montosis et sterilioribus frequenter, præsertim super collem *Knockmaroon* inter *Chapelizod* et *Luttrel's-town*, et apud *Burrow-of-Portmarnock* juxta *Baldoyle*. VI.

---

210. *B I' D E N S.*

tripartita. 1. BI'DENS foliis trifidis, calycibus subfoliosis, seminibus erectis. *Lin. Sp. Pl. ed.* 3. 1165. *Fl. Ang. ed* 2 355. *Fl. Scot.* 461. *Wither. Arrang. ed.* 2. 882. *Fl. Lond. N.* 40. *Ic.* 235.

Anglis, *trifid water hemp, bidens, water agrimony.*

Hibernis, **Scabog Muire.**

Inveni cum eupatorio cannabino ad ripas fluviorum inter *Knockmaroon* et *Lucan*. VII.

cernua. 2. BI'DENS foliis lanceolatis amplexicaulibus, floribus cernuis, seminibus erectis. *Lin. Sp. Pl. ed.* 3. 1165. *Fl. Ang. ed.* 2. 356. *Fl. Scot.*

Scot. 462. *Wither. Arrang. ed.* 2. 883. *Fl. Lond. N.* 32. *Ic.* 191.

Anglis, *nodding bidens, water hemp agrimony, bur-marygold.*

Hibernis, **Sgeachog muire, Marbhe dhroighean.**

Inveni cum priore nonnunquam. VII.

---

211. *EUPATO'RIUM.*

cannabinum. 1. EUPATO'RIUM foliis digitatis. *Lin. Sp. Pl. ed.* 3. 1173. *Fl. Ang. ed.* 2. 356. *Fl. Scot.* 464. *Wither. Arrang. ed.* 2. 885.

Anglis, *water agrimony, hemp agrimony, Dutch agrimony, water hemp, common eupatorium.*

Hibernis, **Sgeachog Muire.**

Inveni ad fluminum et rivulorum ripas, ſcrobium et ſtagnantium aquarum margines, præcipue apud *Long Meadows, Cardiff's-bridge, Aſhtown,* circa lavacrum in *Howth,* et alibi. VI.

SYNGENESIA

SYNGENESIA.

POLYGAMIA SUPERFLUA.

212. *TANACE'TUM.*

vulgáre. 1. TANACE'TUM foliis bipinnatis incisis serratis. *Lin. Sp. Pl. ed.* 3. 1183. *Fl. Ang. ed.* 2. 357. *Fl. Scot.* 465. *Wither. Arrang. ed.* 2. 887. *Med. Botany p.* 314. *Ic.* 115.

Anglis, *common tansey.*

Hibernis, **Lus na Ffranc, Hean-feadh.**

Inveni in pratis montanis apud *Kilmashoge*, secus vias et in agrorum marginibus copiose inter *Baldoyle* et *Portmarnock*, apud *Killeny*, juxta delubrum vetustum in *Howth*, et alibi. VII.

213. *ARTEMIS'IA.*

213. *ARTEMIS'IA.*

vulgáris. 1. ARTEMIS'IA foliis pinnatifidis planis incisis subtus tomentosis, racemis simplicibus recurvatis, floribus ovatis, radio quinquefloro. *Lin. Sp. Pl. ed.* 3. 1188. *Fl. Ang. ed.* 2. 359. *Fl. Scot.* 468. *With. Arrang. ed.* 2. 891. *Med. Botany p.* 331. *Ic.* 121.

Anglis, *mugwort.*

Hibernis, Bofulan Ban, Bofulan Liath, Liath lus, Mongach Measga, Buachalan, Buafanan.

Inveni ad sepes, agrorum margines, super muros vetustos, et in ruderatis frequenter; sed abundanter circa munimentum vetustum apud *Castleknock.* VII,

214. *GNAPHAL'IUM.*

uliginósum. 1. GNAPHAL'IUM caule ramoso herbaceo diffuso, floribus confertis terminalibus. *Lin. Sp. Pl. ed.* 3. 1200. *Fl. Ang. ed.* 2. 361. *Fl. Scot.* 473. *Wither. Arrang. ed.* 2. 896.

Anglis, *marsh cudweed.*

Hibernis,

Inveni in scrobibus paludosis juxta mare, inter *Baldoyle* et *Portmarnock.* VII.

---

215. *ERIG'ERON.*

ácre. 1. ERIG'ERON pedunculis alternis unifloris. *Lin. Sp. Pl. ed.* 3. 1211. *Fl. Ang. ed.* 2. 363. *Fl. Scot.* 474. *Wither. Arrang. ed.* 2. 903. *Fl. Lond. N.* 5. *Ic.* 26.

Anglis, *blue erigeron, blue flea-bane.*

Hibernis,

Hibernis,

Inveni ſuper muros vetuſtos apud murum borealem, non procul a ponte novo *Anneſley* dicto; ad ripas foſſarum aridas juxta *Rathfarnham*, et inter *Sandymount* et *Merrion*. V.

---

216. *TUSSILA'GO.*

far'fara. 1. TUSSILA'GO ſcapo imbricato unifloro, foliis ſubcordatis angulatis dentatis. *Lin. Sp. Pl. ed.* 3. 1214. *Fl. Ang. ed.* 2. 364. *Fl. Scot.* 475. *Wither. Arrang. ed.* 2. 904. *Fl. Lond. N.* 13. *Ic.* 78. *Med. Bot. p.* 37. *Ic.* 13.

Anglis, *colt's-foot.*

Hibernis, **Fathan, Duilliur Spunc, Fothannan, Athan, Luibh an aghaidh Cosachtarche.**

Inveni in paſcuis locis humidis, ruderatis calcariis, et ubi aquæ ſubſunt, ſolo lutoſo præſertim. III.

petasi'tes. 2. TUSSILA'GO thyrſo ovato, floſculis omnibus hermaphroditis. *Lin. Sp. Pl. ed.* 3. 1214. *Fl. Ang. ed.* 2. 364. *Fl. Scot.* 477. *With. Arrang. ed.* 2. 906. *Fl. Lond. N.* 23. *Ic.* 138.

Anglis, *butter-bur*, *peſtilent-wort.*

Hibernis, **Pioból, Gallan.**

Inveni in pratis et paſcuis humidis, et prope fluminum et lacuum ripas frequenter. III.

---

217. *SENE'CIO.*

vulgáris. 1. SENE'CIO corollis nudis, foliis pinnato-ſinuatis amplexicaulibus, floribus ſparſis, *Lin. Sp. Pl. ed.* 3. 1217. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 478. *Wither. Arrang. ed.* 2. 908. *Fl. Lond. N.* 8. *Ic.* 43.

Anglis, *groundſel*, *ſimſon.*

Hibernis,

Hibernis, Crannlus, Boglus, Buachalan na heasgaran.

Inveni in locis tum ruderatis tum cultis, hortis, areis, et arvis. III.

viſcóſus. 2. SENE'CIO corollis revolutis, foliis pinnatifidis viſcidis, ſquamis calycinis laxis longitudine perianthii. *Lin. Sp. Pl. ed.* 3. 1217. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 479. *Wither. Arrang. ed.* 2. 909. *Engliſh Botany N.* 11. *Ic.* 32.

Anglis, *clammy groundſel.*

Hibernis,

Inveni in arenoſis maritimis, præſertim inter *Clontarf* et *Howth*. VII.

ſylvat'icus. 3. SENE'CIO corollis revolutis, foliis pinnatifidis denticulatis, caule corymboſo erecto. *Lin. Sp. Pl. ed.* 3. 1217. *Fl. Scot.* 480. *With. Arrang. ed.* 2. 910. *Fl. Ang. ed.* 2. 365. *S. viſcóſus var.* β.

Anglis, *ſtinking ſmall-flowered groundſel.*

Hibernis,

Hibernis,

Inveni cum priore, in ſepibus, et ſuper muros vetuſtos. VII.

Jacobæ'a. 4. SENE'CIO corollis radiantibus, foliis pinnato-lyratis, laciniis lacinulatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1219. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 480. *Wither. Arrang. ed.* 2. 911. *Fl. Ruſt. N.* 29. *Ic.* 85.

Anglis, *ragwort, ragweed, ſeggrum, Saint James's wort.*

Hibernis, Buidhe Bhaillcean, Buachalan na heaſcaran.

Inveni in paſcuis, præſertim humidioribus, inque incultis, ad vias, &c. copioſe, et moleſte fere ubique. VII.

erucifol'ius. 5. SENE'CIO corollis radiantibus, foliis pinnatifidis dentatis ſubhirtis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1218. *Fl. Ang. ed.* 2. 366. *Wither. Arrang. ed.* 2. 910. *Fl. Lond. N.* 50. *Ic.* 298.

Anglis,

Anglis, *hoary groundsel.*

Hibernis,

Inveni in pascuis sterilioribus frequenter VII.

paludósus. 6. SENE'CIO corollis radiantibus foliis ensiformibus acute serratis, subtus subvillosis, caule stricto. *Lin. Sp. Pl. ed.* 3. 1220. *Fl. Ang. ed.* 2. 366. *With. Arrang. ed.* 2. 913.

Anglis, *bird's tongue.*

Hibernis, **Boglus.**

Inveni in palustribus apud *Howth*, et alibi copiose. VII.

---

218. *SOLIDA'GO.*

virgaúrea. 1. SOLIDA'GO caule subflexuoso angulato, racemis paniculatis erectis confertis. *Lin. Sp. Pl. ed.* 3. 1235. *Fl. Ang. ed.* 2. 367. *Fl. Scot.* 482. *With. Arrang. ed.* 2. 917.

Anglis,

Anglis, *common golden-rod.*

Hibernis,

Inveni in ericetis montosis apud *Howth*, copiose. VIII.

---

219. *A S' T E R.*

tripólium. 1. ASTER foliis lanceolatis integerrimis carnosis glabris, ramis inæquatis, floribus corymbosis. *Lin. Sp. Pl. ed.* 3. 1226. *Fl. Ang. ed.* 2. 368. *Fl. Scot.* 482. *Wither. Arrang. ed.* 2. 915. *English Botany N.* 27. *Ic.* 87.

Anglis, *sea starwort.*

Hibernis,

Inveni in salsis maritimis paludosis juxta *Ringsend* copiose, in littoribus maritimis inter *Black-Rock* et *Dunleary*, apud sinum *Killeny* et in *Howth* australi parte. VI.

220. *I N' U L A.*

220. *I N' U L A.*

dysenter'ica. 1. IN'ULA foliis amplexicaulibus cordato-oblongis subtomentosis, caule villoso paniculato, squamis calycinis setaceis. *Lin. Sp. Pl. ed.* 3. 1237. *Fl. Ang. ed.* 2. 368. *Wither. Arrang. ed.* 2. 923. *Fl. Lond. N.* 28. *Ic.* 165.

Anglis, *middle fleabane.*

Hibernis,

Inveni in locis aquosis, et ad rivos fere ubique, præcipue inter *Ball's-Bridge* et *Merrion* abundanter. VII.

crithmoides. 2. IN'ULA foliis linearibus carnosis tricuspidatis. *Lin. Sp Pl. ed* 3 1240. *Fl. Ang. ed.* 2. 369. *With. Arrang. ed.* 2. 924. *English Botany N.* 23. *Ic.* 68.

Anglis, *golden samphire.*

Hibernis,

Inveni in rimis petrarum humidis infra pharos apud *Howth.* VII

221. *BEL'LIS.*

221. *BEL'LIS.*

peren'nis. 1. BEL'LIS ſcapo nudo. *Lin. Sp. Pl. ed.* 3 1248. *Fl. Ang. ed.* 2. 370. *Fl. Scot.* 487. *Wither. Arrang. ed.* 2. 926. *Fl. Lond. N.* 3. *Ic.* 13.

Anglis, *daiſy.*

Hibernis, Noinin.

Inveni in pratis, paſcuis, &c. abundanter ubique. III.

---

222. *CHRYSAN'THEMUM.*

ſegétum. 1. CHRYSAN'THEMUM foliis amplexicaulibus, ſuperne laciniatis, inferne dentato-ſerratis. *Lin. Sp. Pl. ed.* 3. 1254. *Fl Ang. ed.* 2. 371. *Fl. Scot.* 489. *Wither. Arrang. ed.* 2. 930. *Fl. Lond. N.* 63. *Ic.* 377.

Anglis, *corn marigold, goulans, goldins.*

Hibernis, Buachalan buidhe, Liathan.

Inveni

Inveni inter ſegetes ſolo arenoſo frequenter. VI.

leucan'themum. 2 CHRYSAN'THEMUM foliis amplexicaulibus oblongis: ſuperne ſerratis, inferne dentatis. *Lin. Sp. Pl. ed.* 3. 1251. *Fl. Ang. ed* 2. 371. *Fl. Scot.* 488. *Wither. Arrang. ed.* 2. 928. *Fl. Lond. N.* 59. *Ic.* 350.

Anglis, *greater daiſy, ox eye.*

Hibernis, **Caſpag bеаin, Moinin mor.**

Inveni in pratis, arvis, et paſcuis ſiccis ubique, non raro et inter ſegetes. V.

---

223. *MATRICA'RIA.*

parthénium. 1. MATRICA'RIA foliis compoſitis planis, foliolis ovatis inciſis, pedunculis ramoſis. *Lin. Sp. Pl. ed.* 3. 1255. *Fl. Ang. ed.* 2. 371. *Fl. Scot.* 490. *Wither. Arrang. ed.* 2. 931.

Anglis, *feverfew.*

Hibernis, **Meadh duach.**

Inveni ad sepes et in locis ruderatis passim. VI.

suaveolens. 2. MATRICA'RIA receptaculis conicis, raddiis deflexis, seminibus nudis, squamis calycinis margine æqualibus. *Lin. Sp. Pl. ed.* 3. 1256. *Fl. Ang. ed.* 2. 372. *M. Chamomil'la var. β. Fl. Scot.* 493. *Wither. Arrang. ed.* 2. 933.

Anglis, *sweet-scented feverfew.*

Hibernis,

Inveni in arvis et ad vias juxta *Balldoyle*, versus *Portmarnock.* VII.

---

224. *ANTHEMIS.*

arvensis. 1. ANTHEMIS receptaculis conicis, paleis setaceis, seminibus coronato-marginatis. *Lin. Sp. Pl. ed.* 3. 1261. *Fl. Ang. ed.* 2. 373. folius *villosiusculis.*

culis *Fl. Scot.* 494. *With. Arrang. ed* 2. 937. *Flora Rustica N.* 25 *Ic.* 73.

Anglis, *corn chamomile.*

Hibernis, Coman mionla.

Inveni in arvis passim. VI.

marit'ima. 2. ANTHEMIS foliis pinnatis denticulatis carnosis nudispunctatis, caule prostrato, calycibus subtomentosis. *Lin. Sp. Pl. ed* 3. 1259. *Fl. Ang. ed.* 2. 374. *Wither. Arrang. ed.* 2. 935.

Anglis, *sea chamomile.*

Hibernis,

Inveni in pascuis, pratis, et locis arenosis maritimis frequenter. VII.

---

225. *ACHILLE'A.*

millefolium. 1. ACHILLE'A foliis bipinnatis nudis; laciniis linearibus dentatis, caulibus sulcatis. *Lin. Sp. Pl. ed.* 3. 1267. *Fl.*

Fl. Ang. ed. 2. 374. *Fl. Scot.* 496. *Wither. Arrang. ed.* 2. 941. *Fl. Lond. N.* 63. *Ic.* 373. *Med. Botany p.* 179. *Ic.* 64.

Anglis, *yarrow*, *milfoil.*

Hibernis, **Athair talmhun.**

Inveni ubique fere. VI.

SYNGENESIA.

POLYGAMIA FRUSTRANEA.

226. *CENTAUREA.*

nigra. 1. CENTAURE'A calycibus ciliatis, squamula ovata, ciliis capillaribus erectis, foliis lyrato-angulatis, floribus flosculosis. *Lin. Sp. Pl ed.* 3 1288 *Fl. Ang ed* 2. 375 *Fl. Scot.* 498. *With. Arrang. ed* 2. 943.

Anglis, *knap-weed*, *knop-weed*, *horse-knops*, *matfellon.*

Hibernis,

Hibernis, Mianſgoth, Mianſcoirb, Mulach dubh, Mulaighe Dubha.

Inveni in pratis, paſcuis, &c. nimis frequenter. VII.

Cyanus. 2. CENTAURE'A calycibus ſerratis, foliis linearibus integerrimis infimis dentatis. *Lin. Sp. Pl. ed.* 3. 1289. *Fl. Ang. ed* 2. 375. *Fl. Scot.* 498. *With. Arrang. ed.* 2. 944.

Anglis, *blue bottles, corn-flower, hurt-ſickle.*

Hibernis, Gorman.

Inveni inter ſegetes paſſim, ſed præſertim in arvis arenoſis lutoſis juxta mare apud *Malahide* abunde. VII.

Scabióſa. 3. CENTAURE'A calycibus ciliatis, foliis pinnatifidis, pinnis lanceolatis *Lin. Sp. Pl. ed.* 3. 1291. *Fl. Ang. ed.* 2. 376. *Fl. Scot.* 500. *Wither. Arrang. ed.* 2. 945. *Engliſh Botany N.* 45. *Ic.* 56.

Anglis, *great knap weed.*

Hibernis,

Inveni ad margines agrorum nonnunquam, præcipue inter *Chapelizod* et *Lucan*, et juxta pontem *Glaſſnevin.* VII.

SYNGENESIA.

SYNGENESIA.

POLYGAMIA NECESSARIA.

127. *FILA'GO.*

Germa'nica. 1. FILA'GO panicula dichotoma, floribus rotundatis axillaribus hirsutis, foliis acutis. *Lin. Sp. Pl. ed* 3. 1311. *Fl. Scot.* 501. *Gnapha'lium german'icum. Fl Ang. ed.* 2. 362. *Wither. Arrang. ed.* 2. 898, 948.

Anglis, *common cudweed, chafeweed, childing cudweed.*

Hibernis, Liath Lus roid.

Inveni in locis ficcioribus, sterilioribus, et viis publicis, præcipue inter *Clontarf* et *Howth*, *Burrow-of-Portmarnock* juxta *Baldoyle*, juxta mare apud *Killeny*, super montes Dublinenses et alibi. VI.

SYNGENESIA.

MONOGAMIA.

228. *IASIO'NE.*

montána. 1. IASIO'NE. *Lin. Sp. Pl. ed.* 3. 1316. *Fl. Ang. ed.* 2. 377. *Fl. Scot.* 504. *Wither. Arrang. ed.* 2. 949. *Fl. Lond. N.* 41. *Ic.* 244.

Anglis, *hairy ſheep's ſcabious*, *ſcabious rampion.*

Hibernis,

Inveni in ericetis arenoſis, et ſterilioribus requietis agris paſſim, præſertim juxta *Bullock*, *Dunleary*, apud *Howth*, et ſuper montes Dublinenſes. VI.

 229. *VI'OLA.*

229. *V I' O L A.*

odorāta. 1. VI'OLA acaulis, foliis cordatis, ſtolonibus reptantibus. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 378. *Fl. Scot.* 507. *Wither. Arrang. ed.* 2. 954. *Fl. Lond. N.* 9. *Ic.* 54. *Med. Bot. p.* 225. *Ic.* 81.

Anglis, *ſweet violet.*

Hibernis, **Sail Chuach.**

Inveni *var.* β. cum flore albo in aggeribus foſſarum copioſe apud *Gooſe-Green* juxta *Richmond* III.

hir'ta. 2. VI'OLA acaulis, foliis cordatis piloſo-hiſpidis. *Lin. Sp. Pl. ed* 3. 1324. *Fl Ang. ed.* 2. 379. *Wither. Arrang. ed.* 2. 952. *Fl. Lond. N.* 10. *Ic.* 56.

Anglis, *hairy violet*

Hibernis,

Inveni in paſcuis montoſis et dumoſis, ſolo arenoſo prope littus *Raheny.* III.

canina.

canina. 3. VI'OLA caule adultiore adscendente, foliis oblongo-cordatis. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 379. *Fl. Scot.* 508. *Wither. Arrang. ed.* 2. 955. *Fl. Lond. N.* 18. *Ic.* 104.

Anglis, *dog's violet.*

Hibernis, **Fanaigse naigse, biodh a leithid, Sail chuach.**

Inveni ad sepes, et in nemorosis ericetis et dumetis abundanter fere ubique, sed præcipue inter *Killester* et *Rabeny*, *Artane* et *Clansab* cum primula. III.

tricólor. 4. VI'OLA caule triquetro diffuso, foliis oblongis incisis, stipulis pinnatifidis. *Lin. Sp. Pl. ed.* 3. 1326. *Fl. Ang. ed.* 2. 380. *Fl. Scot.* 509. *Wither. Arrang. ed.* 2. 957. *Fl. Lond. N.* 6. *Ic.* 35.

Anglis, *pansies, heart's-ease, three-faces-under-a-hood, love-in-idleness, kiss-at-the-garden-gate, call-me-to-you, herb trinity.*

Hibernis, Gorman-fearaigh, Sal chuach.

Inveni in aggeribus arenosis abundanter, secus totam viam inter *Raheny* et *Howth*, prope littus, et alibi. IV.

GYNANDRIA.

DIANDRIA.

230. *OR'CHIS.*

bifólia. 1. OR'CHIS bulbis indivisis, nectarii labio lanceolato integerrimo, cornu longissimo, petalis patentibus. *Lin. Sp. Pl. ed.* 3. 1331. *Fl. Ang. ed.* 2. 382. *Fl. Scot.* 512. *Wither. Arrang. ed* 2. 967. *English Botany N.* 8. *Ic.* 22.

Anglis, *butterfly orchis.*

Hibernis,

Inveni

Inveni in pascuis altioribus, non ita copiose in regione occidentale *Stag's-town*, inter *Lug-more* et *Kilty-loones* juxta montem *Tallaght* dictum. VII.

pyramidális. 2. OR'CHIS bulbis indivisis, nectarii labio bicorni trifido æquali integerrimo, cornu longo, petalis sublanceolatis. *Lin. Sp. Pl. ed.* 3. 1332. *Fl. Ang. ed.* 2. 382. *Fl. Scot.* 513. *Wither. Arrang. ed.* 2. 969. *English Botany N.* 31. *Ic.* 110.

Anglis, *late-flowering purple pyramidal orchis.*

Hibernis,

Inveni in pratis et pascuis frequenter, præcipue in agris *Scribleftown*, pascuis siccioribus circa fontem cui nomen *Nannikin Rabeny-Strand*, inter *Sandymount* et *Merrion* copiose, *Dunleary* et *Bullock.* VIII.

mas'cula. 3. OR'CHIS bulbis indivisis, nectarii labio quadrilobo crenulato, cornu obtuso, petalis dorsalibus reflexis. *Lin. Sp. Pl. ed.* 3. 1333. *Fl. Ang. ed.*

ed. 2. 383. *Fl. Scot.* 515. *Wither. Arrang. ed.* 2. 971. *Fl. Lond. N.* 21. *Ic.* 122. *Med. Botany p.* 246. *Ic.* 90.

Anglis, *early male fool's ſtones.*

Hibernis, **Magarlin meadhrach.**

Inveni in paſcuis, pratis, et inter vepres inter *Black-rock* et *Cabinteely*, in ſylvis *Luttrel's-town*, *Santry*, et *Bracken's-town*, in agris *Scrible's-town*, juxta *Cardiff's-bridge* et alibi. IV.

mório. 4. OR'CHIS bulbis indiviſis, nectarii labio quadrifido crenulato, cornu obtuſo adſcendente, petalis obtuſis conniventibus. *Lin. Sp. Pl. ed.* 3. 1333. *Fl. Ang. ed.* 2. 383. *Fl. Scot.* 514. *With. Arrang. ed.* 2. 970. *Fl. Lond. N.* 30. *Ic.* 175.

Anglis, *female fool's ſtones.*

Hibernis,

Inveni cum priore. VII.

uſtuláta. 5. OR'CHIS bulbis indiviſis, nectarii labio quadrifido punctis ſcabro, cornu obtuſo, petalis diſtinctis. *Lin. Sp. Pl.*

Pl. ed. 3. 1333. *Fl. Ang. ed.* 2. 384. *Wither. Arrang. ed.* 2. 973. *English Botany N.* 6. *Ic.* 18.

Anglis, *dwarf orchis.*

Hibernis,

Inveni in collibus ſiccioribus et ſteriliorbus inter *Sandymount* et *Merrion.* V.

maculáta. 6. OR'CHIS bulbis palmatis patentibus, nectarii cornu germinibus breviore, labio plano, petalis dorſalibus patulis. *Lin. Sp. Pl. ed.* 3. 1335. *Fl. Ang. ed.* 2. 385. *Fl. Scot.* 517. *With. Arrang. ed.* 2. 976.

Anglis, *female handed orchis, ſpotted orchis.*

Hibernis,

Inveni in pratis humidis fere ubique. VII.

conop'ſea. 7. OR'CHIS bulbis palmatis, nectarii cornu ſetaceo germinibus longiore, labio trifido, petalis duobus patentiſſimis. *Lin. Sp. Pl. ed.* 3. 1335. *Fl. Ang. ed.* 2. 385. *Fl. Scot.* 518. *Wither.*

Wither. Arrang. ed. 2. 976. *English Botany N.* 4. *Ic.* 10.

Anglis, *long-spur'd sweet handed orchis.*

Hibernis,

Inveni circa lavacrum apud *Howth* cum geranio sanguineo; in pratis et pascuis humidis *Scrible's-town*; in palustribus juxta *Templeoge*, ultra *Dunleary* inter viam publicam et mare. VI.

---

231. *O'PHRYS.*

ovata. 1. O'PHRYS bulbo fibroso, caule bifolio, foliis ovatis, nectarii labio bifido. *Lin. Sp. Pl. ed.* 3. 1340. *Fl. Ang. ed.* 2. 388. *Fl. Scot.* 523. *Wither. Arrang. ed.* 2. 986. *Fl. Lond. N.* 30. *Ic.* 180.

Anglis, *great twayblade.*

Hibernis,

Inveni

Inveni in pratis uliginosis in agris *Scribleftown* copiose, et in locis turfosis juxta *Killmashouge* orientem versus. VI.

insecti'fera. 2. O'PHRYS bulbis subrotundis, scapo folioso, nectarii labio subquinque-lobo. *Lin. Sp Pl ed.* 3. 1343. *var.* ι. *O. apif'era. Fl Ang ed* 2. 391. *With Arrang. ed.* 2. 993 *Fl. Lond N* 3. *Ic.* 15.

Anglis, *bee orchis*, *bee flower*.

Hibernis,

Inveni in pascuis ficcioribus, sed parce, pone scholam Reverendi domini *Dowling*, *Black-rock*. VII.

GYNANDRIA.

POLYANDRIA.

232. *A'RUM.*

maculátum. 1. A'RUM acaule foliis haſtatis integerrimis, ſpadice clavato. *Lin. Sp. Pl. ed.* 3. 1370. *Fl. Ang. ed.* 2. 395. *Fl. Scot.* 528. *Wither. Arrang. ed.* 2. 1012. *Fl. Lond. N.* 19. *Ic.* 111. *Med. Botany p.* 74. *Ic.* 25.

Anglis, *wake-robin, cuckow pint, lords and ladies.*

Hibernis, **Cluas chaicin, Geathur, Gaoicin cuithigh.**

Inveni ad ſepes, et in locis umbroſis fere ubique, ſed præcipue apud *Phœnix-Park* abundanter. V.

MONOECIA.

MONOECIA.

DIANDRIA.

233. *LEM'NA.*

min'or. 1. LEM'NA foliis sessilibus utrinque planiusculis, radicibus solitariis. *Lin. Sp. Pl. ed.* 3. 1376. *Fl. Ang. ed.* 2. 399. *Fl. Scot.* 537. *Wither. Arrang. ed.* 2. 1020.

Anglis, *least duck-meat.*

Hibernis, **Gran Lachan, Abhran donog Mac gan Athair, Ros Lachan.**

Inveni aquarum stagnantium superficei innatantem, et persæpe eas totas operientem. VIII.

MONOECIA.

TRIANDRIA.

234. *TY'PHA.*

latifólia. 1. TY'PHA foliis ſubenſiformibus, ſpica maſcula feminæque approximatis. *Lin. Sp. Pl. ed.* 3 1377. *Fl Ang. ed* 2. 400. *Fl. Scot.* 538 *With Arrang. ed.* 2. 1021. *Fl. Lond. N.* 29. *Ic.* 171. *T. major.*

Anglis, *great cat's tail or reed mace.*

Hibernis, **Bodan Dubh, Coigeal na mban Sighe.**

Inveni in ſtagnis et piſcinis majoribus apud *Santry*, et alibi VII.

anguſtifólia. 2. TY'PHA foliis ſubcylindricis, ſpica maſcula feminæque remotis. *Lin. Sp. Pl. ed.* 3 1377. *Wither. Arrang. ed* 2. 1022. *Fl. Lond. N.* 29. *Ic.* 172. *T. minor.*

Anglis,

Anglis, *ſmall cat's tail or reed mace.*

Hibernis, **Bodan.**

Inveni in ſtagnis inter *Sandymount* et *Merrion* abundanter, et alibi. VII.

---

235. *SPARGA'NIUM.*

erec'tum. 1. SPARGA'NIUM foliis erectis triquetris. *Lin. Sp. Pl. ed.* 3. 1378. *Fl. Scot.* 539. *Wither. Arrang. ed.* 2. 1023. *S. ramoſum Fl. Ang. ed.* 2. 401. *Fl. Lond. N.* 58. *Ic.* 345.

Anglis, *upright or greater burr-reed.*

Hibernis, **Seiſg Madradh, Righ Seiſg.**

Inveni in aquis ad fluviorum ripas, inque paluſtribus paſſim, præſertim apud *Phœnix-Park.* VII.

MONOECIA.

TETRANDRIA.

236. *BET'ULA.*

al'ba. 1. BET'ULA foliis ovatis acuminatis ſerratis. *Lin. Sp. Pl. ed.* 3. 1393. *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 572. *Wither. Arrang. ed.* 2. 1065. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 218.

Anglis, *birch tree, birk.*

Hibernis, **Beith, Beithe.**

Inveni in ſylvis humidis, et ſepibus frequenter. VI.

al'nus. 2. BET'ULA pedunculis ramoſis. *Lin. Sp. Pl. ed.* 3. 1394. *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 576. *With. Arrang. ed.* 2. 1067. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 220, 233.

Anglis, *common alder tree.*

Hibernis,

Hibernis, Fearna Fiarnog.

Inveni in aquosis inter *Luttrel's-town* et *Lucan*, et alibi. VII.

---

237. *URTICA.*

urens. 1. URTI'CA foliis oppositis ovalibus. *Lin. Sp Pl. ed.* 3. 1396. *Fl. Ang. ed.* 2. 417. *Fl. Scot.* 578. *Wither. Arrang. ed.* 2. 1070. *Fl. Lond. N.* 64. *Ic.* 384.

Anglis, *less stinging nettle.*

Hibernis, Caoil fhail, Neanta Neantog.

Inveni ad sepes, in locis ruderatis et cultis fere ubique. VII.

dioica. 2. URTI'CA foliis oppositis cordatis, racemis geminis. *Lin. Sp. Pl. ed.* 3. 1396. *Fl. Ang. ed.* 2. 417. *Fl. Scot.* 578. *Wither. Arrang. ed.* 2. 1071. *Fl. Lond. N.* 64. *Ic.* 383. *Med. Bot. p.* 396. *Ic.* 146.

Anglis,

Anglis, *common ſtinging nettle.*

Hibernis, Neantog Leiſneach.

Inveni cum priore. VII.

MONOECIA.

POLYANDRIA.

238. *MYRIOPHYL'LUM.*

ſpicàtum. 1. MYRIOPHYL'LUM floribus maſculis interrupte ſpicatis. *Lin. Sp. Pl. ed.* 3. 1409. *Fl. Ang. ed.* 2. 419. *Fl. Scot.* 581 *Wither. Arrang. ed.* 2. 1077. *Engliſh Botany N.* 26. *Ic.* 83.

Anglis, *ſpiked water milfoil.*

Hibernis,

Inveni ad margines ſtagnorum et in ſtagnis ipſis *Phœnix-Park.* VII.

239. *POTE'RIUM.*

239. *POTE'RIUM.*

sanguisor'ba. 1. POTE'RIUM inerme, caulibus subangulosis. *Lin. Sp. Pl. ed.* 3. 1411. *Fl. Ang. ed.* 2. 421. *Wither. Arrang. ed.* 2. 1081. *Fl. Lond. N.* 15. *Ic.* 88. *Fl. Rust. N.* 33. *Ic.* 69.

Anglis, *burnet.*

Hibernis,

Inveni in montosis pratis et pascuis, præsertim solo arenoso, frequenter, sed præcipue in clivis umbrosis copiose juxta flumen *Dodder* australi parte, inter *Rathmines* et januam comitis *Ely*, super collem *Knockmaroon*, et alibi. V.

---

240. *QUER'CUS.*

robur. 1. QUER'CUS foliis deciduis oblongis superne latioribus, sinubus acutioribus, angulis obtusis. *Lin. Sp. Pl. ed.* 3. 1414. *Fl. Ang. ed.* 2. 421. *Fl. Scot.*

 581.

581. *Hunter's Ev. Syl. ed.* 2. *V.* 1. *p.* 67. *Flora Rustica N.* 4. *Ic.* 10, 11, 12. *Med. Botany p.* 344. *Ic.* 126

Anglis, *common oak.*

Hibernis, **Dair Crann Darrach, Farcan, Furran.**

Inveni in ſylvis et ſepibus frequenter. V.

---

241. *FA'GUS.*

ſylvat'ica. 1. FA'GUS foliis ovatis obſolete ſerratis. *Lin. Sp. Pl. ed.* 3. 1416. *Fl. Ang. ed.* 2. 422. *Fl. Scot.* 484. *Wither. Arrang. ed.* 2. 1087. *Hunter's Ev. Syl. ed.* 2. *V.* 1. *p.* 131.

Anglis, *beech tree.*

Hibernis, **Beith na meas.**

Inveni cum priore frequenter. V.

242. *CAR'PINUS.*

242. *CAR'PINUS.*

bet'ulus. 1. CAR'PINUS ſquamis ſtrobilorum planis. *Lin. Sp. Pl. ed.* 3. 1416. *Fl. Ang. ed.* 2. 422. *Fl. Scot.* 585. *With. Arrang. ed.* 2. 1089. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 138.

Anglis, *horn-beam tree, hard-beam tree, horſe or horn-beech tree.*

Hibernis, **Crann Sleamhain, Leamhan bog.**

Inveni cum fago ſylvatica frequenter. V.

---

243. *COR'YLUS.*

avellána. 1. COR'YLUS ſtipulis ovatis obtuſis. *Lin. Sp. Pl. ed.* 3. 1417. *Fl. Ang. ed.* 2. 423. *Fl. Scot.* 586. *Wither. Arrang. ed.* 2. 1090. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 213.

Anglis, *hasel-nut tree.*

Hibernis, Coll.

Inveni in ſylvis et ſepibus frequenter. III.

DIOECIA.

DIANDRIA.

244. *SA'LIX.*

trian'dria. 1. SA'LIX foliis ſerratis glabris, floribus triandris. *Lin. Sp. Pl. ed.* 3. 1442. *Fl. Ang. ed.* 2. 425. *Wither. Arrang. ed.* 2. 1100. *Fl. Lond. N.* 62. *Ic.* 373.

Anglis, *ſmooth willow.*

Hibernis,

Inveni in ſalicetis et ſepibus humidis nonnunquam. V.

pentan'dria.

pentan'dria. 2. SA'LIX foliis ſerratis glabris, floſculis pentandris. *Lin. Sp. Pl. ed.* 3. 1442. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 595. *With. Arrang. ed.* 2. 1101.

Anglis, *ſweet willow, bay-leaved willow.*

Hibernis,

Inveni in ſylvis *Luttrel's-town*, et *Santry*, in ſepibus humidis circa *Chapelizod*, et alibi. V.

amygdalina. 3. SA'LIX foliis ſerratis glabris lanceolatis petiolatis, ſtipulis trapeziformibus. *Lin. Sp. Pl. ed.* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 596 *With. Arrang. ed* 2. 1102.

Anglis, *almond-leaved willow.*

Hibernis,

Inveni cum priore, et ad ripas fluviorum. V.

frag'ilis. 4. SA'LIX foliis ſerratis glabris ovato-lanceolatis, petiolis dentato-glanduloſis. *Lin. Sp. Pl. ed* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 597. *Wither. Arrang. ed.* 2. 1102. *Hunter's Ev. Sylv.*

Sylv. ed. 2. *V.* 1. *p.* 238, 240. *Med. Bot. p.* 542. *Ic.* 198.

Anglis, *crack willow.*

Hibernis,

Inveni in aquosis et salicetis passim, præsertim circa *Chapelizod.* V.

purpúrea. 5. SA'LIX foliis serratis glabris lanceolatis, inferioribus oppositis. *Lin. Sp. Pl. ed.* 3. 1444. *Fl Ang. ed.* 2. 427. *Fl. Scot.* 598. *Wither. Arrang. ed.* 2. 1102.

Anglis, *purple willow.*

Hibernis,

Inveni in salicetis passim. V.

reticuláta. 6. SA'LIX foliis integerrimis glabris ovatis obtusis. *Lin. Sp. Pl. ed.* 3. 1446. *Fl. Ang. ed.* 2. 428. *Fl. Scot.* 601. *Wither. Arrang. ed.* 2. 1103.

Anglis, *wrinkled willow.*

Hibernis,

Inveni super montes Dublinenses nonnunquam. V.

arenária.

arenária. 7. SA'LIX foliis integris ovatis acutis, ſupra ſubvilloſis, ſubtus tamentoſis. *Lin. Sp. Pl. ed.* 3. 1447. *Fl. Scot.* 604. *With. Arrang. ed.* 2. 1104.

Anglis, *ſand willow.*

Hibernis,

Inveni in arena apud *Burrow-of-Portmarnock*, adverſus *Baldoyle.* IV.

fuſc'a. 8. SA'LIX foliis integerrimis ovatis, ſubtus villoſis nitidis. *Lin. Sp. Pl. ed.* 3. 1447. *Fl. Ang. ed.* 2. 429. *var.* δ. *Fl. Scot.* 606. *S. repens. Wither. Arrang. ed.* 2. 1105.

Anglis, *brown willow.*

Hibernis,

Inveni prope priorem, ſed in paludibus. IV.

cáprea. 9. SA'LIX foliis ovatis rugoſis, ſubtus tomentoſis, undatis ſuperne denticulatis. *Lin. Sp. Pl. ed.* 3 1448. *Fl. Ang. ed.* 2. 429. *Fl. Scot.* 607. *Wither. Arrang. ed.* 2. 1106.

Anglis,

Anglis, *common willow or ſallow, mountain oſier.*

Hibernis, **Saileach.**

Inveni in ſylvis et ſepibus paſſim, præſertim humidioribus. V.

viminális. 10. SA'LIX foliis ſubintegerrimis lanceolato-linearibus longiſſimis acutis ſubtus ſericeis, ramis virgatis. *Lin. Sp. Pl. ed.* 3. 1448. *Fl. Ang. ed.* 2. 430. *Fl. Scot.* 608. *Wither. Arrang. ed.* 2. 1107.

Anglis, *oſier.*

Hibernis, **Biorraide.**

Inveni in ſalicetis, aquis, et ſepibus humidis, præſertim juxta pagos. IV.

al'ba. 11. SA'LIX foliis lanceolatis acuminatis ſerratis utrinque pubeſcentibus, ſerraturis infimis glanduloſis. *Lin. Sp. Pl. ed.* 3. 1449. *Fl. Ang. ed.* 2. 430. *Fl. Scot.* 609. *Wither. Arrang. ed.* 2. 1108.

Anglis, *common white willow.*

Hibernis, **Sail Soileog, Saileach.**

Inveni juxta aquas paſſim, præſertim circa *Chapelizod.* IV.

DIOECIA

DIOECIA.

OCTANDRIA.

245. *POP'ULUS.*

al'ba. 1. POP'ULUS foliis ſubrotundis dentato-angulatis, ſubtus tomentoſis. *Lin. Sp. Pl. ed.* 3. 1463. *Fl. Ang. ed.* 2. 433. *Fl. Scot.* 616. *Wither. Arrang. ed.* 2. 1121. *Hunter's Evyl. Sylv. ed.* 2. *Vol.* 1. *p.* 201.

Anglis, *white poplar, abele tree.*

Hibernis,

Inveni in ſylvis, ſepibus, ad fluvios et in aquoſis paſſim. III.

trémula 2. POP'ULUS foliis ſubrotundis, dentato-angulatis utrinque glabris. *Lin. Sp. Pl. ed.* 3. 1464. *Fl. Ang ed.* 2. 434. *Fl. Scot.* 616. *Wither. Arrang. ed.* 2. 1121.

Anglis, *asp*, *aspen*, *aspin tree*, *trembling poplar*.

Hibernis, Crann crith, Crann crithir, Crann Critheach.

Inveni in sylvis humidis, et locis uliginosis frequenter. III.

nigra. 3. POPULUS foliis deltoidibus acuminatis serratis. *Lin. Sp. Pl. ed.* 3. 1464. *Fl. Ang. ed.* 2. 434. *Fl. Scot.* 618. *Wither. Arrang. ed.* 2. 1122.

Anglis, *black poplar*.

Hibernis,

Inveni in iisdem locis cum *P. alba*. III.

DIOECIA.

ENNEANDRIA.

246. *MERCURIA'LIS.*

peren'nis. 1. MERCURIA'LIS caule ſimpliciſſimo, foliis ſcabris. *Lin. Sp. Pl. ed.* 3. 1465. *Fl. Ang. ed.* 2. 435. *Fl. Scot.* 620. *Wither. Arrang. ed.* 2. 1125. *Fl. Lond. N.* 14. *Ic.* 84.

Anglis, *dog's mercury.*

Hibernis,

Inveni ad ſepes juxta *Finglaſs.* V.

an'nua. 2. MERCURIA'LIS caule brachiato, foliis glabris, floribus ſpicatis. *Lin. Sp. Pl. ed.* 3. 1465. *Fl. Ang. ed.* 2. 435. *Fl. Scot.* 620. *With. Arrang. ed.* 2. 1126. *Fl. Lond. N.* 57. *Ic.* 342.

Anglis, *French mercury.*

Hibernis,

Inveni in locis ruderatis et cultis copioſe. VII.

POLYGAMIA.

MONOECIA.

247. *HOL'CUS.*

lanátus. 1. HOL'CUS glumis bifloris villosis, hermaphrodito mutico, masculo arista recurva. *Lin. Sp. Pl. ed.* 3. 1485. *Fl. Ang ed.* 2. 440. *Fl. Scot.* 631. *With. Arrang. ed.* 2. 1138. *Fl. Lond. N.* 38. *Ic.* 225.

Anglis, *meadow soft grass.*

Hibernis,

Inveni in pratis et pascuis, et locis umbrosis humidisque frequenter. VII.

mol'lis 2. HOL'CUS glumis bifloris nudiusculis, flosculo hermaphrodito mutico, masculo arista geniculata. *Lin. Sp. Pl. ed.* 3. 1485. *Fl. Ang. ed.* 2. 440. *Fl. Scot.* 631. *Wither. Arrang.*

Arrang. ed. 2. 1137. *Fl. Lond. N.* 54. *Ic.* 320.

Anglis, *corn ſoft graſs*, *creeping ſoft graſs*.

Hibernis,

Inveni in pratis, inter ſegetes, et ad ſepes. VII.

---

248. *PARIETA'RIA.*

officinális. 1. PARIETA'RIA foliis lanceolato-ovatis, pedunculis dichotomis, calycibus diphyllis. *Lin. Sp. Pl. ed.* 3. 1492. *Fl. Ang. ed.* 2. 442. *Fl. Scot.* 634. *Wither. Arrang. ed.* 2. 1141. *Fl. Lond. N.* 39. *Ic.* 234. *Med. Botany p.* 384. *Ic.* 142.

Anglis, *pellitory of the wall.*

Hibernis, **Miontas Chaiſſl.**

Inveni in muros antiquos ubique fere; præcipue autem apud delubrum vetuſtum

tuftum in promontorio *Howth*, fuper pontes quoque *Glaffnevin*, *Finglafs* et *Clonfkeagh*, in turrim rotundam *Clondalkin*, et alibi. VII.

---

249. *A'TRIPLEX.*

haftáta. 1, A'TRIPLEX caule herbaceo, calycis valvulis femineis magnis deltoidibus finuatis. *Lin. Sp. Pl. ed.* 3. 1494. *Fl. Ang. ed.* 2. 443. *Fl. Scot.* 636. *Wither. Arrang. ed.* 2. 1144. *Fl. Lond. N.* 20. *Ic.* 118.

Anglis, *wild orache, fat hen, lamb's quarters.*

Hibernis, **Ceathramha Luain Griollog, Praifeach mhin, Ceathramha rhacrach.**

Inveni in hortis oleraceis, litoribus maritimis, inque ruderibus et fimetis. VIII.

pat'ula. 2. A'TRIPLEX caule herbaceo patulo, foliis fubdeltoideo-lanceolatis, calycibus feminum difco-dentatis. *Lin.*

Sp.

Sp. Pl. Pl. ed. 3. 1494. *Fl. Ang. ed.* 2. 443. *Fl. Scot.* 637. *With. Arrang. ed.* 2. 1145.

Anglis, *ſpreading ſpear orache.*

Hibernis,

Inveni in ruderatis paſſim. VIII.

portulacoides. 3. A'TRIPLEX caule fruticoſo, foliis ovatiis. *Lin. Sp. Pl. ed.* 3. 1493. *Fl. Ang. ed.* 2. 442. *Fl. Scot.* 635. *Wither. Arrang. ed.* 2. 1143.

Anglis, *ſea purſlane.*

Hibernis,

Inveni in paluſtribus putridis et maritimis paſſim, etiamque in aggeribus vetuſtis juxta *South Cumberland-ſtreet*; in civitate *Dublin.* VII.

---

250. *A'CER.*

pſeudoplatanus 1. A'CER foliis quinquelobis inæqualiter ſerratis, floribus racemoſis. *Lin.*

Lin. Sp. Pl. ed. 3. 1495. *Fl. Ang. ed.* 2. 445. *Fl. Scot.* 639. *Wither. Arrang. ed.* 2. 1147. *Hunter's Ev. Syl. ed.* 2. *V.* 1. 193.

Anglis, *sycamore tree.*

Hibernis, **Crann bann, Cran fionn, fir-chrann.**

Inveni in coemeteriis, circa ædes, et in sepibus passim. V.

campestre. 2. A'CER foliis lobatis obtusis emarginatis. *Lin. Sp. Pl. ed.* 3 1497. *Fl. Ang. ed.* 2. 445. *Fl. Scot.* 640. *Wither. Arrang. ed* 2 11 8. *Hunter's Ev. Sylv. ed.* 2. *Vol.* 1. 183.

Anglis, *common maple.*

Hibernis, **Crann.**

Inveni cum priore, sed præcipue in sepibus. V.

POLYGAMIA.

POLYGAMIA.

DIOECIA.

251. *FRAX'INUS.*

excel'ſior. 1. FRAX'INUS foliis ſerratis, floribus apetalis. *Lin. Sp. Pl. ed.* 3. 1509. *Fl. Ang. ed.* 2. 446. *Fl. Scot.* 641. *Wither. Arrang. ed.* 2. 1149. *Hunter's Ev. Sylv. ed.* 2. *Vol.* 1. 145.

Anglis, *common aſh tree.*

Hibernis, Fuinſe, Fuinſeog, Crann Fuinſean, Crann Fuinnſeoige.

Inveni in ſylvis *Luttrel's-town, Phœnix-Park*, et alibi frequenter. III.

APPENDIX.

CICHO'RIUM in'tybus, pag. 218, copiose in agris *Scriblestown*.

Convol'vulus se'pium, pag. 59, *Fl. Rust. N* 30. *Ic*. 88.

Dau'cus caro'ta, pag. 76, *Fl. Rustica N*. 28. *Ic*. 82.

Hyacin'thus non scrip'tus, pag. 97, copiose in agris inter *Drumcondra* et *Santry*; et in sylvis *Bracken's-town*, et *Rathfarnham-park*.

Parnas'sia palus'tris, pag. 90, copiose in agris comitis *Bective* apud *Scriblestown*, præcipue in prato uliginoso juxta pomarium et aditum, et pone Uranoscopium cum pinguicula vulgari.

Pastina'ca sati'va, pag. 85, *Fl. Rustica N*. 28. *Ic*. 83.

Pri'mula ve'ris officina'lis, pag. 55, *Fl. Lond. N*. 67. *Ic* 402.

Sal'via verbena'ca, pag. 9, *English Botany N*. 38. *Ic*. 154.

Scan'dix anthris'cus, pag. 84, abundanter inter *Foster's-avenue* et *Stillorgan*, et inter *Merrion* et *Booter's-town*, juxta murum secus viam publicam.

Valeria'na officina'lis, pag. 11, *Fl. Lond. N*. 67. *Ic*. 401.

INDEX

NOMINUM

LATINORUM.

A.

ACER campeſtre 272
——— pſeudo-platanus 271
Achillea millefolium 237
Adonis autumnalis 147
Æthuſa cynapium 82
Agrimonia eupatoria 128
Agroſtemma githago 123
Agroſtis canina 18
——— capillaris 18
——— ſtolonifera 19
Aira aquatica 20
——— cœrulea 20
——— cœſpitoſa 21
Ajuga reptans 155
Alchemilla vulgaris 45
Aliſma plantago 105
——— ranunculoides 105
Allium vineale 95
Alopecurus geniculatus 17
——— pratenſis 17
Alſine media 90

A

Anagallis arvenſis 58
——— tenella 57
Anchuſa ſempervirens 50
Anemone nemorum 147
Anethum fœniculum 86
Angelica ſylveſtris 97
Anthemis arvenſis 236
——— maritima 237
Anthericum oſſifragum 97
Anthoxanthum odoratum 10
Anthyllis vulneraria 195
Antirrhinum linaria 170
——— majus 171
Apium graveolens 88
Aquilegia vulgaris 146
Arctium lappa 217
Arenaria peploides 118
——— rubra 119
——— ſerpyllifolia 118
Artemiſia vulgaris 225
Arum maculatum 250
Arundo arenaria 31

INDEX NOMINUM LATINORUM.

A.

Arundo phragmites 31
A[illegible]erula odorata 41
Aſter tripolium 2[illegible]2
Atriplex haſtata 270
——— patula 2[illegible]0
——— portulacoides 271
Avena elatior 30
——— flaveſcens 30

B.

Ballota alba 163
——— nigra 163
Bartſia odontites 167
Bellis perennis 234
Beta maritima 72
Betula alba 254
—— alnus 254
Bidens cernua 222
——— tripartita 222
Borago officinalis 52
Braſſica napus 181
Briza media 22
Bromus giganteus 29
——— mollis 28
——— ſterilis 29
Bunias cakile 184
Bunium bulbocaſtanum 82

C.

Callitriche autumnalis 3
——— verna 2
Caltha paluſtris 153
Campanula rotundifolia 64
Cardamine hirſuta 182
——— pratenſis 181
Carduus criſpus 220
——— lanceolatus 219
——— Marianus 220
——— paluſtris 219
Carlina vulgaris 221
Carpinus betulus 259
Caucalis anthriſcus 75
——— carota 76
——— nodoſa 76
Centaurea cyanus 239

C.

Centaurea nigra 238
——— ſcabioſa 239
Ceraſtium arvenſe 125
——— vulgatum 125
Chœrophyllum ſylveſtre 85
Cheiranthus cheiri 179
Chelidonium glaucium 143
Chenopodium album 69
——— bonus Henricus 68
——— maritimum 71
——— murale 69
——— polyſpermum 70
——— rubrum 69
——— ſerotinum 70
——— urbicum 68
Chlora perfoliata 110
Chironia centaurium 66
Chryſanthemum leucanthemum 235
——— ſegetum 234
Chryſoſplenium oppoſitifolium 114
Cichoreum intybus 218
Circœa Lutetiana 9
Cochlearia coronopus 177
——— Danica 177
——— Grœnlandica 176
——— officinalis 176
Conium maculatum 77
Convolvulus arvenſis 58
——— ſepium 59, 275
——— ſoldanella 59
Corylus avellana 259
Cotyledon umbilicus Veneris 120
Crambe maritima 185
Cratœgus oxyacantha 134
Crepis biennis 214
—— tectorum 214
Crithmum maritimum 78
Cucubalus behen 116
Cynogloſſum officinale 51

Cynoſurus

INDEX NOMINUM LATINORUM.

C.

Cynosurus criſtatus 34

D.

Dactylis glomerata 25
Daucus carota 76, 275
Digitalis purpurea 172
Dipſacus fullonum 36
Draba verna 173
Droſera longifolia 94
——— rotundifolia 94

E.

Echium vulgare 53
Epilobium hirſutum 106
——— montanum 107
——— paluſtre 108
——— tetragonum 107
Erica cinerea 109
—— tetralix 110
—— vulgaris 109
Erigeron acre 226
Eriophorum polyſtachion 15
Ervum hirſutum 199
Eryngium maritimum 73
Eryſimum alliaria 179
——— barbarea 178
——— officinale 178
Eupatorium cannabinum 223
Euphorbia exigua 131
——— helioſcopia 130
——— paralias 131
——— peplus 130
Euphraſia odontites 166
——— officinalis 167

F.

Fagus ſylvatica 258
Feſtuca duriuſcula 26
——— elatior 28
——— fluitans 27
——— ovina 25
——— rubra 26
——— pratenſis 27
Ficaria verna 149
Filago Germanica 240
Fragaria ſterilis 139

F.

Fragaria veſca 138
Fraxinus excelſior 273
Fumaria officinalis 191

G.

Galeobdolon luteum 161
Galeopſis galeobdolon 161
——— ladanum 160
——— tetrahit 160
Galium aparine 44
——— mollugo 43
——— montanum 42
——— paluſtre 42
——— uliginoſum 43
——— verum 44
Gentiana amarella 67
——— campeſtris 67
——— centaurium 66
Geranium cicutarium 186
——— columbinum 187
——— diſſectum 188
——— molle 187
——— moſchatum 186
——— Robertianum 188
——— ſanguineum 189
Geum rivale 142
—— urbanum 141
Glaux maritima 65
Glechoma hederacea 157
Gnaphalium uliginoſum 226

H.

Hedera helix 65
Heracleum ſphondylium 78
Hieracium paludoſum 213
——— piloſella 213
Hippuris vulgaris 1
Holcus lanatus 268
——— mollis 268
Hordeum murinum 32
Hyacinthus non ſcriptus 97, 275
Hydrocotyle vulgaris 74
Hyoſcyamus niger 61
Hypericum androſæmum 206

H.
Hypericum elodes 209
—— humifusum 206
—— montanum 208
—— perforatum 207
—— pulchrum 207
—— quadrangulum 208
Hypochæris radicata 216
I.
Jaſſione montana 241
Ilex aquifolium 48
Inula crithmoides 233
—— dyſenterica 233
Iris pſeudacorus 12
Iuncus articulatus 101
—— biglumis 100
—— bufonius 100
—— campeſtris 101
—— conglomeratus 98
—— effuſus 98
—— inflexus 99
—— piloſus 101
—— trifidus 99
L.
Lamium album 158
—— amplexicaule 159
—— purpureum 159
Lapſana communis 216
Lathyrus pratenſis 196
Lemna minor 251
Leontodon hiſpidum 212
—— taraxacum 212
Liguſtrum vulgare 3
Linum catharticum 93
—— uſitatiſſimum 92
Lithoſpermum officinale 50
Lolium perenne 32
Lonicera periclymenum 63
Lotus corniculatus 204
Lychnis dioica 124
—— flos cuculi 124
Lycopſis arvenſis 53
Lycopus Europœus 8
Lyſimachia nemorum 56
L.
Lyſimachia nummularia 56
—— tenella 57
Lythrum ſalicaria 127
M.
Malva rotundifolia 190
—— ſylveſtris 190
Matricaria parthenium 235
—— ſuaveolens 236
Medicago lupulina 205
Melampyrum ſylvaticum 168
Melica cœrulea 20
—— nutans 21
—— uniflora 21
Meliſſa calamintha 166
Mentha aquatica 157
Menyanthes trifoliata 57
Mercurialis annua 267
—— perennis 267
Montia fontana 35
Myoſotis ſcorpioides 49
Myriophyllum ſpicatum 256
N.
Narciſſus poeticus 96
—— pſeudo-narciſſus 96
Narthecium oſſifragum 97
Nymphæa lutea 145
O.
Oenanthe crocata 81
—— pimpinelloides 81
Ononis ſpinoſa 194
Ophrys inſectifera 249
—— ovata 248
Orchis bifolia 244
—— conopſea 247
—— maculata 247
—— maſcula 245
—— morio 246
—— pyramidalis 245
—— uſtulata 246
Origanum vulgare 164
Ornithopus perpuſillus 200
Orobus tuberoſus 196
Oxalis acetoſella 122

Papaver

INDEX NOMINUM LATINORUM.

P.

Papaver rhœas 144
—— — ſomniferum 144
Parietaria officinalis 269
Parnaſſia paluſtris 90
Paſtinaca ſativa 85, 275
Pedicularis paluſtris 169
———— ſylvatica 169
Phalaris arundinacea 16
Phleum pratenſe 16
Picris echiodes 215
Pimpinella ſaxifraga 87
Pinguicula vulgaris 8
Plantago coronopus 39
———— lanceolata 38
———— major 38
———— maritima 39
———— media 38
Poa annua 23
—— compreſſa 23
—— maritima 24
—— pratenſis 22
—— rigida 24
—— trivialis 23
Polygala vulgaris 192
Polygonum amphibium 111
———— aviculare 113
———— convolvulus ib.
———— hydropiper 112
———— perſicaria ib.
Populus alba 265
——— nigra 266
——— tremula 265
Potamogeton criſpum 47
———— lucens 46
———— natans 47
Potentilla anſerina 139
———— reptans 140
Poterium ſanguiſorba 257
Primula veris 54
——— officinalis 55, 275
Prunella vulgaris 165
Prunus ſpinoſa 133
Pyrus malus 135

Q.

Quercus robur 257

R.

Ranunculus acris 151
———— auricomus 152
———— aquatilis 153
———— bulboſus 150
———— ficaria 149
———— flammula 148
———— hederaceus 152
———— lingua 148
———— repens 150
———— ſceleratus 151
Raphanus raphaniſtrum 180
Reſeda lutea 129
——— luteola ib.
Rhinanthus criſtagalli 168
Roſa arvenſis 137
—— canina ib.
—— ſpinoſiſſima 136
Rubia peregrina 40
Rubus fruticoſus 138
Rumex acetoſa 104
——— acetoſella ib.
——— acutus 103
——— criſpus 102
——— obtuſifolius 103

S.

Sagina procumbens 46
Salicornia herbacea 2
Salix alba 264
—— amygdalina 261
—— arenaria 263
—— caprea ib.
—— fragilis 261
—— fuſca 263
—— pentandria 261
—— purpurea 262
—— reticulata ib.
—— triandria 260
—— viminalis 264
Salſola kali 71
Salvia verbenaca 9, 275
Sambucus nigra 89

Samolus

S.

Samolus valerandi 63
Sanicula Europæa 75
Saponaria officinalis 115
Saxifraga tridactylites ib.
Scabiosa arvensis 37
——— succisa 36
Scandix anthriscus 84, 275
——— odorata 84
——— pecten Veneris 83
Schœnus nigricans 13
Scirpus cæspitosus 14
——— lacustris ib.
——— maritimus 15
——— palustris 13
Scrophularia aquatica 172
——— nodosa 171
Sedum acre 121
——— Anglicum 122
——— reflexum 121
Sempervivum tectorum 132
Senecio erucifolius 230
——— Jacobæa ib.
——— paludosus 231
——— sylvaticus 229
——— viscosus ib.
——— vulgaris 228
Serratula arvensis 218
Sherardia arvensis 41
Sinapis arvensis 183
Sisymbrium nasturtium aquaticum 182
——— sophia 183
Sium angustifolium 80
——— nodiflorum ib.
Smyrnium olusatrum 86
Solanum dulcamara 62
Solidago virgaurea 231
Sonchus arvensis 211
——— oleraceus 210
Sparganium erectum 253
Spartium scoparium 193
Spergula arvensis 126
——— nodosa ib.

S.

Spiræa ulmaria 135
Stachys palustris 162
——— sylvatica 161
Statice armeria 91
——— limonium 92
Stellaria graminea 117
——— holostea ib.
Symphytum officinale 52

T.

Tanacetum vulgare 224
Teucrium chamœdrys 154
——— scorodonia 155
Thlaspi arvense 174
——— bursa pastoris 175
——— campestre 174
Thymus serpyllum 164
Tragopogon pratense 210
Trifolium agrarium 203
——— alpestre 202
——— fragiferum 203
——— melilotus officinalis 200
——— melilotus ornithopodioides 201
——— pratense 202
——— procumbens 204
——— repens 201
Triglochin palustre 102
Triticum junceum 34
——— repens 33
Tordylium anthriscus 75
——— nodosum 76
Tormentilla erecta 141
Tussilago farfara 227
——— petasites 228
Typha angustifolia 252
——— latifolia ib.

U.

Ulex Europæus 194
Ulmus campestris 73
Urtica dioica 255
——— urens ib.
Vaccinium myrtillus 108

INDEX NOMINUM LATINORUM.

V.

Valeriana locuſta 12
——— officinalis 11, 275
——— rubra 11
Verbaſcum thapſus 60
Verbena officinalis 156
Veronica agreſtis 7
——— anagallis 5
——— arvenſis 6
——— beccabunga 5
——— chamœdrys 6
——— hederifolia 7
——— montana 6

V.

Veronica officinalis 4
——— ſerpyllifolia ib.
Viburnum opulus 88
Vicia cracca 197
—— lathyroides 199
—— ſativa 198
—— ſylvatica 197
Vinca minor 61
Viola canina 243
—— hirta 242
—— odorata ib.
—— tricolor 243

INDEX

NOMINUM

ANGLICANORUM.

A.	Page
ABELE tree	265
Adonis flower	148
Aglet-headed rufh	14
Agrimony, common	128
——— Dutch	223
——— hemp	ib.
——— water	222, ib.
Alder tree, common	254
Alehoof	158
Alexanders	86
Alkanet, evergreen	51
Allgood	68
Allheal, clown's	162
Allfeed	71
Anemone, wood	147
Angelica, wild	79
Archangel, perfoliate	159
——— red	ib.
——— white	158
——— yellow	161
Arrowheaded grafs	102
Arfmart, dead	112
——— water	ib.
Afh tree, common	273
Afp	265
Afphodel, Lancafhire	98
Afpin tree	265
Avens, common	142
——— water	ib.
B.	
Bank creffes	178
Barley, wall	33
Bafe rocket	130
Baftard afphodel	98
——— crefs	174, 175
Bay-leaved willow, fweet	261
Bed-ftraw, great lady's	43
——— marfh lady's	ib.
——— mountain lady's	42
——— white lady's	ib.
——— yellow lady's	44
Beech tree	258
Bee flower	249

B.	Page
Bee orchis	249
Beet, ſea	72
Bellflower, round-leaved	64
Bennet, way	33
Bentgraſs, brown	18
—— creeping	19
—— fine	ib.
Betony, Paul's	5
—— water	172
Beſom plantain, great	38
Bilberries	108
Bindweed, black	113
—— great	59
—— ſea	ib.
—— ſmall	ib.
Birch tree	254
Bird's foot	201
—— common	200
—— trefoil	205
Bird's neſt	77
—— tongue	231
Bird graſs	23
Birk	254
Bitterſweet	62
Blackberry buſh	138
Black bindweed	113
—— medick	205
—— poplar	266
—— ſaltwort	65
—— thorn	132
—— whortleberries	108
—— worts	108
Bladder campion	116
Bleaberries	108
Blinks	35
Blite, upright	71
Bluebottles	239
Bogdown	15
Bogruſh, black headed	13
Borage, common	52
Bramble, common	138
Breakſtone	46

B.	Page
Brome graſs, barren	29
—— field	28
—— ſoft	ib.
—— tall	29
Brooklime	5
—— long-leaved	5
Broome, common	193
Bruiſewort	116
Buckbean	55
Buck's-horn plantain	40
Buck wheat	55
Bugle, common	156
Bugloſs, ſmall wild	53
—— viper's	54
Bullruſh	14
Bumblekites	138
Burdock	217
Burnet	257
—— roſe	136
Burr	217
—— marygold	223
Burr reed, greater	253
—— upright	ib.
Butterburr	228
Buttercups	150, 151
Butterflower	ib. ib.
Butterfly orchis	244
Butterwort, common	8

C.	
Cabbage, wild	181
Calamint, mountain	166
Caltrops, great water	47
Call-me-to-you	243
Cammock	194
Campion, bladder	116
—— white corn	ib.
—— wild	124
Canary graſs, reed	16
Carline thiſtle, common	221
Carrot, wild	77
Catchweed	44
Cat's foot	158

C.	Page
Cat's milk	130
—— tail, great	252
——— small	253
——— grass, meadow	17
Celadine, less	49
——— sea	143
Centaury, less	60
——— yellow	110
Chadlock	184
Charlock	180, 184
Chamomile, corn	237
——— sea	ib.
Chaseweed	240
Cheese-renning	44
Chervil, common	84
——— small hemlock	ib.
——— wild	85
Chickweed, common	90
——— least	119
——— small water	35
——— star-headed water	3
Childing cudweed	240
Churn-staff	131
Cicely, corn	84
—— great sweet	ib.
—— sweet	ib.
—— rough	85
—— wild	ib.
Cinquefoil, common	140
Clary, wild	9
Cleavers	44
Clivers	ib.
Clotburr	217
Clover, broad	202
——— mountain	ib.
Clown's allheal	162
——— woundwort	ib.
Clubrush	14
——— dwarf	ib.
Cockle	123
Cock's comb	168
——— foot grass, rough	25

C.	Page
Codlings and cream	106
Colewort, sea	185
Coltsfoot	227
Columbine	146
Comfrey, common	52
Cop rose	144
Corn cale	184
—— chamomile	237
—— cicely	83
—— flos Adonis	148
—— flower	239
—— marygold	234
—— radish	180
—— rose	144
—— soft grass	269
—— sallad	12
—— sow thistle	211
—— speedwell	7
—— thistle	219
Cotton grass, common	15
Couch grass	33
Cow's lungwort	60
—— parsley	85
—— parsnep, common	78
—— quakes	22
Cowslip, common	55
Cow weed	85
—— wheat, yellow	169
Coxcomb	168
Crab tree	135
Crake needle	83
Crane's bill, bloody	189
——— common dove's foot	187
——— hemlock	186
——— jagged leaved dove's foot	188
——— musked	187
——— stinking	189
Crap	32
Creeping meadow grass	23
——— mouse ear hawkweed	213

C.	Page
Creeping soft grass	269
——— — water parsnep	80
Crested dog's tail grass	34
Cross-leaved heath	110
Crow flower	124
Crowfoot, bulbous	150
——— celery leaved	151
——— creeping	150
——— ivy-leaved	152
——— upright	151
——— water	153
——— wood	152
——— various-leaved	153
Crow garlick	93
Cuckow bread	122
——— flower	181
——— meat	122
——— pint	250
——— sorrel	122
Cudweed, childing	240
——— common	240
——— marsh	226
Cyperus, round-rooted bastard	15
D.	
Daffodil, common	96
——— pale	ib.
Daisy, common	234
—— greater	235
Dandelion, common	212
——— rough	213
Darnel grass, perennial	37
——— red	ib.
Dead arsmart	112
Dead tongue	81
Dead nettle, common	160
——— red	159, 160
——— white	158
——— yellow	161
Dee nettle	159
Deer's hair	14
Devil's bit scabious	37
Dill	86

D.	Page
Dock, broad-leaved	103
—— curled	ib.
—— sharp-pointed	104
Dock cresses	216
Dog's grass	33
Dog's mercury	267
Dog rose	137
—— rose, white-flowered	ib.
Dog's tail grass, crested	34
Dog's violet	242
Dove's foot	187
Dropwort, hemlock water	81
——— parsley water	ib.
Duckmeat, least	251
Dutch agrimony	223
——— clover	202
——— trefoil	ib.
Dwarf clubrush	14
——— orchis	247
——— spurge	131
——— wild flax	93
Dyer's weed	129
E.	
Earth chestnut	82
——- kipper	ib.
——- nut	ib.
Elder, common	89
——- water	89
Elm, common	73
Enchanter's nightshade	10
Endive	218
English marsh saxifage	127
Eryngo, sea	73
Eyebright, common	167
——— red	167
F.	
Fairy flax	93
Fairy's milk	131
Fat hen	270
Felwort	67
Female foolstones	246
——— handed orchis	247
Fennel, common	86

Fennel,

F.	Page
Fennel, water	3
Fern, ſweet	84
Feſcue graſs, common flote	27
——— hard	26
——— meadow	27
——— purple	27
——— ſheep's	26
——— tall	28
Fetch	198
Feverfew	236
——— ſweet ſcented	ib.
Field brome graſs	28
—— madder	41
—— ruſh	101
—— ſcabious	37
Figwort, great	171
Fig-leaved gooſefoot	70
Fine-leaved heath	109
Finkle	85
Five-leaved graſs	140
Flag, water	13
Flax, common	93
—— dwarf wild	ib.
—— fairy	ib.
—— purging	ib.
Fleabane, blue	226
——— middle	233
Flixweed	183
Float foxtail graſs	18
Flote graſs	27
Flos Adonis, corn	148
Flower de luce	13
Fluellin	4
Fold meadow graſs	23
Fool's parſley	82
Foolſtones, early male	246
——— female	ib.
Fowl graſs	23
—— meadow graſs	ib.
Foxglove, lady's	60
——— purple	173
Foxtail graſs, float	18
——— meadow	17

F.	Page
French Mercury	267
Fumitory, officinal	191
Furze, common	194
G.	
Garlick, crow	95
Gentian, autumnal	67
——— field	ib.
Germander, common	154
——— ivy-leaved	7
——— ſpeedwell	ib.
——— wild	6
——— wood	155
Glaſswort, jointed	2
——— prickly	72
——— ſmall	71
——— white	ib.
Goat's beard, yellow	210
Gold cup	150
Golden rod, common	232
——— ſamphire	233
——— ſaxifrage, oppoſite-leaved	114
Goldilocks	152
Goldins	234
Good Henry	68
Good king Henry	ib.
Gooſefoot, common wild	70
——— fig-leaved	ib.
——— red	69
——— round-leaved	71
——— ſea	ib.
——— upright	68
——— wall	69
Gooſegraſs	44, 140
Gooſe tanſey	140
Gorze	194
Go-to-bed-at-noon	210
Goulans	234
Graſs of Parnaſſus	91, 275
Graymill	50
Great baſtard madder	43
—— bindweed	59
—— burr reed	253

Great

G.	Page
Great cat's tail	252
—— daiſy	235
—— figwort	171
—— hairy willowherb	106
—— henbit	159
—— knapweed	239
—— lady's bedſtraw	43
—— plantain	105
—— ſpearwort	149
—— ſweet chervil	84
—— ſtitchwort	117
—— twayblade	248
—— water caltrops	47
—— white mullein	60
Grig	109
Gromill	50
Gromwell	ib.
Ground ivy, common	158
Groundſel	228
——— clammy	229
——— hoary	231
——— ſtinking ſmall-flowered	229
Guelder roſe	89

H.	
Hag's taper	60
Hairgraſs, purple	20
——— turfy	21
——— water	20
Hairy-leaved lady's ſmock	182
Hairy ſheep's ſcabious	241
—— willowherb, great	106
—— woodruſh	101
—— violet	242
Hard beam tree	259
—— feſcue graſs	26
—— meadow graſs	25
—— ruſh	99
Harebells	97
Hart's clover	200
Haſel nut tree	260
Hather	109
Hawk nut	28

H.	Page
Hawkweed, creeping mouſe-ear	213
—— long-rooted	216
—— marſh	214
—— rough ſuccory	215
—— ſmooth ſuccory	214
Hawthorn	134
Headwark	144
Heart's eaſe	243
Heath, common	109
——— croſs-leaved	110
——— fine-leaved	109
——— peaſe	196
Hedge muſtard, common	178
——— ——— ſtinking	179
Hedge nettle	162
Hedge parſley	76
Helme	31
Hemlock, common	77
——— leſs	82
Hemlock water dropwort	81
Hemp agrimony	223
Hemp, trifid water	222
Hemp, water	223
Henbane, common	61
Henbit, great	159
——— ſmall	7
Heptree	137
Herb bennet	142
—— Robert	189
—— trinity	243
—— twopence	57
Herd graſs	17
High taper	60
Hogweed	78
Holly, common	48
——— ſea	73
Honeyſuckle, common	63
——— white	201
Hop trefoil	203
——— leſs	204
Horehound, black ſtinking	163
——— water	9

INDEX NOMINUM ANGLICANORUM.

H. Page

Horehound, white ſtinking 163
Horned poppy, yellow 143
Hornbeam tree 259
Hornbeech tree ib.
Horſe beech tree ib.
Horſeknops 238
Hound's tongue 51
Houſeleek, common 132
Hurr burr 217
Hurtleberries 108
Hurtſickle 239
Hyacinth, common 97

I.

Jack-by-the-hedge 179
Jointed glaſſwort 2
——— ruſh 100
Ivy, common 65
Jur nut 82

K.

Kernel wort 171
Kidney vetch 195
Kidneywort 120
King's claver 200
Kipper nut 82
Kiſs-at-the-garden-gate 243
Knapweed 238
——— great 239
Knopweed 238
Knotgraſs, amphibious 111
——— climbing 113
——— common ib.
——— dead 112
——— ſpotted ib.
——— water ib.
Knotted parſley 76
——— ſpurrey 127

L.

Lady's bedſtraw, great 43
——— marſh ib.
——— mountain 42
——— white ib.
——— yellow 44

L. Page

Lady's finger 195
——— foxglove 60
——— hair 22
——— mantle, common 45
——— ſmock, common [181
——— hairy-leaved [182
Lady's thiſtle 221
Lakeweed 112
Lamb's lettuce 12
——— quarters 271
——— tongue 38
Lancaſhire aſphodel 98
Lang de boeuf 215
Late-flowering orchis 245
Leaſt chickweed 119
——— duckmeat 251
——— ſtitchwort 118
Leſs celandine 149
——— centaury 66
——— hemlock 82
——— periwinkle 61
——— pimpernel 87
——— ſpearwort 148
——— water plantain 106
Lily, yellow water 145
Ling 109
Little field madder 41
Long-leaved ſhining pond-weed 47
——— ſundew 95
Long-rooted hawkweed 216
Looſetrife, creeping 57
——— purple-flowered ib.
——— purple-ſpiked 128
——— yellow wood 56
Lords-and-ladies 250
Louſewort, common 170
——— marſh 169
Love-in-idleneſs 243
Lychnis cuckow-flower 124

Madder,

M. Page

Madder, great baftard 43
——— little field 41
——— wild 40, 43
Madnep 78
Maidwort, mountain 6
Male foolftones, early 246
—— pimpernel 56
—— fpeedwell 4
Mallow, common 190
——— dwarf 191
Mantle, lady's 45
Maple, common 272
Mare's tail 1
Marygold, corn 234
Marjoram, wild 164
Marle grafs 202
Marram 31
Marfh cleaver 55
—— cudweed 226
—— hawkweed 214
—— lady's bedftraw 43
—— loufe wort 169
—— marygold 153
—— pennywort 74
—— famphire 2
—— faxifrage, Englifh 127
—— trefoil 55
—— thiftle 219
—— willow herb 108
Matfelon 238
Matweed, fea 31
May 134
Meadow bouts 153
——— cat's tail grafs 17
——— fefcue grafs 26
——— fox tail grafs 17
Meadow grafs, annual 24
——————— common 23
——————— creeping ib.
——————— flat-ftalked ib.
——————— great 22
——————— hard 25
Meadow grafs, rough-ftalked [23
——————— fea 24
——————— fmooth-ftalked [22
——————— foft 268
Meadow pinks 124
Meadowfweet 136
Melick, black 205
Melic grafs, purple 20
——————— wood 21
Melilot, common 200
Meliot trefoil 205
Mercury, common Englifh 68
———— dog's 267
———— French ib.
Milfoil 238
Milk thiftle 221
Milkwort, common 192
Milkwort, fea 65
Mill mountain 93
Mint, water 157
Mithridate muftard 174
Moneywort 57
Moor grafs 15, 94
Mofs crops 15
Mother-of-thyme 165
Moufe-ear chickweed, common 125
Moufe-ear chickweed, corn 126
———— fcorpion grafs 49
Mountain calamint 166
———— clover 202
———— epilobium 107
———— lady's bedftraw 42
———— ofier 264
———— fpeedwell 6
Mugwort 225
Mullein, great white 60
Mufk cranefbill 186
Muftard, baftard 175
———— common hedge 174

Muftard

M. Page
Muſtard, mithridate 174
——— ſtinking hedge 179
——— treacle 175
——— wild 184
N.
Nape 181
Narrow-leaved water parſnep 80
——— leaved willow herb 107
Narciſſus, common 96
——— pale ib.
Navelwort, common 120
Navew 181
Nettle, common ſtinging 256
——— leſs ſtinging 255
Nettle hemp 160
Nightſhade, enchanters 10
——— woody 62
Nipplewort 216
Noneſuch 205
O.
Oak, common 258
Oat graſs, tall 30
——— yellow ib.
Orchard graſs 25
Orache 70
Orache, ſpreading ſpear 271
——— wild 270
Orchis, butterfly 244
——— dwarf 247
——— female handed ib.
——— late-flowering purple pyramidal 245
——— long-ſpur'd ſweet-handed 248
——— ſpotted 247
Oſier 264
Oſier, mountain ib.
Oxeye 235
P.
Paddowpipe 1
Pagils 55
Paigles ib.

P. Page
Panſies 243
Parkleaves 206
Parnaſſus, graſs of 91, 275
Parſley, fool's 82
——— hedge 76
——— knotted ib.
——— water-dropwort 81
Parſnep, common 85
——— cow ib.
——— creeping water 80
——— narrow-leaved water 80
Paul's betony 5
Peaſe, heath 196
——— wood ib.
Pearlwort, procumbent 46
Pellitory of the wall 269
Penny creſs 175
——— graſs 168
——— wort, wall 120
Perennial darnel graſs 32
Periwinkle, leſs 61
Peſtilentwort 228
Petty maguet 44
——— ſpurge 130
Pheaſant'seye 148
Picris, rough 215
Pignut 82
Pilewort, common 149
Pimpernel 56
Pimpernel, leſs 87
——— male 58
Pimpernel roſe 136
Pimpernel, round-leaved water 63
——— water 5
Pinks, meadow 124
Piſs-a-bed 212
Plaintain, buck's horn 40
——— great beſom 38
——— greater water 105
——— hoary 38
——— leſs 106
——— ribwort 39

P. Page

Plaintain, ſea narrow-leaved 39
Poa, common dwarf 24
—— common meadow 23
—— great meadow 22
—— hard meadow 25
—— flat-ſtalked meadow 23
—— ſea meadow 24
Pondweed, curled 47
——— broad-leaved ib.
——— long-leaved ib.
Poplar, black 266
——— trembling ib.
——— white 265
Poppy, red 144
——— ſpatling 116
——— white 144
——— yellow-horned 143
Prickly glaſswort 72
——— ſaltwort ib.
Prick-madam 121
Primroſe, common 54
Privet 4
Procumbent pearlwort 46
——— trefoil 204
Purging flax 93
Purple feſcue graſs 27
——— flowered moneywort 57
——— foxglove 173
——— hair graſs 20
——— melic graſs ib.
——— ſandwort 119
——— ſea ſpurry ib.
——— ſpiked looſeſtrife 128
——— willowherb ib.
——— ſpurrey 119
——— trefoil 202
Purſlane 35
Purſlane, ſea 271

Q.

Quaking graſs 22
Queen of the meadows 136
Quick graſs 33

R. Page

Ragged Robin 124
Ragweed 230
Ragwort 230
Rape 181
Rattle, yellow 168
Raygraſs 32
Red eye bright 167
—— darnel graſs 32
—— deadnettle 159, 160
—— gooſefoot 69
—— maithes 148
—— Morocco ib.
—— poppy 144
—— rot 94
Reed graſs, common 31
——— ſea ib.
Reedmace 252, 253
Reſtharrow 194
Ribgraſs 39
Ribwort plantain ib.
Rocket, baſe 130
——— ſea 184
Roſa ſolis 94
Roſe, burnet 136
—— dog 137
—— pimpernel 136
—— white-flowered dog 137
Rot, white 75
Rough chervil 84
——— Cicely ib.
——— cock's-foot graſs 25
Rough-ſtalked meadow graſs [23
——— ſuccory hawkweed 215
——— black-headed bog ruſh 13
——— headed common ruſh [98
——— rooted baſtard cyprus [13
Round-leaved bell flower 64
——— water gooſefoot [71

Round-

R. Page
Round-leaved water pimpernel [63
———— ſundew 94
Rue-leaved whitlow graſs 115
Ruſh, common round-headed [98
—— field 101
—— hairywood ib.
—— hard 99
—— jointed 100
—— ſoft 99
—— toad 100
—— trifid 99
—— two-flowered 100
Ryegraſs 32, 33
Ryegraſs, wild 33

S.
Sallow, common 264
Saltwort 2
——— black 65
——— prickly 72
Samphire 78
Samphire, golden 233
———— marſh 2
Sandwort, purple 119
———— ſea 118
———— thyme-leaved 119
Sanicle, common 75
——— Yorkſhire 8
Saucealone 179
Saxifrage, Engliſh marſh 127
———— oppoſite-leaved golden 114
———— rue-leaved 115
Scabious, corn 37
———— devil's-bit ib.
———— field ib.
———— hairy ſheep's 241
———— rampion ib.
Scorpiongraſs, mouſe-ear 49
Scottiſh ſcurvy graſs 59
Scrambling rocket 178
Scrooby graſs 176

S. Page
Scrogs 133
Scurvygraſs 176
Scurvygraſs, Daniſh 177
———— Greenland 176
Sea beet 72
— bindweed 59
— celandine 143
— colewort 185
— cuſhion 91
— eryngo 73
— gilliflower 91
— gooſefoot 71
— graſs 2
— lavender 92
— holly 73
— matweed 31
— meadowgraſs 24
— milkwort 65
— narrow-leaved plantain 39
— purſlane 271
— reedgraſs 31
— rocket 184
— ſandwort 118
— ſtarwort 232
— ſpurge 131
— thrift 92
— wheatgraſs 34
Seaves 99
Seggrum 230
Self-heal, common 165
Septfoil 141
Sheep's feſcue graſs 26
——— ſcabious 241
——— ſorrel 104
Shepherds needle 83
———— pouch 175
———— purſe ib.
Silverweed 140
Simpler's joy 156
Simſon 228
Sloetree 133
Smallage 88
Small bindweed 59

S.	Page
Small burnet ſaxifrage	87
—— cat's tail	253
—— glaſſwort	71
—— hemlock chervil with rough ſeeds	84
—— water purſlane	35
——— chickweed	ib.
—— white glaſs wort	71
—— wild bugloſs	53
Snapdragon	171
Soapwort, common	116
Softgraſs, corn	269
—— creeping	269
—— meadow	268
Softruſh	99
Sorrel, common	104
—— cuckow's	122
—— ſheep's	104
—— wood	122
Sowthiſtle, common	211
—— corn	ib.
—— tree	ib.
Spattling poppy	116
Spearwort, greater	149
—— leſs	148
Spear thiſtle	220
Speedwell	6
Speedwell, corn	7
—— germander	7
—— ivy-leaved	7
—— male	4
—— mountain	6
—— ſmooth	5
—— wall	7
—— water	5
Spiked-water milfoil	256
Spotted arſmart	112
—— orchis	247
Spreading ſpear orache	271
Springgraſs	10
Spurge, petty	130
—— ſea	131

S.	Page
Spurge, ſun	ib.
Spurrey, corn	126
—— knotted	127
Squitch graſs	33
Star-headed water chickweed	3
Star of the earth	40
Starwort	3
Starwort, autumnal	ib.
Starwort, ſea	232
St. James's wort	230
St. John's wort, officinal	208
—— marſh hoary	209
—— mountain	208
—— quadrangular	209
—— trailing	207
—— upright	ib.
Stinking groundſel	229
—— horehound	163
Stitchwort, greater	117
—— leſs	118
Stock bill	189
Stone crop	121
Stone crop, Engliſh	122
—— yellow	121
St. Peter's wort	209
St. Peter's wort, marſh hoary	ib.
Strawberry, barren	139
—— common	138
—— trefoil	203
Stubwort	122
Succory hawkweed	214, 215
Succory, wild	218, 275
Suffolkgraſs	24
Sundew, long-leaved	95
—— round-leaved	94
Sunſpurge	131
Sweet ſmelling vernal graſs	10
Sweet Cicely	84
—— fern	84
—— woodroof	41

Sweet

T.	Page
Sweet violet	242
Swine's creſſes	177
Sycamore tree	272
Tall bromegraſs	29
—— feſcuegraſs	28
—— oatgraſs	30
Tanſey, common	224
—— gooſe	140
—— wild	ib.
Tare	198
—— everlaſting	197
Tare, fine	199
Tare, hairy	ib.
Tare, wild	ib.
Teaſel, wild	36
Thiſtle, common carline	221
—— common way	219
—— corn	ib.
—— lady's	221
—— marſh	219
—— milk	221
—— ſpear	220
—— upon thiſtle	ib.
Three-faces-under-a-hood	243
Thrift	91
Thyme-leaved ſandwort	119
Thyme, wild	165
Timothygraſs	17
Toadflax, common	170
—— graſs	100
—— ruſh	ib.
Tormentil, common	141
Treacle muſtard	175
Trefoil, bird's foot	205
—— creeping-white	201
—— Dutch	ib.
—— hop	203
—— leſs hop	204
—— marſh	55
—— melilot	205
—— perennial	202
—— procumbent	204
—— purple	202

T.	Page
Trefoil, ſour	122
—— ſtrawberry	203
Trembling graſs	22
—— poplar	266
Trifidruſh	99
—— water hemp	222
Tufted vetch	197
—— wood vetch	198
Tunhoof	158
Turfy hairgraſs	21
Tutſan	206
Twayblade, great	248
Two-flowered ruſh	100
U.	
Upright blite	71
—— burrreed	253
—— gooſe foot	68
V.	
Valerian, corn	12
—— red	11
—— wild officinal	11
Venus comb	83
Vernal graſs, ſweet-ſmelling	10
Vervain, common	156
Vetch	198
Vetch, ſpring	199
Vetch, tufted	197
Vetch, tufted wood	198
Vetching, common yellow	197
Viburnum, water	89
Violet, dog's	243
—— hairy	242
—— ſweet	ib.
Viper's bugloſs, common	54
W.	
Wagwanton	22
Wake-Robin	250
Wall barley	33
—— flower, common	180
—— gooſefoot	69
—— pennywort	120

W. Page

Wall pepper 121
—— ſpeedwell 7
Wart wort 131
Water agrimony 222, 223
—— arſmart 112
—— avens 142
—— betony 172
—— caltrops, greater 47
—— chickweed, ſmall 35
—— creſs, common 183
—— crow foot, various-leaved 153
—— dropwort, hemlock 81
—— dropwort, parſley ib.
—— elder 89
—— fennel 3
—— flag 13
—— graſs, ſpiked 18
—— hair graſs 20
—— hemp 222, 223
—— horehound 9
—— knot graſs 112
—— millfoil, ſpiked 256
—— mint 157
—— parſnep, creeping 86
—— —— narrow-leaved [ib.
—— pepper 112
—— pimpernel, round-leaved 63
—— plantain, greater 105
—— —— leſs 106
—— ſpeedwell 5
—— ſtar wort 3
—— trefoil 55
—— viburnum 89
Waybennett 33
—— bread 38
—— thiſtle, common 219
Whortleberries, black 108
Wheatgraſs, common 33
—— —— ſea 34
Whins 194

W. Page

White archangel 158
—— bottle 118
—— corncampion ib.
—— deadneſtle 158
—— dog's roſe 137
—— glaſs wort, ſmall 71
—— honeyſuckle 201
—— lady's bedſtraw 42
—— mullein, great 60
—— poplar 265
—— rot 74
—— thorn 134
—— trefoil 201
Whitlow graſs, common 173
—— —— rue-leaved [115
Wild Angelica 79
—— briar 137
—— bugloſs, ſmall 53
—— cabbage 181
—— campion 124
—— carline thiſtle 221
—— carrot 77
—— chervil 85
—— Cicely ib.
—— cichory 218, 275
—— clary 9
—— germander 6
—— gooſefoot, common 70
—— madder 40, 43
—— marjoram 164
—— muſtard 184
—— orache 270
—— poppy 144
—— rye 33
—— ſpinage 68
—— ſuccory 218
—— tanſey 140
—— tare 199
—— teaſel 36
—— thyme 165
—— valerian, officinal 11
—— Williams 124

W. Page

Wild woad 129
Wilding 135
Willow herb, purple-fpiked [128
Willow, almond-leaved 261
——— bay-leaved ib.
——— brown 263
——— common 264
——— common white ib.
——— crack 262
——— purple ib.
——— fand 263
——— fmooth 260
——— fweet 261
——— wrinkled 262
Willow herb, great hairy 106
——————— marfh 108
——————— narrow-leaved 107
——————— fmooth-leaved ib.
Wind berries 108
Winter creffes 179
——— rockett ib.
Woad, wild 129
Wood anemone 147
——— peafe 196
Woodbine 63
Woodloofeftrife, yellow 56
Woodmelic grafs 21
Woodroofe 41

W. Page

Woodrow 41
Woodruffe ib.
Woodrowell ib.
Wood rufh 101
——— fage 155
——— forrel 122
——— vetch 198
Woody nightfhade 62
Worts, black 108

Y.

Yarrow 238
Yellow, archangel 161
——— centaury 110
——— cowwheat 169
——— deadnettle 161
——— goat's-beard 210
——— horned poppy 143
——— lady's bedftraw 44
——— oatgrafs 30
——— pimpernel 56
——— rattle 168
——— ftonecrop 121
——— water lilly 145
——— weed 129
——— wood loofeftrife 56
——— wort 110
——— vetchling, common 197
Youthwort 94

INDEX

NOMINUM

HIBERNICORUM.

A.	Page
ABHALE fiadhain	135
Abran donog	251
Ahair talmhun	238
Ailmeog leamh, leamhan	73
Ailm no crannailme	73
Airgiod luachra	136
Airmeirigh	44
Airneog	133
Aiteann	194
Allas muire	208
An luibh biatas	72
An tulach	6
Athair lus	158
Athan	227
B.	
Baine bo bleacht	54
Baine bo buidhe	ib.
Baine muc	211
Bairgin	150
Balath gnis	44
Barraiste	52

B.	Page
Beachnua bicinionn	108
Beadhnuad firionn	208
Beahnoba eaed coluim kille	ib.
Bearnan bealtaine	154
——— bearnach	212
Beith	254
Beithe	ib.
Beith na meas	258
Benedin	141
Billar griagain	182
Biodh a leithid	243
Biolar	183
Biolar muire	5
——— tragha	176
——— uisge	5
Biorrach lachan	31
Biorraide	264
Blaith na mbodagh	144
Blioght fhochadan	211
Bo cuineall	179
Bodan	253
Bodan dubh	252

INDEX NOMINUM HIBERNICORUM.

B. — Page

Bodan meaſgan 8
Bodanœ chloigin 168
Boſulan ban 225
——— liath 255
Boglus 53, 229, 230
Bog glaſs 53
Bog ſheimhin 14
Bonain capuil ib.
Bonun leana 79
Braim fhear 33
Breallan 32
Breallan leana 128
Brios clan 140
Brogh braighe 98, 99
Brovh 15
Bruimſean 33
Buachalan 225
Buachalan na keaſgaran 229, [230
——— buidhe 234
Buaſanan 225
Buidhe bhailſcean 230
Buidheacan bo bleacht 54
Buidhe mor 129
Buigiun 14
Buine 75
Butha muck 97

C.

Caba deſain 37
Cabhan abhan 145
Cabrois 126
Caman ſcarraigh 191
Caoch na cceare 62
Caoil fhail 255
Capeg ſhraide 104
Capuil 55
Carthan curaigh 11
Carnan caiſil 120
Cartloinn 157
Cas fa chrann 64
Cas tſearbhan 212
Cauleach dhearg 144
Ceanabhan mona 16
Ceanach na mona 16

C. — Page

Ceannaban beag 165
Ceatramha luain griollog 270
——— chaorach ib.
Ceolagh 93
Clabras 114
Cluan lin 126
Cluas liath 213
—— luch ib.
—— chaicin 250
Cocoil 217
Cogal 123
Coigeal na mban ſighe 252
Coirearan coilleach 125
Coirearain mhuc 82
Coirearan ib.
Coll 260
Collaidin 144
Coman mionla 237
Copog thnaithil 217
Cor chopog 105
Corran lin 126
Crann crither 266
—— critheach ib.
Crann paochain 108
Crann 272
—— bann ib.
—— fuinſean 273
—— fionn 272
—— crith 266
—— fuinnſeoige 273
Crannlus 229
Crann ſleamhain 259
Creachtach dhearg 188, 189
Creatach 189
Crob eain 202
Cruach phadruig 38
Cruagh luachair 14
Crub leoin 45
Cruba leoin 156
—— leſin 146
Cruiſgiornah 31
Cuchullon 44
Cuigheag 140
Cuighnear muirre ib.

Cuilen

C.	Page	F.	Page
Cuilin	48	Feinne gabhla	132
Cuil cann tragha	74	Feleaſtar	13
Cuineal muire	60	Feleaſtrum	13
Cuinnog mighe	79	Feochadan	219
Cuiridin ban	84	Feorn n curraigh	9
Cunlan	82	Fineal cubhra	87
D.		Fineal muire	183
Dair crann darrach	258	Finne cainn	132
Deagha buidhe	110	Fiothran	33
Dearna mhuire	45	Firchrann	272
Derag talnhan	191	Fleann uiſge	153
Draineog	133	Flioch	90
Dreimire buidhe	110	Fliuch	ib.
Dreimire muire	67	Fofannan min	211
Dreſeog	138	Fora dhrios	137
Drios	ib.	Fothrum	171
Drumire gorm	62	Fothanan	219, 227
Dubhan ceanneboſach	165	Fraoch	109
Dubhamuith	ib.	Fraochan	108
Duileaſgna habhan	47	Fraochog	ib.
Duilleog bhaite	145	Fuaim a tſiorraigh	191
Duilleog bride	217	Fualachtar	5, 80
——— mhaith	ib.	Fuath ghoram	62
Duilleogh mhin	ib.	Fuinſe	273
Duilliur ſpunc	227	Fuinſeach	10
Dun lus	171	Fuinſeog	273
Duracdin mona	94	Fuinſesgach	10
E.		Furran	258
Eadhadnan	65	G.	
Eadhan	ib.	Gaerealach collain	179
Earbal righ	189	Gaffan	62
F.		Gairleog muire	95
Failing mhuire	45	Gairteog	135
Falcaire fiodhain	58	Galcah anolurach	6
——— fuar	ib.	Gallan	228
Fanaigſhe naigſe	243	Galluran	79
Farach dubh	171	Gaoicin cuithigh	250
Farcan	258	Garabhog	184
Fathan	227	Garabh luſs	44
Fearban	150	Garbh raitheoch	174
Fearna fiarnog	255	Garb raitheach	179, 184
Feathlead	64	Gas na cconnachta	184
Feathog fa chrann	ib.	Gaſpag beain	235

G.	Page
Gealdruigh	94
Gear neimh	130
Geathur	250
Geirgin	78
Giolcach	193
Giolcach ſhleibhe	ib.
Glan ruiſc	167
Glaſſar heile	156
Gleoran	79, 182
Glunach bheag	113
Glunach dhearg	112
Glunneagh mor	ib.
Gorman	239
Gorman ſearaigh	244
Goroin	8
Gotharach	49
Grafan	103
Grafan na cclock	121
Grain aigain	149
Gran lachan	251
Greim a diabhail	37
Grenuig	78
Grioloigin	ib.
Groman	89
Grom crann grommain	ib.
H.	
Heanſeadh	224
I.	
Ionaigh	148
K.	
Kran airneadh	133
L.	
Lamhan cait leacan	120
Laſſair leana	148
Leadan	36
Leamhan bog	259
Leamhnacht	141
Leananach ſnaithe baite	153
Leathach buidhe	45
Liach briada	47
Liach loghar	145
Liath lus	225
Liath lus roid	240

L.	Page
Liathan	234
Liach roda	47
Lin	93
Lin raidhrc	167
Lion ha mban ſighe	93
Lochall	5
Lionan abhan	153
Lochall mothair	5
Luachair	14
Luibh an aghaidh coſachtarche	[227
Lus a ſparain	175
Lus an chaine	192
Lus an giolla	170
Lus baine	192
Lus buih bealtaine	154
Lus choluim chille	56
Lus na ffranc	224
Lus cre	4
Lus na ccnapan	171
Lus na canabh briſde	52
Luſſaranan gran duh	86
Lus na ccainle ccarach	97
Lus na fola	175
Lus garabh	44
Lus na laogh	114
Lus mide	49
Lus mila	49
Lus na miol mor	190
Lus na pingine	74
Lus riabhach	170
M.	
Macgan athair	251
Machall	142
Mada fraeigh	44
Madra fraeigh	44
Magarlin meadhrach	246
Mantatach	191
Mael iſa garb raitheath	178
Maithine	31
Maothlan mona	170
Marabh dhroighean	128
Marbhe dhroighean	223

Meacan

M.	Page
Meacan Righ	84
Meadh duach	236
Meahain	31
Meanaidin	141
Meangach	140
Mearacan	173
Meaſtorc alta	206
Meaſtorc caoil	206
Meaſtorc keeil	206
Milſhan monah	170
Miogbuidhe	62
Mithaghuiſge	62
Mianmhear	77
Miodhlucan	77
Mioibogan	77
Miontas chaiſil	269
Mioſach	93
Mongach meaſga	225
Mugoman	77
Muiruinach	31
Muirneach	31
Mulach dubh	239
Mulaighe dubha	ib.
N.	
Nead cailleach	147
Neal uiſge	153
Neanta neantog	255
Neantog leiſneach	256
Neantog chaech	158, 159
Neantog mharabh	ib. ib.
Nianſgoth	239
Nianſcoich	ib.
No draighean	133
Noinin	234
Noinin mor	235
P.	
Pacharan	55
Paipin	144
Piobol	228
Pis bhuidhe	197
Pis capuil	198
Pis duh	ib.
Pis phreachain	ib.

P.	Page
Plubairſin	154
Plurin ſeangan	203
Poipin	144
Ponra curraigh	55
Praiſeach	180
——— brathar	68
——— buidhe	181
——— fiadh	175
——— garuh	184
——— na ccaoragh	175
——— mhin	270
——— tragha	185
R.	
Raeimin raidhrc	167
Raitheach tragha	185
Raidhircin	167
Raidhleadh	32
Reagam	75
Reaga maighe	ib.
Rema	ib.
Riahhaigh	170
Rial cuil	189
Righ ſeiſg	253
Rian righ	189
Ros lachan	251
Ruinn ruiſe	58
Ruiſnin raidhrc	167
S.	
Sail chuach	242, 243, 244
Sail ſoileog	264
Saileach	ib.
Samha bo ſealgan	104
Samha cairach	ib.
Samha tearna	123
Scahog muire	222, 223
Seamar cre	4
——— muire	56
Seamair bhan	201
——— capuil	202
Seamrog	201
Seamſog	123
Seichearalan	54
Seichgheirgin	ib.

Seimhim

S.	Page
Seimhin	13
Seifg madradh	253
Sgathoga fiona	16
Sgeachog muire	223
Sgeach	134
——— talmhan	138
Sgeagh	134
Sgeach gheal	ib.
——— mhadra	137
Sibhne	13
Sifin	ib.
Sioda mona	16
Siothan mearacan na mna frghe	173
Slan Lus	39
Slat gorom	62
Son duilleog	217
Sraidin	175
Sreann bo	195
——— tearran	ib.
Sriumb na laogh	171
Suth talmhan	138, 139
T.	
Tathu	81
Tathu ban	ib.
Teanga con	51
Toirpin	132
Torachas biadhain	151
Trabach	179
Triantaran	195
Tuile talmhan	150
Tur facain	117
—— facainin	ib.
U.	
Uachdar	8
Uath	134
Ucas fihain	190
—— francach	191
Urachalach	37

F I N I S.